

SERVICE



Prompt Shipments are Often as Important as Low Prices

Orders for Stock Goods selected from our catalog are shipped promptly. It is only necessary to select and crate the material which will go forward without unnecessary delay.

Special Made to Order Material is manufactured in the shortest time possible. The time of shipment depends, of course, upon the character of the order, but the very nature of our organization, together with special equipment, permits us to handle such work with the utmost speed.

In the Warehouses and on the shipping platforms our experienced packers and loaders carefully but quickly load the various orders into trap cars that are hauled from our private switch every afternoon.

Our Big Warehouse is chock-full of millwork such as is listed in our catalog. This in itself is a strong assurance of PROMPT SERVICE.

Chicago with its 27 railroads is the World's Greatest Shipping Center.

Better Millwork for Less Money

The Wonderful Saving

afforded by our method of supplying building material direct to the actual builder has proven a boon to thousands. Every article in this book is plainly described and priced, and you will find these prices much lower than is ordinarily charged for material of the same

quality. We show you how to make more money by saving more money.

Millwork of All kinds

in fact, practically every article of manufactured lumber that enters into the con-struction of a new building or is used to repair an old one will be found in this catalog. In addition to millwork we quote money-sav-ing prices on many allied lines, such as prepared roofings, wallboard, building paper, paints hardware, paper, paints hardware, metal work, tile, plumbing and heating equipment.

Special Sizes and De-

signts As a matter of economy, we suggest the use of stock designs and stock sizes wherever possible. Since this class of work is manufactured in large quantities the cost is reduced to a minimum, and we can make shipment promptly. Special work, of irregular size and designs, must be handled separately at somewhat higher prices. While we urge the use of stock goods, if you must have special work, no one else is in a better position to supply it promptly or at such low prices.

Plan Book of Modern

Homes In addition to this catalog we publish a Plan Book of Modern Homes. The book contains illustration and floor plans of attractive and comfortable homes, as well as who intends to build. It also tells how to secure our blue print plans free. If interested write for a copy today.

Free Estimates

Free Estimates

are desired, send it to us for free estimate. As a matter of economy we suggest that you select your designs and sizes from the catalog. When sending special blue-prints, send with them a complete itemized list of the material with contact and sizes. on which prices are desired. With such information we shall promptly tell you exactly what your material will

cost, including all freight charges to your nearest railroad station.

Safe Delivery Guaran-

teed We gladly replace all broken or damaged material free of charge, although damaged shipments are exceedingly rare with us, owing to the unusual care we use in packing.

If any of our shipments arrive in bad order, accept it, pay the freight, and then send us the freight bill with an explanation of damage done, signed by your local freight agent.

He will be only too glad to do this for you, and you won't have to bother any further about it.

Upon receipt of your paid freight bill, we will promptly reimburse you in full for such damage or replace goods at once, just as you prefer.

Corpenters and Contrac-

Carpenters and contractors appreciate real service. They demand intelligent co-operation, ho nest values, promptness and square business methods. They know that we are equipped to handle their orders and inquiries with the greatest efficiency. This explains why we have thousands of the best carpenters and contractors in the country on our customer list.

list.
With us no sale is completed until our customer is satisfied.



We Guarantee

that each and every article in this catalogue is exactly as described and represented, thus, must be fully satisfactory in every respect to our customers. If, through a mistake or misunderstanding, you do not find the goods, when received, just as ordered and exactly as represented by us, we permit unconditionally the return of any or all of such unsatisfactory goods and we agree to promptly return to you any money you have paid us for such goods, together with transportation charges both ways, so that the transaction will cost you nothing, or will make exchange of such goods returned for others that are satisfactory in case you ask us to.

Condensed Index

—A—
Andirons
Ach Dumne
Astragals
and the same of th
—B—
Barn Sash5-6
Base Angles
Bath Tubs
Bibbs
Blinds
Rlocke Rase 31
Brackets Sink 79
Brackets, Stair
Breakfast Nook. 54 Brushes, Paint. 65
Brushes, Paint
Duitding Labers
Built in Cabinets54 to 57
-C- ·
Cabinets, Built-in54 to 57
Cabinets, Kitchen 57
Cabinets Medicine 57
Capitals. Composition 37
Casement, Sash 7-8
Celling, Steel
Cellar, Sash
Church Windows
Closets
Closet Lining 30
Coal Chifes 58
Colonnades
Columns, Porch
Corner Beads 31
Cupovaid Dyora
Cupboards 57

-D-
Door Frames
Door Jambs
Drip Boards
Dumb Watterstill
—F—
Finials 67
Flooring, Hardwood 42
Flour Bins
Freight Information 3
French Doors 8
French Windows
Furnaces
—G—
Garage Doors20-21
Garage Hardware
Grilles
Guarantee
Guttering43-68-69
—H—
Hardware, Builders'71-77
Heating Equipment83-84
Hot Bed Sash 6
Jambs, Door 27
Kitchen Cases 57
Kitchen Cases
Triculat Tubio

	51
Ladders	
Laundry Stoves	80
Laundry Trays	80
Daunuty Trays	78
Lavatories	
Lighting Fixtures85-	88
Lumber	4
Edition	-
—M—	
Mantel Shelf	54
Mirror Doors	18
Billiot Doorg ***********************************	0.4
Mouldings	34
Mouldings, Screen	30
N	
	27.00
Nails	77
—P—	
	ca.
Paints	0.2
Paints	40
Pergolas	23
Pipeless Furnaces83	9.4
Piperess Furnaces	40
Plaster Board48-	49
Plumbing Supplies79.	82
Pneumatle Water System	80
Pheumano water bystem	7
Porch Sash	
Porch Screens	30
Porchwork36	37
Pulleys, Sash	75
Pulleys, Sasii	10
—R—	
Rafter Ends	37
Red Cedar Closet Lining	30
Red (cual Closes Inhillip.	84
Register, Floor and Celling	
Ridge Cap. Metal	67
Roofing, Prepared44	-47
The fire Otens Age	68
Roofing, Steel	40
—8—	
Sash Cord	75
Sash Weights	75
DESIL MCIERCA	

Screen Doors and Windows 28-29	1
Screen Mouldings 30	ì
Screws	
Sheathing Papers 50	
Shingles, Wood	
Shingles, Asphalt	ĩ
Shutters, Window	1
Sideboards, Built-in55-57	7
Sinks 79	3
Sink Drip Boards	}
Skylights 69	}
Stairwork38-39	}
Steel Celling 70)
Steel Roofing	3
Store Doors 24	
Storm Doors	3
Storm Sash 10)
_	
—T→	
Tank Heaters 80)
Terms	
Thresholds 3	
Tile. Floor and Wall 41	
Trim, Door and Window 31-34	5
v_	
Varnish 65	5
Ventilators, Barn 69	9
_W-	
Wainscoting3	1
Wallboard	9
Water Heater 8	ł
Water Pressure System 8	
Weather Strip 1	
Weights of Material	
Windows5-1	1
Windows, Church 6	
Wood Carpet 4	U

Satisfaction or Your Money E GENTRAL MANUFACTURING DISTRICT BANK

Drovers National Bank CHANGE SURVING \$ 1250,000 Clucago Decement 19, 1823.

Every article that leaves our plant is covered guarantee

lutely.

Better Goods Less Money

Saved Over \$1000.00

Woodland, Ill.

Gentlemen-

Gentlemen—

I have bought seven carloads of lumber and millwork from March 1st, 1916, to December 13th, 1916, and must say that I have saved over one thousand dollars.

Your lumber and millwork is the best I have ever seen; really better than I expected. It is far better than what the local dealers handle. The architect tells me it has everything beat that he has ever seen. I had one car of lumber that had some 2x12 22' long, and it had hardly a knot in it.

My customers are more

My customers are more that pleased with the high grade material at such a low price as you are selling it.

Yours very truly, William Walder.

Fine Lumber

Sunbury, Pa.

"The lumber arrived O.
K., and must say I think it as fine as any lumber ever seen in this town. The man I am doing the work for is well pleased and so am I.
Any time you want a testimonial I will give you a good one."

N. E. Basthelomew.

Saved \$250.00

Tower Hill, IN.

"We now have my daughter's home, Mr. and Mrs. Leo L. Lowe, completed, and we are well pleased with all material, and your dealings thus far with us have been square, and at all times bills have been promptly and broberly shibbed. We saved square, and at all times bills have been promptly and properly shipped. We saved about \$250.00 by buying from you between the lowest home bid, and we shall recommend you to our friends when thinking of building." A. A. Eiler.

EASY TERMS OF PAYMENT

Plan No. 1. Cash With Order

To give the actual user of building material an opportunity to buy at lowest, wholesale prices, it is necessary for us sold on a cash-with-order basis.

You need not hesitate to send us the full purchase price for any material you may need, because we unreservedly guarantee that every article sold by us will be exactly as represented, and therefore entirely satisfactory to you. Look us up in Dun or Bradstreet, or write to any bank in the city of Chicago about our reliability.

Any material sold by us not found to be as represented and described may be returned and your money will be promptly and cheerfully refunded, together with any freight charges you may have paid. We guarantee not only quality, but safe delivery in perfect order as well.

You take no risk in buying "cash-with-order" from us.

You take no risk in buying "cash-with-order" from us.
When sending us orders we strongly urge that you make use of
this "cash-with-order" method as a matter of convenience. "Cashwith-order" shipments are shipped open account direct in your
name and bill of lading to secure goods is mailed to you, saving
you all delay and bother.

Plan No. 2. Special C. O. D. Terms There's nothing to be gained by C. O. D. shipments, and we do not recommend them, but will accept orders amounting to \$25.00, or more, for C. O. D. shipments when accompanied by part payment as shown below. Orders for less than \$25.00 full payment with order.

Send \$5.00 with orders of \$25.00 to \$50.00.
Send 10.00 with orders of \$10.00 to 100.00.
Send 20.00 with orders of 101.00 to 200.00.

With all C. O. D. orders over \$200.00, send 20 per cent of the amount of the purchase.

When goods are purchased under this C. O. D. arrangement, it will be an easy matter to examine material at the depot before paying the draft. Railroad agents will permit this.

Plan No. 3. No Cash With Order

If you wish to have goods and bill of lading come to you direct without any down payment, and such goods to be paid for by you within five days after receipt and possession of each shipment when found satisfactory, this can be done in either of the two ways, as follows:

1st. Deposit purchase price with your local bank and send us certificate, or receipt of such deposit, or copy of same with written notation on same that "money will be sent to Chicago Millwork Supply Company when the goods have been received and found satisfactory."

Upon receipt of such certificate or receipt, or copy of same we will ship the material to you. and upon arrival, if found to be as ordered and satisfactory, you will instruct the bank to send us draft or your check for the amount of the purchase. Or—

2nd. Tell your banker to write us a letter saying that he believes the order is sent to us in good faith and about the amount he understands it to be, and that he knows you in the transaction and believes you will make payment of the shipment within five days of arrival, providing the goods are as represented and satisfactory to you.

Such a letter showing good faith from your bank will be satisfactory to you.

days of arrival, providing the goods are as represented and satisfactory to you.

Such a letter showing good faith from your bank will be satisfactory to us and no down payment is required.

Plan No. 4. Open Charge Account

Where an individual, firm or corporation is in business and has a capital credit rating in Dun or Bradstreet Agency books, we will on all such orders ship goods open account, to be paid within five days of arrival and possession and found satisfactory, without bank deposit, or bank letter, as required under plan 3.

Honest Goods

Price

Quality

Service

East Rochester, Ohio.

"If you will look up your records you will find that I bought the material for my house that I built this last summer and now live therein. I want to take this opportunity to most heartily thank you for your fair dealing and the honest goods you sent me. I am extremely well pleased with every piece you sent me. "All that have seen my home pronounce it the peer of all houses constructed in this community for many years in the way of material as well as workmanship. "I shall speak a good word for you to all that contemplate building. I sure do appreciate your treatment. "Thanking you once more, I am,"

Barnet New

Saved \$200.00

Marshall, Minn.
"The lumber, hardware and paint I am very well pleased with. The grade of lumber is so much better than the lumber in our local yards, besides I made a saving in the price of better than \$200.00. I am well pleased with my purchase."

Thos. Johnson.

Prompt Shipment

Allentown, Po.

"The car arrived here on the 27th inst. and the lumber was all O K. We certainly are well pleased with the grade of materials you sent us, and the same will make a very fine job.

"I certainly wish to thank you for your efforts in my beholf in having the car reach me so promptly, and trust that I may be able to reciprocate your courtesy by my future orders."

John T. Hildebridel.



REIGHT CHARGES ARE LOW

How to Determine Freight Charges

Freight on lumber and building material amounts to very little—especially compared to your great saving in buying from us. You will be surprised what a large order can be shipped from Chicago for only a few cents; freight. This is due largely to Chicago's central location and the great number of competing railroads entering this city.

Don't overlook this fact. No matter where you buy your goods, YOU PAY THE FREIGHT.

When you buy at home, the freight has been included in the selling price of local stocks of material and the amount of this freight does not vary, no matter who pays it. It is possible for you to determine the approximate freight charges on any material wanted. In the following table rates are reduced to a simple basis that will be readily understood. Simply find the weight of your order as explained with the articles shown in this catalogue or under the subject "Shipping Weights" and multiply by the rate per one hundred pounds. Lack of space prevents the enumeration of a greater number of cities, but the rate to your town will be approximately the same as that to the next nearest town listed.

Delivered Prices

If you are in doubt about the amount of freight charges on your order, send us your list of items and we shall gladly tell you exactly what the railroads will charge to deliver material and we shall guarantee the charge to be correct. This, however, takes time, and we do not advise it, since railroad rates are regulated by Law and freight charges are identically the same, no matter who pays them.

No favoritism is shown even the largest shippers. The amount of freight that you would pay on any shipment would be exactly the mene as the biggest merchant or shipper would pay on a similar shipment. The rate on one carload or on one hundred carloads would

To lliustrate the low freight charges, we show a specimen order for shipment to Des Moines, Ia. The distance of this city from Chicago is more than 350 miles.

-					
Quan- tity	LOOK AT THESE LOW FREIGHT CHARGES	Weight Each Pounds	Total Weight Pounds	Rate per 100 Pounds	Total Freight
1	Front Door 2-8x6-8, 1%, Glazed	65	65	\$0.55	\$0.36
2	Doors 2-6x6-6, 1% 4-Panel OG No. 1	33	66	.42	.28
200	Ft. Moulding %x%, Pine No. 8066	15	30	.55	.17
2	Windows 20x28, 1%, 2-Lights Glazed	21	42	.55	.23
50	Balusters 1%x24 in.	1	50	.55	,28

Total Freight.....\$1.32

How to Save Freight

All railroads have minimum charges, which vary in different parts of the country. As a matter of economy we suggest that our customers see that their orders include sufficient material to make freight charges equal to the first class rate on 100 pounds of goods. While this amount is small, we want our customers to receive full value for every cent expended.

Shipping Weights	In describing o	ur goods throughout we have, wherever
practicable, shown shipping articles as are not shown w	weights. Below	find weights of such

Balusters-Porch, 1%x24	Average	1 lb.	each
Balusters-Stalr, 1%x28			
Biocks-Head and Rail			
Blocks-Corner			
Brackets-12x14, 1%	Average	1 lb.	each
Cojumns			

 8x8, 8 ft.
 Built up
 Average
 50 lbs. each

 5x5, 8 ft.
 Turned
 Average
 35 lbs. each

32 ibs. each 40 ibs. each 48 ibs. each 49 ibs. each 58 lbs. each

2-5x0-5, 1% in. thick. Average 58 lbs. each

Doors, Cottage, Pine—
2-8x6-8, 1% in. thick, Glazed. Average 65 lbs. each

Doors, Cottage, Hardwood—
2-8x6-8, 1% in. thick, Glazed. Average 100 lbs. each

Doors, Painted or Grained—2-8x6-8, 1% in. thick. Average 37 lbs. each

Doors, Fir—2-8x6-8, 1% in. thick. Average 45 lbs. each

Doors, Redwood—2-8x6-8, 1% in. thick. Average 45 lbs. each

Doors, Storm—2-8x6-8, 1% in. thick. Average 46 lbs. each

Doors, Storm—2-8x6-8, 1% in. thick. Average 40 lbs. each

Goors, Hardwood, Panel—2-8x6-8, 1% in. thick. Average 40 lbs. each

Grilles, Oak—5 ft. wide. Average 35 lbs. each

Gable Ornament—Adjustable. 12 to 15 lbs.

Gutter, O G—3x4, per 100 lineal feet. 135 lbs.

Gutter, O G—4x6, per 100 lineal feet. 270 lbs.

Moulding, Pine—Size †x1% inches, per 100 lineal feet. 30 lbs.

Moulding, Pine—Size †x2% lnches, per 100 lineal feet. 45 lbs.

Moulding, Yeliow Pine or Oak—

FREIGHT RATES FROM CHICAGO PER 100 LBS.

Rate to	Windows	Doors Glazed Plate	Doors	Doors Glazed Plain	Midgs., Frames K.D.	Prepared Roofing	Master Rock Wallboard	Hardware	Paints	Furnaces	Bathtubs
Alabama, Birmingham. Arlzona, Phoenix. Arkansas, Fayettevilie. Arkansas, Pine Bluff. Colorado, Denver. Connecticut, Bridgeport. Connecticut, Bridgeport. D. C., Washington. D. C., Washington. Florida, Tampa. Georgia, Macon. Idaho, Pocatello. Illinois, Dixon. Illinois, Dixon. Illinois, Galesburg. Indiana, Ft. Wayne. Indiana, Vincennes. Iowa, Des Moines. Kansas, Topeka. Kansas, Topeka. Kentucky, Danville. Louisiana, Baton Rouge. Malne, Fortland. Maryland, Hagerstown. Massachusetts, Springfield Michigan, Becanaba. Michigan, Breschaba. Michigan, Jackson. Michigan, Petoskey. Minnesota Rochester. Misspuri, Moberly. Missouri, Moberly. Missouri, Springfield.	3.14 1.27 1.40 1.40 1.39 2.78 3.66 4.5 7.3 3.6 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30	\$1.80 4.35 1.99 4.35 1.99 1.490 1.490 1.490 1.39 2.84 3.98 5.54 7.78 8.55 7.9 9.11 1.49 1.39 1.49 1.39 1.49 1.39 1.49 1.39 1.49 1.39 1.49 1.39 1.49 1.39 1.49 1.39 1.49 1.39 1.49 1.39 1.49 1.39 1.49 1.49 1.49 1.49 1.49 1.49 1.49 1.4	\$1.38 3.13 1.104 1.106 1.30 1.90 1.80 93 1.50 2.24 27 .35 .42 .57 .35 .96 1.50 .92 1.00 .93 .43 .42 .50 .94 .43 .50 .43 .50 .43 .50 .44 .45 .45 .46 .46 .46 .46 .46 .46 .46 .46 .46 .46	\$1.80 \\ 3.13 1.91 1.80 \\ 1.91 1.80 \\ 1.81 1.80 \\ 1.82 \\ 1.83 \\ 1.84 \\ 1.85 \\ 1.85 \\ 1.85 \\ 1.85 \\ 1.85 \\ 1.85 \\ 1.80 \\ 1	1.38 to 1.38 to 1.27 to 1.00 to 1.61 to 1.67 to 1.00 to 1.61 to 1.62 to 1.62 to 1.63 to 1.64 to 1.64 to 1.65 t	1.28 (1.28 (1.27 (1.36 (1.34 (\$1.23 \cong 3.13 \cong 3.13 \cong 3.13 \cong 3.13 \cong 5.27 \cong	$\begin{array}{c} 1.693 \\ 3.77 \\ 1.61 \\ 1.61 \\ 1.62 \\ 2.80 \\ 2.41 \\ 1.73 \\ 2.78 \\ 36 \\ 45 \\ 57 \\ 63 \\ 36 \\ 45 \\ 57 \\ 63 \\ 1.24 \\ 1.12 \\ 1.70 \\ 1.00 \\ -76 \\ 6.50 \\ -74 \\ 1.09 \\ \end{array}$	1.25 c 2.63 1.04 1.17 1.30 1.00 93 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	1.55 \$ 2.63 \$ 2.63 \$ 1.27 \$ 1.386 \$ 1.87 \$ 1.00 \$ 93 \$ 2.78 \$ 3.6 \$ 4.5 \$ 5.7 \$ 1.50 \$	2. 17 1. 21 1. 191 1. 199 1. 1. 199 1. 1. 49 1. 39 1. 42 1. 49 1. 39 1. 49 1. 49

	Rate to	Windows	Doors Glazed Plate	Doors	Doors Glazed Plain	Midgs., Frames K.	Prepared Roofing	Master Bock Wallboard	Hardware	Paints	Furnaces	Bathtubs	
ľ	Montana, Great Falls'						\$2.15			\$2.15			
	Nebraska, Grand Island.				1.28	1.28	.95	1.27	1.66	.95	1.28	1.90)
	Nevada, Carson City	3.39			3.39	3.39	2.87	3.39	4.03	2.87	3.39	4.65	í
	37 YY 11 . C 1	9 40	3 40	4 00	4 40	4 00	67.0	4 00	* 00				а

New Hampshire, Concord 1.49 2.28 2.28 1.91 2.28 2.82 2.28 .98 1.37 1.13 1.62 1.48 .65 .91 .76 1.36 1.48 .65 .98 1.37 1.14 2.01 2.22 .79 .76 .92 2.05 .98 1.40 1.49 2.28 1.51 ,91 .73 .91 .91 .76
1.03
1.48
.53
.51
.62
1.37
.662
1.37
.93
1.00
1.33
1.76
2.31
2.78
1.00
.92
.69
1.67 .79 .76 .92 1.37 .53 .51 .62 1.37 .66 .72 .93 1.00 1.72 .97 1.16 1.76 .98 1.08 1.40 1.49 1.98 .97 1.45 1.76 2.31 2.78 1.49 1.03 1.00 1.50 .97 1.08 1.76 2.31 2.78 1.00 .92 .69





Fine Lumber

Leland, Ill.

Dear Sir:

Enclosed find personal check for (\$556.16) five hundred fifty-six dollars and sixteen cents to pay balance due you, with thanks.

Mr. Flettre, my contractor, says it was the best bunch of lumber he has had for some time.

Joseph Miller.

We Protect You

Chillicothe, Ohio.

Dear Sir:

Dear Sir:

I am in receipt of your check for \$1.16 in payment of the amount above your freight guarantee on order No. 3453, Invoice C. S. 1485, and I wish to heartily thank you for the same.

I don't care so much for the amount of money, but it is a pleasure to find and do business with a firm of this standing.

You certainly had a legitimate excuse in refusing to pay the excess, as freight had increased after your letter was written and, candidly, I did not expect any rebate. However, I wish to thank you for the check again, and say, I believe "The World is growing better."

W. A. Rodes.

W. A. Rodes.

Big Saving

Dalton, Ind.

Gentlemen:

You were \$113.00 less on the first bill than our home lumber company and \$40.00 less than Newcastle, Ind., 12 miles from here after the freight taken out from Chicago.

Daniel Matchett.

Well Pleased

Maquoketa, Iowa.

Dear Sir:

I have one of the best small cottages in Maquoketa, and am well pleased with the material throughout. It has attracted much inter-

Mrs. J. L. Drummond.

Well Satisfied

Decker, Ind.

Gentlemen:

Replying to your letter of the 11th inst., will say that myself and the party for whom this stock was ordered, were entirely satisfied with the stock furnished and we find that the goods cost considerably less, freight added, than the same would have cost at our local dealer. dealers.

W. A. Richards.

Write for Free Estimate

WHEN you need lumber, such as joists, studding, stringers, rafters, timbers, fencing, shiplap, barn boards, roof boards, lath, shingles, siding, etc., send us your complete list for an estimate. This service is entirely free and places you under no obligation whatever.

Our Estimate Will Show the correct price of your freight charges direct to your railroad station. You will then know the exact price, which may be compared with others so you can easily decide just what your saving will amount to

Most of Our Lumber Shipments are made from St. Louis to all territories east of Central Kansas, Nebraska and Minnesota. St. Louis is the natural distributing point for the mills located in the South and Southwest, and lumber may be assembled and yarded in that city with less expense than from most other points.

Low Freight Charges Freight charges are much lower than is generally supposed, especially on carlot shipments. The rate, which is regulated by law, is exactly the same per 100 pounds on one car of lumber as it is on one hundred cars. No one has any advantage. We will guarantee the amount of freight you pay will be as low as must be paid by any lumber manufacturer or dealer, no matter how large their shipments may be. Don't overlook this fact—no matter where your lumber is purchased, YOU PAY THE FREIGHT. When you buy at home the freight charges are included in the retail price you pay for your lumber—when you buy from us you know just what proportion of the total charges goes to make up the freight.

We show below the low rates applying to lumber in car-

We show below the low rates applying to lumber in carlot shipments from St. Louis to central towns located in the following states:

	Per 100 lbs.
Springfield, Illinois	13c
Madison Wisconsin	201/2C
Indianapolis, Indiana	15½c
Lansing, Michigan	21/2C
Dayton, Ohio	18½c
Jefferson City, Missouri	14c
Des Moines, Iowa	171/2C
Mankato, Minn. Watertown, South Dakota	24½c
Watertown, South Dakota	31½c
Pittsburgh, Pennsylvania	31c
Rochester, New York	34c
Wheeling, West Virginia	31c
Camden, New Jersey	401/2C
Boston, Massachusetts	44½c

Clubbing Orders for Lumber

If you cannot use a full carload of lumber perhaps one or more of your neighbors need a sufficient amount to increase the order to a full carload of 12,000 feet or more. In such an event you may combine your orders so that all lumber may be shipped in one car, insuring for you the benefit of the low carlot freight rates. When we have a copy of your lumber bill we can tell you the cost of your lumber and exactly what the freight will amount to. This service is free and you are placed under no obligation to buy. no obligation to buy.

Guarantee

Our lumber, like all other articles in this book is covered by a guarantee that protects you fully. Our free estimate clearly shows grades and prices that enable you to know in advance just what you will get, and we guarantee satisfaction.

Can Deal Again

Elyria, Ohio.

Gentlemen:

Please send me catalog and price list of lumber. Am contemplating the erection of a cottage and was so well pleased with a bill of lumber, doors and windows received from you a few years ago, think perhaps we can deal again.

Geo. R. Kelley.

Better Than Expected

Wellsburg, W. Va.

Dear Sir:

I want to thank you for the goods I received from you. Everything was in first class shape, better than I expected. Your oak surely did finish up fine. I will not forget you on the next house. J. L. Virgin.

Can Recommend Us

Barbours Creek, Va.

Gentlemen:

I wish here to state that I am very well pleased with the material and will gladly recommend your house of business whenever the opportunity presents itself.

W. A. Charlton.

Stonington, Ill.

Wants More

Dear Sir:

I have a modern bungalow which I have a movern owngatow when is built out of lumber bought from you and an so well pleased that I want another built on my farm. Please send me your book of homes with price list.

Lohn Jett.

John Jett.

Best Material

Minnehaha Springs, W. Va. Dear Sir:

I unloaded the car of lumber and milwork the 8th and can say it was the best material of the kind that ever came to this place. Mr. Shinabery is well pleased with all the material and in getting it so promptly.

W. L. Herold.

Everything Satisfactory

Bethel, Ohio.

Dear Sir:

I am well pleased with all naterial bought and the treatment I have received from your firm, and whenever it is possible to do so will send orders.

Thanking you for past favors, I

remain.

G. F. McChesney.









We Use the Western White Pine and Do Not Substitute Inferior Woods

HE lumber from which our windows and sash are made is strictly Clear Western White Pine, perfectly manufactured and high class in every respect. Our White Pine is what is known to the trade as Western White Pine or Pondosa White Pine. We substitute no other woods. It is a recognized

fact, the country over, that there is no wood equal to White Pine for the manufacture of sash and windows. It does not swell, shrink or warp. It works freely in the frame and will last as long as the building in which it is used. All of our windows and sash are of clear stock, hence, are suitable for oil finish, but, of course, can be painted when desired to correspond with other painted trim on a building.

Our windows are of the same high quality that we have adopted as standard and have used in our trade for years. Only glass of good quality made by well known manufac-

turers of the best brands is used.



No. 300

16x16 20 24

18x20 30

20x16

22×22

34x24 26

36x24

40x24

28 30 32

26 28

Outside measure of window Ft. In. Ft. In.

1-8 x3-2 3-10 4-6

2- 0 x3-

2- 2 x4- 2

STRICTLY CLEAR

2 Light Windows Check Rail

Net price Window

glazed, single strength

\$1.16 |.30 |.44

1.39 1.62 1.78 1.91

2.54 2.86 2.89 3.13 3.15

2.55 2.87 3.07 3.16

2.97 3.35 3.38 3.71 3.74

3.02 3.38 3.63 3.74 4.16

3.45 3.782 4.225 4.54

5.54 6.39 6.48

1% in. thick

Net price Window glazed, double strength

\$1.30 1.49 1.65

1.60 1.86 2.09 2.23

1.42 1.65 1.86 1.99 2.09

۱	1	
ı		
	E P	and to
1	A Partie	
ı		

Suitable for Oil Finish

(HICAGO MILLWORK SUPPLY (5)

CHICAGO, ILLINOIS, USIA)

4 Light Windows Check Rail

No. 30		N	0.	3	0	1
--------	--	---	----	---	---	---

13	8	n.	th	ic
----	---	----	----	----

		Mer buice	Met buice
Size of	Outside measure	Window	Window
	of window	glazed,	glazed,
glass,		single	double
luches	Ft. In. Ft. In.		
		etrength	strength
10.00	0 1-0 10	\$1.60	\$2,00
10x20	2- 1x3-10		2.08
24	4 6	1.68	
28	5 2	1.87	2.27
12x20	2- 5x3-10	1.58	1.98
			1.50
24	4-6	1.78	2.18
26	4-10	1.90	2.30
28	5 2	2.33	2.37
30	5 6	2.33	2.83
32	5-10	2.58	3.08
14x20	2- 9x3-10	1.86	2.26
24	4— 6	2.06	2.56
26	4-10	2.13 2.38 2.57	2.63
28	5— 2	2.20	2.88
		5.50	4.00
30	5— 6	2.07	3.06
32	510	2.73	3.22
15x24	2-11x4- 6	0.00	0.05
26	4-10	2.23	2.65
		2.57	3.03
28	5 2	2.68	3.16
30	5 6	2.80	3.31
32	5-10	2.99	3.52
		2100	0102

TRANSOMS



One Light


		entre or to
1% in. thick		No. 317
	1 Light Glazed	1 Light Glazed
Size of Sash	Single Strength	Double Strength
2— 6x0-10 1-0 1-2	\$0.56 .64 .65	\$0.71 .80 .81
2 8x0-10 1-0 1-2 1-4	.59 .65 .67	.73 .81 .83
2-10x1-0 1-2 1-4	.68 .70 .81	.85 .87
3— 0x1-0 1-2 1-4 1-6	.74 .79 .85	92 99 1.06 1.16
1-8	ATTIC C	R BARN

Alle mile	-	THE .	
1 1	1		
	L1		
7		4.	
		- 1	
	L		
1			

SASH Lights

1				and up
Size of Glass	Thick- ness	Size of Sash	Single Strength	Double Strength
8x10 10x12	11/4 11/4	2— 4x2—1 2—10x2—5	\$0.87	\$1.13

io, 310



12 Light Check Rail

12 Light Plain Rail

No. 303	8 Light, Check	Rail 136 ir	i, thick
Size of Glass Inches	Outside Measure of Window Ft. In. Ft. In.	Price Glazed Single Strength	Price Glazed Double Strength
8x10 10x12 14 12x14 16	1-9 x3-10 2-1 x4-6 5-2 2-5 x5-2 5-10	\$1.38 1.58 1.80 1.99 2.31	\$1.68 1.88 2.10 2.34 2.66
No. 305	8 Light, Plain	Rail 11/8 in	. thick
	Outeldo	Prica	Price

No. 305	8 Light, Plain	Rail 11/8	in. thick
Size of Glass Inches	Outside Measure of Window Ft. In. Ft. In.	Price Glazed Single Strength	Price Glazed Double Strength
8x10 9x12 10x12 14 12x14 16	1	\$1.17 1.35 1.42 1.57 1.83 2.19	\$1.47 1.65 1.72 1.87 2.18 2.54

No. 304	12 Light, Check	Rall 17	8 In. thick
	Outside	Price	Price
Size of	Measure of	Glazed	Glazed
Glass	Window	Single	Double
Inches	Ft. In. Ft. In.	Strength	Strength
8x10	2- 41/2 x3-10	\$1.64	\$2.04
9x12	2 7½x4 6	1.94	2.34
14	5— 2	2.19	2.59 2.52
10x12	2—10½x4— 6	2.02	2.52
14	5-2	2.23	2.73
12x14	3— 4½x5— 2	2.80	3.30

NO. 300	12 Light, Flair	i Kali 178	in. thick
Size of Glass Inches	Outside Measure of Window Ft. In, Ft. In.	Prico Glazed Single Strength	Price Glazed Double Strength
7x 9 8x10 12 9x12 14 10x12 14 16	2— 1x3— 6 2— 4x3—10 4— 6 2— 7x4— 6 5— 2 2—10x4— 6 5— 2 5—10	\$1.38 1.46 1.70 2.06 1.81 2.09 2.58	\$1.78 1.86 2.10 2.146 2.35 3.08

ATTIC or BARN S

With 3-inch Bottom Rail

ONE and LIGHT up

S. (



lize of Glass	Thick- ness		te of ash	Price, Glazed . Single Strength	Price, Glazed Double Strength
6x20 24 8x20 24	1% 1% 1% 1%	1— 8 1—10 2— 0	x2-1 2-5 x2-1 2-5	\$0.71 .82 .79 .88	\$0.81 .93 .91 1.02
0x20 24 !4x24 28 30	1% 1% 1% 1% 1%	2-4	2-5 ,12-5 2-9 2-11	.88 .99 1.12 1.19	1.02 1.16 1.30 1.40

2.02 2.03 2.13 2.28 1.74 1.74 1.83 1.94 1.555423871 32 -101.99 2.18 2.28 2.49 2.71 1.71 1.86 1.94 2.13 2.31 26x20 2-6 x3-10 -10 - 2 - 6 2.18 2.35 2.49 2.64 2.70 3.28 x3--10 - 6 -10 - 2 - 6 2.47 2.71 2.74 3.10 3.38 2.09 2.31 2.33 2.62 2.88 30x24 2.87 2.90 3.28 3.38 2.45 2.48 2.78 2.89 32x24 26 28 30

3- 2' x4

-14

- 2



Write for Estimate

(ALCAGO NIULYORK SUPPLY G.

CHICAGO, MINOR MAD DOOR H

Windows With Divided Top Light

Made with a Check Rail. Windows 1% in. thick



No. 319








No. 326

No. 486

								*10: -F C	0
Glass	Outside Measure	No. 319 Single	No. 319 Double	No. 320 Single	No. 320 Double	No. 326 Single	No. 326 Double	No. 486	No. 486
Lower	Ft. In. Ft. In.	Strength Glass	Strength Glass	Strength Glass	Strength	Strength	Strength	Single Strength Glass	Double Strength
20x20	2- 0 x3-10	91.07	\$2.09	\$2.32	\$2.53	\$2.06	\$2.28	\$2.32	Glass \$2.53
20x26	4-10	2.15	2.45	2.59	2.89	2.34	2.64	2.59	
20x28	5 2	2.23	2.56	2.67	3.00	2.42	2.74	2.67	2.89
20x30	5 6	2.42	2.77	2.86	3.21	2.60	2.96	2.86	3.00
22x24	2- 2· x4- 6	2.18	2.50	2.63	2.94	2.37	2.68	2.63	3.21
22x26	4-10	2.28	2,60	2.72	3.04	2.46	2.79	2.72	2.94
22x28	5 2	2.40	2.76	2.84	3.20	2.59	2.95	2.84	3.04
22x30	. 5 6	2.56	2.95	3.00	3,40	2.74	3.15	3.00	3.20
24×20	2— 4 x3—10	2.01	2.29	2.46	2.73	2.20	2.48	2.46	3.40
24x24	4— 6	2.25	2.59	2.69	3.03	2.43	2.77	2.69	2.73
24x26	410	2.28	2.60	2.72	3.04	2.46	2.79	2.72	3.03
24x28	5- 2	2.40	2.76	2.84	3.20	2.59	2.95	2.84	3.04
24x30	5 6	2.56	2.95	3.00	3.40	2.74	3.15	3.00	3.20
26x24	2- 6 x4- 6	2.31	2.65	2.75	3.09	2.50	2.84	2.75	3.40
26x26	410	2.40	2.76	2.84	3.20	2.59	2.95	2.84	3.09
26x28	5- 2	2.60	2.99	3.04	3.43	2.79	3.18	3.04	3.20
26x30	5 6	2.79	3,22	3.23	3,66	2.98	3.41	3.23	3.43
28x24	2-8 x4-6	2.46	2.84	2.90	3.28	2.65	3.02	2.90	3.28
28x26	4-10	2.60	2.99	3.04	3.43	2.79	3.18	3.04	3.43
· 28x28	5- 2	2.73	3.15	3.17	3,59	2.91	3.33	3.17	3.59
28x30	5— 6	2.79	3,21	3.23	3.65	2.98	3.39	3.23	3.65
28x32	5-10	3.30	3.83	3.74	4.27	3.49	4.01	3.74	4.27
30x24	2-10 x4-6	2.56	2.95	3.00	3.40	2.74	3.15	3.00	3.40
30x26	410	2.79	3.22	3.23	3.66	2.98	3.41	3.23	3.66
30x28	5— 2	2.82	3.25	3.26	3.70	3.01	3.44	3.26	3.70
30x30	5 6	3.13	3.64	3.57	4.08	3.31	3.83	3.57	4.08
The same of the sa							0.00	0.07	4.08

HOT BED SASH AT WHOLESALE!



Design No. 314 California Redwood

EACH IN LOTS OF 25 OR MORE AT ONE TIME. GLAZED.

Side stiles and rails made from clear California Redwood because Redwood wlll never rot. The most lasting wood known.

It will show less change when exposed to the weather than any other known wood. Tenons full 2½ inches wide. Makes a strong, unbreakable sash. We stand back of these hot bed sash with our strong quality

Design No. 314

Prices. Size 3 ft. x 6 ft. Unglazed—no glass. Any quantity. Each	thick
Unglazed-no glass. Any quantity. Each	08.18
Price for One Sash	
Glazed-Single Strength Glass	3.78
Glazed—Double Strength Glass	4.30
Price for Two Sash	
Glazed-Single Strength Glass. Each	3.45
Glazed-Double Strength Glass. Each	3.98
Price for Three or Four Sash	
Glazed-Single Strength Glass, Each	3.30
Glazed-Double Strength Glass. Each	3.80
Price for Five to Twenty-four Sash	
Glazed-Single Strength Glass. Each	3.20
Glazed-Double Strength Glass. Each	3.70
Price for more than Twenty-five Sash	
Glazed-Single Strength Glass. Each.	2.88
Glazed-Double Strength Glass. Each	3.38

CELLAR SASH



Cellar Sash are often Double Glazed, that is, made with two thick-nesses of glass with a dead air space between. This insures greater warrath, We price them both Single and Double Glazed.

No. 307-Two Lights, 1% in. Thick

Size of Glass	Size of Sash	Price, Single Glazed	Price, Double Glazed
10x12	2-1x1- 5	\$0.65	\$0.83
14	1- 7	.70	.91
12x14	2-5x1- 7	.76	1.02
16	1- 9	79	1.07
18	1-11	87	1.20
20	2- 1	.89	1.23

Three-light cellar sash may be made 1% in, thick and ½ in, wider than sizes shown at 7c, each, more than following prices.



No. 308-Three Lights, 1 1/8 in. Thick

Size of Glass	Size of Sash	Price, Single Glazed	Price, Double Glazed
7x 9	2- 1x1-2	\$0.56	\$0.72
8x10	2- 4x1-3	.57	.75
12	1-5	.65	.86
9x12	2- 7x1-5	.65	-86
14	1-7	.72	.97
16	1-9	.75	1.04
10x12	2-10x1-5	.70	.94
14	1-7	.75	1.02
r 16	1-9	.83	1.18

BARN SASH



Made from clear white pine, 11/4 inches thick. These are strong, substantial sash having four lights of glass. Sash of this kind may be used for many purposes.

Size of Glass	Size of Sash	Price, Glazed Single Strength	Price, Giazed Double Strength
8x10	1- 8x2-1	\$0.67	\$0.87
9x12	1-10x2-5	.77	.99
14	2-9	85	1.09
10x12	2- 0x2-5	.79	1.03
14	2-9	.87	1.12
16	3-1	1.04	1.34
12x14	2- 4x2-9	1.03	1.33
16	3-1	1.15	1.40

STALL SASH



No. 311

Stall sash are made 11% inches thick, of clear white pine. There is but one light of glass in each sash.

Size of Glass	Thick- ness	Price Single Strength	Price Double Strength
8x10	11/8	\$0.49	\$0.59
10x12	11/8	.53	.65
14	11/8	.56	.68
12x16	11/8	.62	.77

SABLE SASH

Sash No. 352, 1% in. thick, circle outside, square in-slde. Outside measure of sash, 2-0x2-5.


Sash, glazed, net\$5.00

Frame No. 552, for same, net .. \$7.75



uality Glazed Porch Sas

Convert your Porch into a Cheerful Sun Room



The Most Cheerful Room in the House

Old Porches may be Modernized at Little Expense





No. 495

No. 496

The two designs of porch sash suited for porch enclosures.
They are modern and practical,
Special sizes or other arrangements may be supplied and
prices will be quoted at your request.

Any porch, new or old, may esaily be converted into an extra room, the most cheerful and comfortable in the home.

It is a simple and inexpensive matter to enclose the porch, using glazed sash during the Winter and replacing them with screens in the Summer. The frames may be made so that the sash and screens are inter-changeable; either may be stored away while the other is in use.

Many porches are glazed to make a permanent sun room. Practically all new homes are now being built with this thought in mind. The comfort and convenience of a cheerful sun room is worth many times the servers of installing the sash the expense of installing the sash.

Old homes may be modernized in this manner with comparatively small expense. Any carpenter or practical man can easily plan the work and determine the size of the required sash.

Our sash are glazed with clear, strong lass. The woodwork and workmanship glass. are of the best.

Price of each Sash Complete 11/8 in. Thick

	Price of	еа		Compress.	Design	No. 496
Out	Outside Measure Design Port Sash. Single			Double	Single	Double
Ft.	In. Ft.	In.	Strength Glass.	Strength Glass.	Strength Glass.	Strength Glass.
2	01/4 x4 5 5	8 0 4 8	\$2.13 2.22 2.30 2.50	\$2.38 2.53 2.64 2.86	\$2.53 2.62 2.70 2.90	\$2.78 2.92 3.04 3.26
2	21/4×4 5 5 5	8 0 4 8	2.26 2.35 2.48 2.64	2.58 2.69 2.85 3.06	2.66 2.75 2.88 3.04	2.98 3.09 3.25 3.46
2	4¾x4 + 5 5	8 0 4 8	2.32 2.35 2.48 2.64	2.67 2.69 2.85 3.06	2.72 2.78 2.88 3.04	3.07 3.09 3.25 3.46
2	61/4 x 4 5 5 5	8 0 4 8	2.38 2.48 2.69 2.88	2.74 2.85 3.09 3.33	2.78 2.88 3.09 3.28	3.14 3.25 3.49 3.73
2	8¼ x4 5 5 5	8 0 4 8	2.54 2.69 2.82 2.88	2.93 3.09 3.25 3.34	2.94 3.09 3.22 3.28	3.33 3.49 3.65 3.74
2	1014 x4 5 5 5	8 0 4 8	2.64 2.88 2.91 3.23	3.06 3.33 3.36 3.76	3.04 3.28 3.31 3.63	3.46 3.73 3.76 4.16
3	01/4 x 4 5 5 5	8 0 4 8	3.04 3.07 3.41 3.52	3.50 3.54 3.95 4.06	3.44 3.47 3.81 3.92	3.90 3.94 4.35 4.46

Triple Frame with Three

Any one of the three styles of sash here shown are sultable for this frame. All sash are made from clear White Pine 1% in, thick. Sash No. 388 is glazed with clear double strength glass; sash No. 389 is glazed with clear crystal leaded glass; sash No. 390 is glazed with clear glass having wood dividing bars. Each sash measures 1 ft, 4 in, wide and 2 ft, 6 in, high, and is not rabbeted. Sash swing inward unless otherwise ordered.


No. 388. Price, per single sash, each....

Frame

Made from white pine as described under Nos. 525 and 526 on this page.

Inside Trim

Three-member cap side casing, stool and apron, complete, ready to fit and nail into place.



Sash No. 388

Sash No. 390 Sash No. 389



Casement Sash

These sash are particularly suited for hails and others rooms where smaller openings for light are desired. The two sash (one pair) are made from clear white pine 1% in. thick, and have a rabbeted joint. Two sash (one pair) fit opening 2 ft. 8 in. wide by 2 ft. 6 in. high. Sash No. 386 ft. 6 in. high. Sash No. 387 is glazed with leaded crystal glass. Sash No. 387 is glazed with one light of selected, clear, double strength glass. Sash swing inward unless ordered otherwise.

No. 386. Price of 2 sash (1 pair)

Price of 2 sash (1 pair)......\$7.40
Price of 2 sash (1 pair).......1.86
Outside Frames No. 386. No. 387.

The frame may be made for either a wood or a brick building.

No. 528. Frame for wood building......\$2.75 No. 527. Frame for brick building...... 2.70

Casement or Hall Sash



No. 344. White Pine Sash.



No. 355. White Pine Sash.



No. 356. White Pine Sash, Leaded Art Glass.

Outside Measure of Sash Ft. In. Ft. In.	Glass Size	Sash No. 344	Sash No. 355	Sash No. 356
3-0 x 1- 9	32 x 16	\$1.90	\$1.13	\$6.75
3-4 x 1-11	36 x 18		1.23	8.75

Frame for Either Sash

Inside Trim for Either Sash


556. Frame for wood building...\$2.75
557. Frame for brick building... 2.70

Complete, ready to fit and nail into place, 3949. Yellow Pine, as illustrated.\$1.32
3950. Oak, as illustrated...... 2.51



RENCH DOORS AND WINDOWS

GLASS SET WITH WOOD STOPS Stiles and top rail worked from 3-inch stock. Bottom rail from 10-inch stock. Our French Doors are made to swing inward unless otherwise specified.



No. 370A White Pine No. 370B Oak

French Doors

Up to date architects provide for the use of French doors and casement sash in most new residences. French doors are frequently used between living and dining rooms, or in openings leading to an enclosed porch. Old buildings may be modernized and the interior made more attractive and comfortable by using these doors.

Our French doors are made from clear White Pine or Veneered Red Oak, and have a rabbeted joint. Your choice of glazings, either clear double strength glass of selected quality, plain plate glass, or bevel plate glass.

Outside Frames Made from Clear Western Stock. For wood building No. 534—Jambs, 1\%x5\% in. rabbeted; outside casing 1\%x4\% in., plain drip cap. K. D. complete.
For brick building No. 533—Jambs 1\%x5\% in. rabbeted, brick moulding No. 8441. Complete K. D.

PRICE OF FRAMES

Size of	No. 534 for	No. 533 for
Opening	Frame Bldg.	Brick Bldg.
4 x 7 ft.	\$5.40	\$4.80
5 x 7 ft.	5.75	4.95

Hardware suitable for the French doors and casement may be found in the hardware section of this book.



No. 407A White Pine No. 407B Oak

Price of French Doors, per pair (2 Doors) Clear White Pine and Veneered Red Oak

Size of	No. 37	OA. 1%-in. White Pine.	Thick.	No. 407A. 1%-in. Thick. White Pine. No. 370B, 1%-in. Thick. Veneered Red Oak.		Thick.	No. 407B. 1%-in. Thick.					
Opening Ft.In. Ft.In.	Double Strength Glass	Plain Plate Glass	Bevel Plate Glass	Double Strength Glass	Plain Plate Glass	Bevel Plate Glass	Double Strength Glass	Plain Plate Glass	Bevel Plate Glass	Double Strength Glass	Plain Plate Glass	Bevel Plate Glass
4-0 x 6-8 5-0 x 6-8	\$15.45	\$21.00	\$34.70	\$18.30	\$29.60	\$47.50	\$26.85	\$32.30	\$46.00	\$27.60	\$38.75	\$56.70
4-0 x 7-0	15.95	24.00	39.00	18.60	34.15	49.80	28.95	35.50	50.60 46.20	29.50	43.40	62.25 59.15
5-0 x 7-0 Any door	17.90	24.30 e may be s	39.50 upplied 13/4	20.70	35.45 k. For W	55.50		35.75	50.85	20.20	44 05	GE OF

Oak Doors add \$1,50 per pair.

CASEMENT

BRIDNOH



Clear White Pine 1% inches thick, rabbeted, and glazed with the best American window glass with wood bar divisions. Price of 2 sash (1 pair) to fit opening 2 ft, 10 in. x 5 ft. 2 in. Price of 2 sash (1 pair) to fit opening 2 ft. 10 in. x 5 ft. 6 in.....\$3.90

The sash are made of

In all these French windows, sash are made to swing inward unless otherwise specified.

French Window No. 369

Outside Frames

For Wood Building: Outside casing 1½x4½ in. plain drip cap, jambs 1½x5½ rabbeted. Clear Western Stock in the K. D. Complete.

For Brick Building: Jambs 1½x5½ rabbeted, brick moulding No. 8441. Clear Western Stock in the K. D. Complete.

Frame No. 532 for wood building....\$3.95

Frame No. 531 for brick building.....3.85

CASEMENT SASH



sizeOak inside trim as shown for either size..... 2.20

FRENCH WINDOW

The sash are made of Clear White Pine 1% inches thick, rabbeted and glazed with the best American window glass with wood bar divisions, Price of 2 sash (1 pair) to fit opening 2 ft. 10 in. x 5 ft. 2 in. \$5.70 Price of 2 sash (1 pair) to fit opening 2 ft. 10 in. x 5 ft. 6 in. \$6.10

Frames

For Wood Building: Outside casing 114x414 in. plain drip cap, jambs 134x538 rabbeted. Clear Western Stock in K. D. Complete.

For Brick Bullding: Jamb 1%x 5½ rabbeted, brick moulding No. 8441. Clear Western Stock in the K. D. Complete.

Frame No. 532 for wood building to receive sash of either size shown above \$3.95
Frame No. 531 for brick building to receive sash of either size shown above 3.85



French Window No. 374

Inside Trim

Inside trim consists of 3 member cap, side casing, stool and apron as illustrated, K. D. Cut to length ready to fit and nall into place. Price applies to trim for elther size shown above.

3930, Yellow Pine....\$1.55 3940, Oak....\$2.96



Sash No. 372

Sash No. 373

Trim
Inside trim consists of 3 member cap, casing, stool and apron as illustrated, K. D. All cut to proper lengths ready to fit and nall into place.
No. 3937. Yellow Pine \$2.03
No. 3938. Oak 3.97

CASEMENT SASH

The Accompanying Illustration shows two pair of casement sash set in shown, but any other patterns may be used if desired. Frames are made for either wood or brick building.

SASH

These sash are made in pairs of Clear White Pine 1% inches thick and have a rabbeted joint as shown in the sectional cut. Two sash (1 pair) are made to fit an opening 2 ft. 8 in. wide and 2 ft. 6 in. high. Sash No. 372 is glazed with the best quality of American glass with wood bar divisions. Sash No. 373 is glazed with clear leaded crystal glass. No. 372. Price, per single sash, each. \$1.78
No. 373. Price, per single sash, each 3.20

FRAMES

FOR WOOD BUILDING. Outside casing 1½x4½ in. plain drip cap, jambs 1½x5½ rabbeted. Clear western stock in the K. D. Complete, No. 526 for 2 pair of sash. Price. \$5.95

FOR BRICK BUILDING, Jambs 1½x5½ rabbeted brick moulding No. 8441. Clear western stock in the K. D. Complete, No. 525 for 2 pair sash. Price. \$5.85



FROM

DIRECT

ANUFACTURER


No. 336. Glazed Clear Double Strength Glass.

New Windows For Old Buildings

\$445



Clear Double Strength Glass







No. 365. 1% in. thick. Clear Double Strength Glass. Wood Bars between Double Strength Glass. Wood bar division at top.

These Windows are made from Clear Westers. The top sash are glazed with the best quality of clear double strength glass.

Single Sash These from twindows if wanted made up in Single Sash (one piece) instance with the best quality of clear double strength glass.

PRICE OF WINDOW COMPLETE.

PRICE OF WINDOW COMPLETE 1 1/8 IN. THICK, CHECK RAIL

					N- 041	No. 341	No. 347
Outside Measure of Window Ft. In. Ft. In.	Bottom • Light	Top Light	No. 336 Top Clear Double Strength	No. 365 Clear Double Strength Glass	No. 34 I Top Clear Double Strength	Top Beveled Plate as Shown	Top Clear Double Strength
3-8 x 5- 2	40 x 40	40 x 16	\$4.45	\$4.98	\$5.10	\$10.98	\$5.13
3-8 x 5- 6	40 x 44	40 x 16	5.85	6.39	6.51	11.70	6.54
3-8 x 5-10	40 x 48	40 x 16	6.10	6.63	6.75	11.90	6.78
4-0 x 5- 2	44 x 40	44 x 16	6.22	6.76	6.88	11.70	6.91
4-0 x 5- 6	44 x 44	44 x 16	6.82	7.16	7.28	12.27	7.31
4-0 x 5-10	44 x 46	44 x 18	6.95	7.76	7.98	12.90	8.00



No. 405. 1% in. thick. Clear No. 337. Top Leaded Crystal Double Strength Glass, Wood Glass. No. 339. Top Leaded bar division at top.

No. 405. 1% in. thick. Clear No. 337. Top Leaded Bevel Plate, Bottom D. S.



No. 333. 1% in thick. Top Lace Design. Bottom Clear Double Strength.



No. 327. 1% in. thick. Top Colored Leaded Art Glass. Bot-tom Clear Double Strength.




No. 385, 1% in, thick. Top Colored Leaded Art Glass, Bot-tom Clear Double Strength.

				*				
Outside Measure of Window Ft. In, Ft. In,	Bottom Light	Top Light	No. 405 Clear Double Strength Glass	No. 337 Top Leaded Crystal	No. 339 Top Leaded Bev. Plate	No. 333 Top Lace Design	No. 327 Top Leaded Art Glass	No. 385 Top Leaded Art Glass
3-8 x 5- 2	40 x 40	40 x 16	\$5.21	\$ 9.22	\$16.75	\$6.85 7.58	\$11.73	\$13.89
3-8 x 5- 6 3-8 x 5-10	40 x 44 40 x 48	40 x 16 40 x 16	6.62	9.95	17.70	7.78	12.65	14.81
4-0 x 5- 2 4-0 x 5- 6	44 x 40 44 x 41	44 x 16 44 x 16	7.00	10.45	18.85	8.24	13.80	16.20
4.0 = 5-10	44 v 46	44 × 18	8.00	11.50	20.75	8.53	14.58	17.25

Sizes

Width, 1 ft. 6 in.; height, 4 ft. Thickness, 11/2 in. Prices No. 376. Yellow Pine, \$5.95

0ak, \$6.45 No. 377, Yellow Pine, \$2,15 0ak, \$2.75





No. 376 Glazed.
Best Quality.
Leaded.
Doubte Strength
Glass.



No. 377 Glazed. Selected. A Quality Glass.



No. 378 Glazed.
Best Quality.
Leaded.
Double Strength
Glass.



No. 379



No. 378. Yellow Pine, \$6.35 Oak. \$6.80_ Wood Bar
Divisions at top, No. 379, Yellow Pine,
Glazed.
A Quality
Glass.
S6.80
S79, Yellow Pine,
Oak,
Oak,
\$3.80

Cupboard Doors

The use of built-in cabinet work is constantly increasing. Every new home is well supplied with cabinets and many old buildings are being improved and modernized by their use ized by their use.

RED OAK
Size 1 ft. 6 in. x 2 ft. 6 in.
11/2 in. thick...
Size 1 ft. 6 in. x 4 ft. 11/2 in.
thick... . 2.25 3.10



No. 430



If you live in any of the Northern States, storm sash and storm doors are absolute necessities. Our storm sash may be readily fitted by anyone without the least trouble and will easily pay for themselves in one season by reducing the amount of your coal bills. The dead air space between the window and the storm sush forms a perfect insulation that prevents the cold from entering and the heat from escaptor.

To prevent delay and expense we suggest the use of stock sizes whenever possible, although special sizes will be made and shipped promptly. All storm sash are made slightly larger than the opening sizes listed so that they can be fitted snugly into any window frame. Clear Western White Pine Storm Sash. We substitute no inferior wood.

Light



Ventilators Each 15c

4 Light

VENTI-

LATORS

and SWING

LIGHTS

are

Furnished

at Extra

Prices.



Price

Light

Swing

Light

lators

Venti-

Each

65c

Extra

including

hardware hinges and catch



Order should plainly state when same are wanted. No. 362

12 Light



No. 363

Storm Sash Weigh About the same as windows of the Same Size

Cottage Sash



No. 364

No. 361 No. 360 Two Light Storm Sash

Extra

No. 360 1 1-8 In. Thick

	Outsido Measure	Single	Double
Size of Glass	of Window ft. in. fr. in.	Strength Glass	Strength Glass
16x16	1- 814 x3-4	\$1.20	\$1.35
20	1-84x3-4 84x4-0 84x4-8	\$1.20	\$1.35 1.55 1.71
24		1.49	1.71
18x20	1-10 ¹ 4 x 4-0 10 ¹ 4 x 4-8 10 ¹ 4 x 5-4	1.44 1.68 1.85 1.98	1.65
24 28	1014 x4-8	1.68	1.65 1.92 2.16
30	1014x5-8	1.68 1.85	1.65 1.92 2.16 2.31
00.10			
20x16 20	2- 014x3-4 014x4-0	1.50 1.68 1.77 1.85	1.47 1.71 1.92 2.06 2.16
24	014 x4-8	1.50	1.92
26 28	014 x4-8 014 x5-0 014 x5-4	1.77	2.06
28	0 % X3-4	1.85	2.10
22x22	2- 214 x4-4	1.80	2,09
24 26	2½x4-8	1.80	2.10
28	2- 24 x4-4 24 x4-8 24 x5-0 24 x5-4	1.80 1.89 2.01	2.09 2.10 2.21 2.36
24x16	2- 414x3-4		1.01
24x16 18	2- 4-4x3-4 414x3-8	1.40	1.82
20 c	4 ¼ x3-8 4 ¼ x4-8 4 ¼ x4-8 4 ½ x5-0 4 ¼ x5-4 4 ¼ x5-8 4 ¼ x5-8	1.64	1.91
24	4¼ x4-8	1.86	2.19
26 28	4 % X5-4	2.01	2.36
30	41/4 x5-8	2.01 2.16 2.48	22.355
32	4¼x6-0	1.40 1.58 1.64 1.86 1.89 2.16 2.16	089-43559 -222222
26x20	2- 614x4-0		
9.5	61/4 x4-8	1.92	2.25
26	61/4 x5-0	2.01	2.36
28 30	6 ½ x4-8 6 ½ x5-0 6 ½ x5-4 6 ½ x5-8	1.77 1.92 2.01 2.21 2.40	2.06 2.26 2.58 2.80
30	0.470		
28x20	2- 814x4-0 814x4-8	1.94 2.07 2.21 2.33 2.39 2.88	2.25 2.43 2.58 2.79 3.39
24 26	8¼ x4-8 8¼ x5-0	2.07	2.43
28	814 x5-4	2.33	2.73
30	84x5-8 84x6-0	1.94 2.07 2.21 2.33 2.39 2.88	2.79
32	8¼x6-0	2.88	3.39
30x24	2-1014 x4-8	2.16	2 55
26	10 14 x5-0	2,39	2.81
28 30	101/4×5-4	2.42	2.84
32	10 ¼ x5-0 10 ¼ x5-4 10 ¼ x5-8 10 ¼ x6-0	2.16 2.39 2.42 2.72 2.99	2.55 2.81 2.84 3.21 3.50
32x24	3- 01/x4-8	2.54	2.97
26 28	0 14 x5-0 0 14 x5-4	2.57	3.00
30	01/4x5-8	2.54 2.57 2.88 2.99	2.97 3.00 3.39 3.50
34x24 26	3- 21/4x4-8 21/4x5-0	2.63 2.96 2.99 3.24 3.27	3.08 3.47 3.50 3.84 3.87
28	21/4 x5 - 4	2.99	3.47
80	2¼x5-4 2¼x5-4 2¼x5-8 2¼x6-0	3.24	3.84
32			3.87
36x24	3- 41/4 x 4-8	2.64	3.12
26 28	4 1/4 x5 - 4	2.97	3.50
30	4½ x5-0 4½ x5-4 4½ x5-8	2.64 2.97 3.18 3.27	3.12 3.50 3.75 3.87
40x24	3- 814 -4-8		
. 26	8¼ x5-0 8¼ x5-4 8¼ x5-8		3.57 3.92 4.37 4.40
28	814 x5-4	******	4.37
30	8 % X9 -8	******	4.40

Four Light Storm Sash No. 361

1 1-8 in. Thick

	Outside Measure	Price	Price Double
Size of		Single	
	of Window	Strength	Strength
(lass	ft. in. ft. in.	Glass	Glass
10x16	2- 14x3-4	\$1.55	\$1.85
18	1¼x3-8	1.58	1.88
20	1 1/4 x4-0	1,65	1.95
22	1 1/4 x4-4	1.74	2.04
24			6.07
	1½x4-8	1.74	6.04
26	1¼x5-0	1.94	6.64
28	1 14 x5-4	1.94	2.04 2.24 2.24 2.82
30	1½x5-8	2.42	2.82
12x18	2- 5¼x3-8	1.64	1,94
20	514 x4-0	1.64	1.94
22	51/4 x4-4	1.85	2.15
24	514x4-8	1.85	
26	514x5-0	1.97	2.34 2.34 2.82 3.50
		2.04	234
28	514x5-4	2:42	2.82
30	514 x5-8	2.90	3 50
36	51/4 x6-8	2.50	
14x20	2- 91/4×4-0	1.95	2.45
24	914x4-8	2.13	2.63
26	91/4×5-0	2.21	2.71
28	914x5-4	2.46	2.63 2.71 2.96
	914x5-8	2.66	3.16
30	914 x 6-0	2.82	3.42
32	914x6-8	3,24	3.85
36	974X0-0	. 0	
TO 3	what i ich	+ STOT	m

Sash No. 362

1 1-8 in. Thick

Size of Glass 8x10	Outside Measure of Window ft. in. ft. in. 1- 91/4x4-0 91/4x4-8	Price Single Strength Glass \$1.43	Price Double Strength Glass \$1.95 2.08
9x12 14	1-11¼ x4-8 11¼ x5-4	1.64	2.18
10x12	2- 1¼x4-8	1.64	2.18
14	1¼x5-4	1.86	2.40
16	1¼x6-0	2.18	2.73
12x14	2- 5¼x5-4	2.06	2.69
16	5¼x6-0	2.39	3.05

Twelve Light Storm Sash No. 363

1 1-8 in. Thick


Size of G!ass	Outside Measure of Window ft. in. ft. in.	Single Strength Glass Price	Double Strength Glass Price
8x10	2- 454x4-0	\$1.69	\$2.20
12	454x4-8	1.89	2.45
9x12	2- 7%x4-8	2.01	2.55
14	7%x5-4		2.80
10x12	2-10%x4-8	2.09	2.70
14	10%x5-4	2.31	2.95
16	10%x6-0	2.82	3.60
12x14	3- 4%x5-4	2.90	3.75
16	4%x6-0	3.29	3.90

Cottage Window Storm Sash No. 364

1 1-8 in. Thick

			Price
		Outside Measure	Double
Bottom	Top	of Window	Strength
Glass	Glass	ft. in. ft. in.	Glass
36x36	36x16	3-41/4 x 5-0	\$3.95
36x36	36x20	4¼ x 5-4	4.15
40x40	40x14	3-8¼ x 5-2	4.50
40x40	40x16	8¼ x 5-4	4.60
40x44	40x16	814 x 5-8	5.95
40x48	40x16	8¼ x 6-0	6.20
44x40	44x16	4-014 x 5-4	6.30
44x44	44x16	0¼ x 5-8	6.90
44x48	44x16	0 14 × 6-0	7.80

Storm Sash Hangers and Fasteners for Ventilation




SASH NUMBERS

Odd or intermediate sizes take the price of next larger size plus 40 cents.

Any of the two light sizes may be made with wood bar in center, making a 4 light sash to fit the 2 light window at 40c net extra.







Storm AA Panel

Storm DD Glazed Double Strength Glass

Made from solid and substantial lumber that may show some sap stain or small tight knots. These slight defects are completely concealed when they have been painted.

For the purpose these doors are equal to a No. 1 quality door.

They are made ¾ in. wider and 1 in. longer than regular house doors so they may be fitted snugly into place to form a weather tight fit. Unpainted.

			Storm DD
Size	Thick	Panel	D.S.Glass
2- 6%x6- 7	1% in.		\$3.25
2- 8%x6- 9	11% in.	\$2.93	3.47
2-10%x6-11	11/2 in.	3.20	3.80
2- 8% x7- 1	11/8 in.	3.12	3.73
2-10%x7- 1	1% in.	3.36	4.03
3-0%x7-1	1% in.	3.36	4.13

Combined Screen and Storm Door 2 in 1

Made From Clear White Pine

The Top Section of this Door is Interchange-able, making either a strong screen door or a weatherproof storm door. It is but a mo-ment's work to change from one to the other.

When section at left is fitted into place you have a strong, substan-tial Screen Door.

When section at right s fitted into place you a ve a weatherproof torm Door giving plenty of light.

As A Screen Door



Built Like a Fine Front Door

Door has 4% in. side stiles and top rail, 9% in. bottom rall and is 1% in. bottom rall and is 1% in. thick. Sections fit snugly in place, making door dust and weatherproof. All made from Clear White Pine, suitable for either natural finish or paint. Storm section is glazed with clear, strong glass; screen section is fitted with best Galvanold wire which is steel wire, galvanized after being woven and then run through a transparent varnish bath.

As a Storm Door

Saves One Door

These doors are made ½ in, wider and in, longer than sizes listed, so they may be easily trimmed to fit.

The following prices are for door complete with both sections. Galvanold Wire in Screen Section. Strong Clear Glass in Storm Door Section.

Size	
Ft. In. Ft. In.	Price
2-8 x 6-8\$	7.60
2-10 x 6- 8	7.95
3- 0 x 6- 8	8.30
	8.05
2-8 x 7-0	8.15
2-10 x 7- 0	8.25
3- 0 x 7- 0	8.40

Paint for Storm Sash and Doors



This is our Wearwell brand of guaranteed house paint and is more fully described on the pages devoted to this subject in catalog. A paint that is absolutely dependable and that will give the utmost in satisfaction. Fully guaranteed.

L4021 Outside White.

L402 Pearl Gray.

L404 Venetian Red.

L16 Buff.

L75 Manse Green.

L81 Warm Gray.

L17 Light Salmon

L63 Sky Blue.

L16 Buff.
L81 Warm Gray.
L63 Sky Blue.
L4020 Outside Black.

1 Gallon can, per gallon...... 4 Gallon can, per can.....

Storm Door Hinge



Made of heavy planished Made of neavy planished steel, for large, heavy storm doors. Can furnish in either Antique Copper or Lemon Brass. No. 3221. Antique Cop-per finish. Price, per

per pair No. 3222. Lemon Brass Finish. Price, per pair......46c

Storm Sash Buttons



No. 3140. Size 1% inches. Japanned Price, per dozen 90

Price includes screws.

Storm Door Rim Set



For storm doors opening out. Knob and plate outside, catch 24x1% in. inside.

No. 3253. Lemon Brass finish. Price,65c

Storm Door Pull

3½-inch wrought steel storm door pull, Ebony black or an-tique copper finish, with screws to match.

No. 3265A. Ebony black.

Pach 32 Par doz

No. 3265A. Ebony black.
Each 3c Per doz 26c
No. 3265B. Antique copper.
Each 3c Per doz 26c
No. 3265C. Lemon brass.
Each 3c Per doz 26c

Weather Strip



Weather Strips keep out drafts, wind, Make tight-fitting, comfortable windows; prevent rattling.

Fuel Savers; retain the heat, keeping the home warm through the might. Easily applied and worth many times their small cost.

Natural oil cherry finish ready to nail on, and add to rather than mar the trim of your doors and windows.

Net Price Per Lineal Foot.

No. 2225 Nails on Parting Stop Around Upper Sash. Size 表末號 in. Weight 3 lbs. per 100 ft......2%c per foot No. 2226 Nails on Window Stop Around Lower Sash. Size 永寒鏡 in. Weight 4 lbs. per 100 ft......2%c per foot

Shipped in 12 ft. lengths only, wrapped in paper,

kat these

CLEAR No. 1 QUALITY—PERFECT WORKMANSHIP—

DOUBLE STRENGTH GLASS



ARKANSAS



White Pine



ILLINOIS 90

For 2-8x6-8—1%, White Pine, D'bl Strength Glass. Bevel Plate Glass Extra.



HUMBOLDT



B Quality Fir



DEERFIELD



For 2-8x6-8-13/4 White Pine



HYDE PARK



NEWPORT 55

For 2-8x6-8-13/8 White Pine

For other sizes and styles of glazings see Sash Door Section of this book. Safe Delivery Guaranteed

DOORS Banks, Apartments, Hotels, Hospitals and Office for



CONGRESS



WISCONSIN



LA SALLE



VANDERBILT Bird's Eye Maple Curley Birch, Unselected Quartered White Oak



WALDORF

Genuine Mahogany Selected Red Birch Figured Red Gum

Circassian Walnut Selected Red Oak Unselected Birch Unselected Gum

Plain Red Oak Doors showing a perfectly flat surface, the former having inlays of ebony and white holly. It is possible to inlay doors with Crests, Monograms, Inscriptions, Numbers and in fact almost any pattern or design suggested.

These doors are not carried in stock but are made to order only, requiring from sixty to ninety days to make shipment.

In the above named woods we have specified both unselected gum and unselected birch. The word "Unselected" as here used applies to color only and does not indicate that the grade of lumber used in making the veneer is other than clear grade.

These interior doors are intended for use in the very finest and most expensive buildings, such as banks, city apartments, clubs, large hotels, aspitals and office buildings.

The materials used are of the very best, carefully selected from bone dry'stock with a view to securing beautiful effects in grain and color. The workmanship represents the very last word in door construction, and is equal to that given the very finest cabinet work or most costly furniture.

Among the above designs the Vanderbilt and La Salle are Flush

CHICAGO MILLIWORK SUPPLIT CO


CLEAR WHITE PINE

Clear stock suitable for oil finish

The doors listed below are made from Clear Western White Pine. They are well manufactured and are suitable for oil finish. Our White Pine is what is known in the trade as Western White Pine, California White Pine and Pondosa Pine. Every door passes a rigid inspection and will be found perfect in every respect.

For use with yellow pine interior trim

White pine stiles and rails with Oregon fir panels makes a decidedly handsome door; one that harmonizes perfectly with yellow pine interior finish. We recommend that this door be used in such combinations.



No other wood is equal to white pine when used for the manufacture of doors or windows. It is soft enough to be easily worked and fitted; it resists wear and exposure, therefore has a long period of usefulness; it does not expand and contract as easily as most other woods and it takes paint readily. We unhesitatingly guarantee these doors to give the utmost in satisfac-



CLEAR RED OAK

In the manufacture of these doors, clear red oak is used as a veneer over a strong pine core, interlocked and glued.

The panels are built up of three plys, the outside layers of rotary cut oak, a product of the best logs. The result is an exceptionally beautiful grain effect.

The vencers are fast-ened with the best glue money can buy, making the door strong and weather-proof.

A good veneered door is like a fine plece of furniture. It should be protected with at least one coat of filler as soon as it reaches you.

Size Ft. In. Ft. In.	1% In. Thick	1% In. Thick					
2- 0 x 6-6	\$ 8.00						
2- 4 x 6-6	8.40						
2- 6 x 6-6	8.70						
2- 0 x 6-8	8.06						
2- 4 x 6-8	8.46						
2- 6 x 6-8	8.75						
2- 8 x 3-8	9.10	\$10.30					
2-10 x 6-8		10.70					
2- 4 x 7-0	9,16						
2- 3 x 7-0	9.45	10.65					
2- 8 x 7-0	9.75	10.95					
3- 0 x 7-0	10.67	11.87					

No. 419

PRICES White Pine Doors

No. 408 4 Panels	Size	No. 5 Cross	410 Panels
1½ Inches Thick	Ft. In. Ft. In.	1% Inches Thick	i¾ Inches Thick
\$2.61	2-0x6-0	\$2.87	
	2-0x6-6	3.00	
	2-4x6-6	3.31	
3,13	2-6x6-6	3.48	
******	2-0x6-8	3.06	
	2-4x6-8	3.38	
	2-6x6-8	3.53	
*****	2-8x6-8	3.69	
	2-0x7-0	3.31	
*****	2-6x7-0	3.80	\$5.28
	2-8x7-0	3.97	5.50
	3-0x7-0	4.32	5,97

White Pine with Fir Panels

No. o	452 Panels	Size		453 anels			
1% In. Thick	1% In. Thick	Ft. In. Ft. In.	1% In. Thick	i¾ In. Thick			
\$2.87		2-0x6-0	\$3.00				
3.01		2-0x6-G	3.14				
3.31		2-4x6-6	3.46				
3.48		2-6x6-6	3.63				
3.06		2-0x6-8	3.19				
3.38		2-2x6-8					
3.38		2-4x6-8	3.53				
3.53		2-6x6-8	3.68				
3.69	\$5.13	2-8x6-8	3.85	\$5.33			
3.64		2-2x7-0					
3.64		2-4x7-0	3.81				
3.81	5.28	2-6x7-0	3.97	5.49			
3.97	5.51	2-8x7-0	4.15	5.73			
4.32	5.97	3-0x7-0	4.50	6.20			

"B" Quality Oregon Fir



Price No. 403 Five Cross Panels	SIZE Ft. In. Ft. In.	Inches Thick	Price No. 404 Glazed Clear Double Strength Glass
\$2.17	2-0x6-0	11/8	
2.38	2-0x6-0	1%	
2.89	2-6x6-6	1%	\$3.70
2.93	2-6x6-8	1%	
3.06	2-8x6-8	1%	3.95



No. 453

The panels of these doors present remarkably attractive grain effects. The color is very similar to that of yellow pine, although the figures are more intricate and beautiful. The doors are clear grade, suitable for natural finish. The workmanship is of the

Carpenters find that the white pine stiles and rails make it easy to fit and hang these

CLEAR BIRCH

Clear birch is one of the most beautiful woods used in the manufacture of yeneered doors. The construction of these doors is similar to that of our oak doors, the birch being firmly glued to a strongly built interlocked core of soft woods.

The panels are ro-tary cut and lam-inated.

The varying shades of the wood, which is unselected as to color, are susceptible to the finest finish.

For staining and fin-lshing in perfect iml-tation of mahogany, birch has no superlor.



No. 427

Ft. In. Ft. In.	1% In. Thick	1% In. Thick
2- 0 x 6-6	\$6.03	
2 4 x 6-6	6.33	
2 6 X 6 6	6.55	
9- 0 x 6-8	6.68	
9- 1 x 6-8	6.38	
2- 6 x 6-8	6.60	
2- 8 x 6-8	6 85	\$8.05
2-10 x 6-8		8.35
3- 0 x 6-8		8.70
2- 4 x 7-0	6.89	
2- 6 x 7-0	7.11	
2- 8 x 7-0	7.37	8.57
2-10 x 7-0		8.87
3- 0 x 7-0	8.00	9.20



Present and of the

Clear No. 1 Quality

These Strictly Clear,

First Quality Fir doors are manufactured from old growth, big tree, soft yellow Fir with edge grain stiles and rails and flat sawed panels, the result being a very beautiful grain effect.

Fir Doors Have Be-

come extremely popular throughout the entire in the last ten years until today they lead all other solid wood doors in the number sold and used. Fir doors will match yellow pine trim perfectly -either natural or stained finish. The natural figure of the grain closely resembles plain sawed oak, and under any ordito tell it from the oak, Fir matches extremely well with cypress when both are placed under the same stain,



No. 415



No. 414

While Classed Among

Soft Woods Fir has a firm, hard surface and is an ideal door for either natural or stained finish and enamel white. Fir doors are perhaps the most serviceable of all soft wood doors. There is no tendency to warp or check. Their appearance becomes more soft and beautiful with age, instead of becoming dingy or deteriorating, as is the case with many other woods. They will greatly assist in beautifying your home and are equal to hardwood doors, yet their cost is decidedly less than any common doors and they will last as long as the building stands.

The Rich, But Delicate Grain

of Fir must be seen to be fully appreciated. It is more delicate and intricate than the grain of yellow pine, but harmonizes so admirably with house trim of the latter wood that it is perhaps used in this combination most frequently.

Fir Doors May Be Used

either to harmonize or in contrast with oak house trim. When stained and fin-ished to imitate oak, these doors will match oak perfectly. When finished nat-ural they form a beautiful contrast.

Excellent Quality

Washington, Ind. Chicago Millwork Supply Co.

wish to compliment you on excellent quality of the doors sent on this order.

Ben W. Clawson.

1	Size	No. 415 5 Panels	No. 4 4 2 Panels	Size		415 anels	No. 2 P	
ı	Ft. In. Ft. In	13% in. thick	1% in. thick	Ft. In. Ft. In.	1% in. thick	1% in. thick	1% in. thick	1% in, thick
ı	2 - 0 x 6 - 0	\$2.50	\$2.62	2 - 8 x 6 - 8	\$3.22	\$4.12	\$3.38	\$4.32
ı	2 - 0 x 6 - 6	2.63	2.75	2 - 10 x 6 - 8	3.34	4.29	3.50	
ı	2 - 2 x 6 - 6	2.89	3.03	2 - 10 x 6 - 10	3.57	4.55	3.74	4.78
ı	2 - 4 x 6 - 6	2.89	3.03	2 - 0 x 7 - 0	2.89		3.03	
ı	2 - 6 x 6 - 6	3.03	3.18	2 - 2 x 7 - 0	3.18		3.33	
ı	2 - 0 x 6 - 8	2.67	2.80	2 - 4 x 7 - 0	3.18		3.33	
ı	2 - 2 x 6 - 8	2.95	3.10	2 - 6 x 7 - 0	3.32	4.25	3.49	4.45
	2 - 4 x 6 - 8	2.95	3.10	2 - 8 x 7 - 0	3.46	4.42	3.63	4.65
ı	2 - 6 x 6 - 8	3.08	3.23	2 - 10 x 7 - 0	3.61	4.61	3.78	4.84
L				$3 - 0 \times 7 - 0$	3.77	4.80	308	5.04

Best Ever Received

Van Wert, Ohio. Chicago Millwork Supply Co. The doors were both in

The doors were both in fine condition. Am well pleased with same. Many thanks for same. The lumber in doors and sash are the best and first quality I ever received in my line of business.

Very truly yours, D. C. Garrison.

OAK PARK
Raised Mould one side,
Flush Mould one side.



CHICAGO Flush Mould, two sides.

Side Stiles and Top Rail 8 ins. wide, Bottom Rail 20 ins.

A Fir front door may be used regardless of what the interior finishings of a building may be, and its exceptional beauty inspires much favorable comment. Its use is possible in exposed positions where a veneered door would soon peel and come apart.

	I	OAK	PARK	CHICAGO		
Size Ft.In. Ft.In.	Thick In.	No. 1098 Clear Double Strength Glass	No. 1 099 Plate Glass Boveled Edge	No. 1096 Clear Double Strength Glass	No. 1097 Plate Glass Beveled Edge	
2-8 x 6-8	1%	\$ 8.65	\$16.65	\$ 8.85	\$15.85	
2-8 x 6-8	1%	9.85	17.85	9.05	17.05	
8-0 x T-0	1%	11.60	22.30	10.80	21.50	

Service

Real Service

Real Service

Minonk, Ill.

Received order No. 5899
in good shape and wish to
thank you for the service
you gave me. This order was
mailed you on Saturday night
and was taken from the cars
the following Friday morning. Taking Sunday in consideration, and I know you
had to make my some of
those frames, I say that is
some service. I thank you.

Yours truly.

Yours truly, G. H. Leffers.

Small freight charge

Bloomington, Ill.

Dear Sirs: Dear Sirs:

I received my order all O. K. and am more than pleased with everything. The freight and hauling at this end was less than you guaranteed the freight to be. I will remember you with my next order.

Yours truly, W. L. Ranney.

Oyster Bay, N. Y.

The twenty sash and the door I ordered from you some time ago arrived O. K., not a break or mar of any sort and I wish to state they were as nice a lot of material as I have ever handled, also I saved about \$18.00 by buying from you.

Respectfully.

Chas. G. Wilkinson.



No. 426



HYDE PARK

		No.	426	HYDE	PARK
Size Ft. In. Ft. In.	Thick In.	Clear Double Strength Glass	Plate Glass Beveled Edge	No. 100 Clear Double Strength Glass	No. 10 Plate Glass Beveled Edge
2-8 x 6-8	1%	\$6.30	\$15.15	\$5.00	\$10.90
2-8 x 6-8	13/4	7.20	16.05	5.90	11.80
2-10 x 6-8	1%	7.20	17.45	5.85	12.25
2-10 x 6-8	1%			6.80	13.20
2-8 x 7-0	1%	6.70	16.65	6.00	11.70
2-8 x 7-0	1¾	7.65	17.60	7.00	12.70
2-10 x 7-0	1%	7.00	17.65	6.20	12.95
2-10 x 7-0	134	8.00	18.65	7.20	13.95
3- 0 x 7- 0	1%	7.35	18.70	6.45	13.60
3- 0 x 7- 0	1%	8.35	19.70	7.50	14.65

FRONT DOORS DISTINCTIVE IN STYLE SUPERIOR IN QUALITY

White Pine Doors Strictly No. 1 Suitable For Oil Finish



ARKANSAS



OREGON



MINNESOTA



WYOMING



RHODE ISLAND



UTAH

Clear, White Pine-No. 1 Quality, Front Doors

Western White Pine—We do not substitute inferior woods

Our White Pine is what is known in the trade as Western White Pine, California White Pine and Pondosa Pine. Perfect workmanship, plain and fancy glazings. Made with wide side stiles from 6-in. lumber, leaving full 5-in. face, easily admitting use of any style lock. Costs you less than other makes of common narrow stile doors.

	nches Thick		ies Thick		ESOTA les Thick	1		MING ies Thick		island is Thick	1% Inch	
No. 04 Glazed Cl Double Strengti Glass	Glazed	Plate Glass Beveled	No. 1074 Glazed Clear Double Strength Glass	No. 1066 Glazed Plate Glass Beveled Edgo		SIZE Ft. In. Ft. In.	Plate Glass	No. 1147 Glazed Clear Double Strength Glass	No. 1150 Glazed Plate Glass Beveled Edge	Glazed Clear	No. 1092 Glazed Clear Double Strength Glass	No. 1093 Glazed Plate Glass Beveled Edge
\$5.78	\$11.55					2-6 x 6-6						augo .
5.88	12.05	\$16.90	\$8.20	\$14.05	\$7.25	2-8 x 6-8	\$13.00	\$6.25	\$15,00	\$6.25	\$7.40	\$16.10
6.40	14.10	18.80	8.65			2-10 x 6-10			16.70	6.70	7.85	18.00
6.28	13.05			15.45	7.50	2-8 x 7-0	14.00	6,55	10.70	0.70	7.00	18.00
6.70	14.80	20.75	9.10	16.85	7.90	3-0 x 7-0	15.75	7.15	18.85	7.15	8.30	19.95
Door	1% inches t	hick of the	nhove done	Cre one one							0.50	13.30

Doors 1% inches thick of the above designs are carried in stock in all sizes except Arkansas design 2-6x6-6. Price of 1%-inch door \$2.10 more than 1%-inch price.



ORLAHOMA



COLORADO



II.LINOIS



TEXAS



оню



MISSISSIPPI

OKLAHOMA 1% Inches Thick	1% Inch	RADO les Thick	ILLINOIS 1% Inches Thick		SIZE	TEXAS 1% Inches Thick		0HIO 1% Inches Thick		MISSISSIPPI 1% Inches Thick	
No. 1062 No. 1042 Glazed Clear Double Strength Glass Glass Beveled Edge	No. 1054 Glazed Clear Double Strength Glass	No. 1043 Glazed Plate Glass Beveled Edge	No. 1109 Glazed Clear Double Strength Glass	No. [] [] Glazed Plate Glass Beveled Edge		No. 1138 Glazed Clear Double Strength Glass		No. 4 Glazed Clear Double Strength Glass		No. 1058 Glazed Clear Double Strength Glass	No. 1059 Glazed Plate Glase Beveled Edge
\$7.50 \$15.55	\$7.40	\$14.20	\$6.90	\$18.40	2-8 x 6-8	\$7.30	\$18.80	\$10.90	\$19.25	\$6,60	\$15.30
			7.60	21.80	2-10 x 6-10	8.00	22.20	11.65	21.95	7.05	17.20
	7.80	15.60	7.45	19.80	2-8 x 7-0	7.85	20.20	11.40	20.55		
	8.25	17.00	7.85	22.40	3-0 x 7-0	8.25	22.80	12.05	23.40	7.50	19.15

Oklahoma door may be had 1%-inch thick only. Other doors 1% inches thick of the above designs are carried in stock in all sizes listed. Price of 1%-inch door \$2.10 more than 1%-inch price.

Clear No. 1 Quality, Front Doors

Western White Pine - We do not substitute inferior woods

Perfect workmanship, plain and fancy glazings. Made with wide side stiles from 6-in. lumber, leaving full 5-in-face, easily admitting use of any style lock. Costs you less than other makes of common narrow stile doors. Our White Pine is what is known to the trade as Western White Pine, California White Pine and Pondosa Pine.













HOLLYW00D

Our doors are made from lumber that has been thoroughly dried both in the air and in klins, and is in perfect condition for manufac-turing purposes before it is brought into the mill. Absolutely no green lumber is used. From the time the lumber is cut until the completely


manufactured door is delivered to the railroads, it is handled only by experts—men who have made a scientific study of the subject and are in a position to supply a door that is right, that will stay right,


HOLLY 1% Inche					YELLOWSTONE 1% Inches Thick		BEAUVOIR 1% Inches Thick		BANFF 1% Inches Thick			
No. 1375 Glazed Clear Double		No. 1361 Glazed Clear Double	No. 1362 Glazed Plate Glass	No. 1363 Glazed Clear Double		Size	No. 1377 Glazed Clear Double		No. 349 Glazed Clear Double	No. 1350 Glazed Plate Glass	No. 1367 Glazed Clear Double	No. 1368 Glazed Plate Glass
Strength Glass	Beveled Edge	Strength Glass	Beveled Edge	Strength Glass	Beveled Edge	Ft.In. Ft.In.		Beveled Edge	Strength Glass	Beveled Edge	Strength Glass	Beveled Edge
\$8.95	\$20.15	\$7.25	\$15.65	\$10.30	\$22.60	2 - 8 x 6 - 8	\$8.95	\$20.15	\$10.10	\$22.55	\$8.50	\$20.50
9.65	24,60			10.70	24.50	2-10 x 6-10	9.65	24.60	10.60	24.70	9.05	23.95
		7,75	16.95	10.50	23.50	2 - 8 x 7 - 0			10.35	23.60	8.85	22.60
9.80	25.15	8.05	19.05	10.85	25.85	3 - 0 x 7 - 0	9.80	25.15	11.05	26.90	9.55	25.20
							10/ 1 7 7					

Doors 1% inches thick of the above designs are carried in stock. Price of 1%-inch door \$2.35 more than 1%-inch price.









FRON	TENAC		DAYTONA	- (BEAUFORT		PINEH	URST	1
	TENAC es Thick	DAYT 1% Inche			BEAU 1% Inch		PINEH 1% Inche		1
No. 1373 Glazed Clear	No. 1374	No. 1369 Glazed Clear	No. 1370	Size	No. 1371 Glazed Clear	No. 1372 Glazed	No. 1359 Glazed Clear	No. 1360 Glazed	1
Double Strength Glass	Plate Class Beveled Edge	Double Strength Glass	Plate Glass Beveled Edge	Ft.In, Ft.In.	Double	Plate Glass Beveled Edge	Double Strength Glass	Plate Glass Beveled Edge	1
\$8.60	\$17.95	\$9.40	\$16.85	2 - 8 x 6 - 8	\$10.70	\$21.55	\$10.70	\$21.55	
9.00	18.95			2-10 x 6-10	11.40	25.25	11.40	25.25	1
8.80	18.40	9.75	17.85	2 - 8 x 7 - 0	10.85	24.50	10.85	24.50	ı
0.45	19.80	9.90	18.30	3 - 0 x 7 - 0	12.00	26.25	12.00	26.25	1

Doors 1% inches thick of the above designs are carried in stock in all sizes listed. Price of 1%-inch door \$2.35 more than 1%-inch price.

Bungalow Door

White Pine

This design of door is used frequently most as a front entrance for cot-tages and bun-It is galows. not only attractive but in keeping with the architectural requirements for buildings of this buildings of this general type. The sizes priced below are those in greatest demand for city building. Other sizes made to order at special prices.

These doors are made from clear western white

pine.



DEERFIELD

Sizo Ft. In. Ft. In.	Inches	No. 1386 Glazed Clear Double Strength Glass	Glazed Plate Glass Beveled _Edge
2 - 8 x 6 - 8	1%	\$ 9,00	\$12.00
2 - 10 x 6 - 8	13/4	9.20	12.15
3 - 0 x 6 - 8	1%	9.40	12.75
3 - 0 x 7 - 0	1%	10.00	13.35


PINE DOORS-"A" Quality CLEAR SOLID WHITE

STRICTLY
CLEAR WHITE
PINE, suitable for
Natural Finish,
Paint or White
Enamel. The work
manship is perfect.
The glass is either
clear double
strength of the best
quality, or polished
plate glass as specified.


Side stiles and top rails are made five in, wide; bottom rail ten in. wide. Glass held in position with neat wood stops, firmly fitted into place.

Our White Pine is what is known in the trade as Western White Pine, Califor-nia White Pine and Pondosa Pine.

They are frequently used in pairs like the doors shown on page 8.



NEWPORT



PASADENA



LAKELAND



PALM BEACH



LONG BRANCH

	NEW I		PASAI 1% in.		LAKEI 1% in.			BEACH thick		BRANCH . thick
Width Height Ft. In. Ft. In.	No. 35 Glazed Selected Clear Double Strength Glass	No. 352 /2 Glazed Plate Glass Beveled		No. 1354/2 Glazed Plate Glass Beveled Edge	No. 1515 Glazed Selected Clear Double Strength Glass	No. 1516 Glazed Plate Glass Beveled Edge	No. 1355 Glazed Selected Clear Double Strength Glass \$ 9.80	\$23.70	No. 1357 Glazed Selected Clear Double Strength Glass \$10.30	No. 1358/2 Glazed Plate Glass Beveled Edge
2-8 x 6-8 2-10 x 6-10 2-6 x 7-0 2-8 x 7-0 8-0 x 7-0	\$8.50 8.55 8.65 8.70 8.75 8.85	19.55 19.60 19.65 19.70 21.00	9.10 9.45 9.25 9.35 9.60	19.45 22.00 20.70 20.80 23.45	\$ 9.80 9.90 10.05 9.95 10.00 10.05	\$21.45 21.55 22.90 21.60 21.70 24.45	9.90 10.25 10.40 10.20 10.70	24.35 26.20 26.00 24.95 29.20	\$10.30 10.80 11.20 10.90 11.20 11.60	25.50 27.50 26.70 27.00 29.10

QUALITY-BEST WORKMAN VENEERED RED OAK-HIGH



NARRAGANSETT



BILTMORE



ORMOND



ASHEVILLE

DOORS The doors shown here are manufactured from the very best Wisconsin Red Oak Veneer glued to a patent Pine Core. The same care is used in their construction that is given the finest cabinet work. Glass is held in position by square molded stops.

SIDELIGHTS

Oakor White Pine
Our Sidelights are
manufactured exactly
like the doors with
which they correspond. The same
carefully selected
materials, and the
same up-to-date designs make them
highly desirable for
use in the very finest
work.

NARRA



ORMO

PRICE EACH FOR OAK DOORS, 1% INCHES THICK			
PRICE EACH FOR OAR DOORS, 178 INCHES THOSE			
	ASHEVILLE 1% inches thick		
Width, Height, Soluted Dbl. Strength Glass No. 2162 Solected Dbl. Strength Glass No. 2163 No. 2164 Dbl. Strength Glass No. 2165 Selected Dbl. Strength Glass No. 2166 Selected Dbl. Strength Glass No. 2166 Selected Dbl. Strength Glass No. 2166 Selected Dbl. Strength Glass No. 2167 Selected Dbl. Strength Glass No. 2168 Selected Dbl. Strength Glass	Giass	No. 2193 Beveled Plate Glass \$30.15 31.95 33.155 34.20 32.35 34.20 32.50 34.10 35.70	

PRICES BELOW ARE FOR SINGLE SIDELIGHT ANY SIZE UP TO 1 FT. 2 IN, X 7 FT. MADE TO ORDER ONLY.

NARRA-1% inches thick	ORMO—1% inches thick	•
Wood Double Strength Glass Plats Glass Beveled	zed Polished Glassed Selected Glassed Polished Glassed Polished Boreled Plate Glass	a.ms
Oak No. 2174\$8.50 No. 2175\$9.70 No. 2176	76\$13.15 No. 2171\$9.75 No. 2172\$12.60 No. 2173\$18	1.25
White Pine No. 2180 5.00 No. 2181 6.30 No. 2181	811/2 9.70 No. 2177 6.20 No. 2178 9.10 No. 21781/2 14	.80
These doors may be made 1% in, thick @ 1.50 each more than the above p	e prices applying to doors 1% in, thick. For Sidelights 1% in, thick, add .60 each to above pr	rices.

SHOULD BE IN

Best Plate Mirror



The Cost is so Low that No Home Need be Without One

A Long Full Length Mirror in your bedroom or dressing room is a con-

venience so easily secured that no home

need be without one or more. Every woman knows of the advantages of such a mirror but most of them have taken it for granted that the cost is exorbitant. As a matter of fact the cost is decidedly much less than that of almost any article of furniture suitable for these rooms. From \$18.00 to \$30.00 will buy a new door with full length mirror on one side in any of the common sizes.

The mirror is secured to the door by a strong moulding of neat design, firmly

holding it in place and giving it a well made, finished appearance.

Most Homes Now Being Built doors are sometimes placed in the hall but more estimated. Any chamber door leading to hall or closet may be fitted with a full length mirror at so reasonable a price that all builders should insist on having at least one.

Old Homes Now Equipped with plain panel doors may be fitted with this convenience by replacing the old doors with our mirror doors. This may be easily and quickly done at slight expense. We carry in stock all the designs listed below and no matter what kind of doors you now have you will probably find one that will answer your purpose in our list. The full length mirror shows on the one side only. The reverse side shows the door itself.

One side fitted with one or more mirror doors. These doors are sometimes placed in the hall but more extended in the hall but more extended with a full length with a state of the plain panel doors are sometimes placed in the hall but more are sometimes placed in the hall but more doors are sometimes placed in the hall but more extended with a full length with a least one.

Old Homes Now Equipped with plain panel doors may be fitted with this convenience by replacing the old doors with our mirror doors. This may be easily and quickly done at slight expense. We carry in stock all the designs listed below and no matter what kind of doors you now have you will probably find one that will answer your purpose in our list. The full length mirror shows on the one side only. The reverse side shows the door itself.

One side fitted with one or more mirror doors. These doors are sometimes placed in the hall but more sometimes placed in the hall or closet may be fitted w

			One side fitte	d with best plate	entern manage	a side os boli	- 117
				d with best plate	mirror, revers		
SIZE OF	Thick	Wat.	Fir	White Pine with	701 1.		White Pine with
DOOR	Inches	Fir 2 Panels	5 Cross Pan-	0 01030 1.11	Birch	Red Oak	2 Fir
	Inches		els No.	Panels	2 Panels	2 Panels	Panels
Ft.In. Ft.In.		No. 406	396	No. 497	No. 498	No. 394	No. 398
2-0 x 6-6	1%	\$16.50	\$16.38	\$16.75	\$20.32	\$22.24	\$16.88
2-6 x 6-6	1 %	22.03	21.88	22.33	25.99	28.05	22.48
2-0 x 6-8	1%	17.10	16.97	17.37	20.94	22.87	17.50
2-4 x 6-8	1 %	19.89	19.74	20.17	23.72	25.75	20.32
2-6 x 6-8	1 %	22.55	22.40	22.85	26.47	28.57	23.00
2-8 x 6-8	1 3%	24.18	24.02	24.49	28.20	30,40	24.65
2-0 x 7-0	1%	17.73	17.59	111192111			
2-4 x 7-0	1%	20.90	20.75	21.21	25.01	27.23	21.38
2-6 x 7-0	1 3/8	23.76	23.59	24.08	27.93	30,22	24.24
2-8 x 7-0	1 %	25.45	25.28	25.79	29.74	32.07	25.99
3-0 x 7-0	1%	28.89	28.70	29.25	33.48	36.10	29.43
For mirr	or with	11/2-inch be	vel edge, ac	ld \$6.20 to abo	ve Plain Pl	ate Mirror	prices.

Flush or Slab Front Doors

Our Single Sliding Doors are made with ten panels to match our 5 Our Single Silding Doors are made with ten pares to decross panel doors, and with 4 panels to match our 2 panel doors. We carry a large stock in the following sizes and can make prompt shipment. You can select from the doors listed below a style that will perfectly match your interior doors.



No. 428



			7101 -4	20 21			
SIZE in Feet	White Pine		F	lr	Pa	ir nels	NOTE
and Inches	1% In. Thick	1% In. Thick	1% In. Thick	1¾ In. Thick		1% In. Thick	When ordering
4-0x6-8	10.35		9.59		10.37		of wood, size and
5-0x6-8	11.30		10.41		11.31		thickness. All
6-4x6-8	11.60		10.69	12.49	11.63	14.51	are carried in
4-0x7-0	10.85		10.03				stock. For Sild- ing Door Jambs
5-0x7-0	11.85	14.80	10.89	12.75	11.87	14.81	consult page
5-4x7-0	12.00	15.25	11.17	13.09	12.19	15.27	showing frames.
6-0x7-0	12.90	16.20	11.79	13.85	12.89	16.19	

No. 429-4 PANELS

SIZE in Feet	Fir	Fir Panels	Oak	Birch
and Inches	1% In. 1% In. Thick Thick	1% In. 1% In. Thick Thick	1% In. 1% In. Thick Thick	1% in. 1% in. Thick Thick
4-0x6-8 5-0x6-8	9.85	10.63	20.35	16.40
5-4x6-8 4-0x7-0	11.00 12.89	11.95 14.91	22.45 24.85	17.95 20.35
5-0x7-0 5-4x7-0	11.23 13.15	12.19 15.23	23.15 25.50 23.75 26.15	18.45
6-0x7-0	12.17 14.33	13.25 16.65	23.75 26.15 25.60 28.00	20.25 22.65



No. 457



No. 458



No. 457

In the manufacture of these doors a heavy veneer of Wisconsin Red Oak or of Unselected Birch is glued over a Pine core, The word "unselected," as used in connection with the Birch, refers merely to the color, and does not indicate that the grade of lumber used in making the veneer is other than clear grade. This Birch may be stained to perfectly match Mahogany.

The construction throughout is of the very best and is equal to that given fine cabinet work or costly furniture. The glass used for glazing is of the very best plate and has beveled edges.

These doors are not carried in stock, but are made to order only. It requires from sixty to ninety days to properly manufacture and prepare them for shipment.

Veneered Red Oak-Glazed Plate Glass, Beveled Edge

SIZE	No. 457	No. 458	No. 459
Ft. In. Ft. In	1% Inches Thick	1% Inches Thick	1% Inches Thick
2-8 x 6-8	\$31.65	\$25.40	\$28.25
2-10 x 6-10	33.00	27.15	30.05
2-8 x 7-0	32.60	26.30	29.15
2-10 x 7-0	33.50	27.65	30.50
3-0 x 7-0	34.40	29.20	32.00

	Aeneeren	Biren—Glazed	Flate Glass, Beveled	Fale
SIZE Ft. In. Ft. In.	1%	No. 457 Inches Thick	No. 458	No. 459 1% Inches Thick
2-8 x 6-8 2-10 x 6-10 2-8 x 7-0 2-10 x 7-0 3-0 x 7-0		\$28.80 29.90 29.50 30.30 31.05	\$22.50 24.10 23.30 24.45 25.85	\$25.35 26.95 26.10 27.30 28.66

Beautiful and Artistic Wisconsin Red Oak Veneer, glued to a solid Pine Core under enormous pressure.

Looks as well and wears better than a solid door.

HERE is nothing that adds more THERE is hotting that to the appearance of a building than our Red Oak Veneered Doors. Among the richest appearing doors on the market, they are harmonious in outline, artistic in design and architecture and perfect in workmanship.

Every door is guaranteed. The Bevel Plate Glass is an additional feature of beauty that puts a finishing touch on the general attractiveness of their appearance.

A good hardwood veneered door should be kept in a perfectly dry place until filled or finished, and should not be hung or stood around in a new house until the plaster and walls are thoroughly dry. It should not be hung where it will be directly exposed to rain and weather, but should have the protection of a porch.

The veneers used on these doors are thoroughly dried and selected for appearance. Zinc plate fitted on sticking under the moulding at top of bottom rail prevents sweat moisture from working in back of the veneer and peeling.



RAVINIA



GLENCOE



WINNETKA



WILMETTE

	RAVINIA 1% Inches Thick		GLENCOE 1% Inches Thick		WINNETKA 1% Inches Thick		WILMETTE 1% Inches Thick		
SIZE	No. 1114 Glazed Plate Glass	No. 115 Glazed Clear Double	No. 1116 Giazed Plate Glass	No. 1117 Glazed Clear Double	No. 1118 Glazed Plate Glass	No. 1119 Glazed Clear Double Strength	No. 22 Glazed Plate Glass	No. 1123 Glazed Clear Double Strength	SIZE
Ft. In. Ft. In.	Beveled Edge	Strength Glass	Beveled Edge	Strength Glass	Beveled Edge	Glass	Beveled Edge	Glass	Ft. In. Ft. In.
2-8 x 6-8	\$28.55	\$20.90	\$24.35	\$14.45	\$27.80	\$20.10	\$24.75	\$14.85	2-8 x 6-8
2-10 x 6-10	30.00	21.40	26.60	14.60	29.25	20.60	27.00	15.00	2-10 x 6-10
2-8 x 7-0	29.55	21.50	25.95	14.70	28.80	20.70	26.35	15.10	2- 8 x 7- 0
2-10 x 7- 0	30.65	21.60	27.10	15.20	29.90	20.80	27.50	15.60	2-10 x 7- 0
3-0 x 7-0	32.35	22.00	28.65	15.30	31.60	21.20	29.05	15.70	3-0 x 7-0

MODERN DIVIDED LIGHT DOORS

We box hardwood front doors for shipment which fully protects them from dirt or damage in transit. There is no extra charge made for this service.

CRAFTSMAN DOORS

As illustrated below, Craftsman doors are almost severely simple, but each possesses an unmistakable air of attractiveness, that is peculiarly pleasing to those whose likings lean toward simplicity of design.



BROOKFIELD



BELLEWOOD



HAZEL CREST





CRAFTSMAN NO. 1129 CRAFTSMAN NO. 1153 CRAFTSMAN NO. 1154



BROOK 1% Inch	es Thick	BELLE 1% Inch		HAZEL 1% Inch		SIZE	CRAFT No. 1% Inche	129	CRAFT: No. 1		CRAFT No. 1% Inch	154
	No. 1191 Glazed Clear Double Strength Glass	No. 88 Glazed Plate Glass Beveled Edge	Glazed Clear Double Strength Glass	Glazed Plate Glass Beveled Edge	Glazed Clear Double Strength	Ft.In.Ft.In.	Price Selected Double Strength Glass	Price Glazed Bevel Plate Glass	Price Selected Double Strength Glass	Price Glazed Bevel Plate Glass	Price Selected Double Strength Glass	Price Glazed Bevel Plate Glass
\$27.60	\$18.50	\$26.75	\$16.40	\$27.60	\$18.50	2-8 x 6-8	\$15.25	\$19.60	\$14.20	\$17.25	\$12.50	\$15.60
30.05	18.95	29.25	17.00	30.05	18.95	2-10 x 6-10						
29.25	18.80	28.00	16.80	29.25	18.80	2-8 x 7-0						
30.70	19.25	29.95	17.15	30,70		2-10 x 7- 0						
31.35	19.60	31.70	17.50	31.35	19.60	3- 0 x 7- 0	16.80	21.50	15.80	19.10	14.15	17.80

Price per Set Garage Doors 13/4 in. Thick

"Munger" Folding Style

Without question the doors on this page solve the garage door problem with far greater satisfaction than anything heretofore attempted. Efficiency and low cost make the combination ideal. Unlike the ordinary "barn-like" ceiling garage door, these doors



No. 450. Each door weighs about 70 lbs. You may use Dead Lock Door as Private Entrance, thereby saving a Side Door and

are built as a good house door, cost much less and are much better, guaranteed perfect joints and everlasting; handsome in appearance.

The doors are strongly and substantially constructed from No. 1 stock. The workmanship is of the best. The hardware shown on this page is inexpensive and well suited for use with these doors. We suggest that you place your order for hardware when you order the doors.

No. 450. Price per set of three doors to fit standard opening, measuring 8x8 ft.....

15.75

Rolling Door Hardware especially recommended for use with these Doors Shown on Opposite Page.

"Brandt" Sliding or Swinging Style

These doors are similar in appearance and are constructed exactly like the doors illustrated at the left. Each door measures 4 feet by 8 feet; the two doors, or one pair, fit a standard opening 8 feet by 8 feet. They are strong, heavy and substantial,



No. 451. Heavy-1% inches Thick. Weight 100 lbs. Each,

measuring 1% inches thick and weighing about 100 pounds each.

The most economical and satisfactory solution to the garage door problem will be found in these doors. The attractive appearance makes them suitable for work of the very finest char-

The hardware shown below is inexpensive and well suited for use with these doors. Other garage door hardware will be found in the hardware section of our catalog. If doors are wanted to slide instead of to swing, regular barn door hardware as shown in catalog may be used.

No. 451. Price, per single door, 4 ft. x 8 ft. Each

\$8.25

No. 451. Price, per pair to fill standard opening,

15.75

Doors For Opening Measuring 7 ft. 6 in. High

In addition to the above sizes, we can also supply these doors in either design to f.ll an opening 8 ft. wide by 7 ft. 6 in. high at, per set

Unless otherwise specified we always ship doors '8 ft. high.

Garage Frames for Either Two or Three Combination Doors

Hardware for Three Door Combination

Hardware for Two Door Combination

The hardware shown in the illustration is made by the well known Stanley Works and consists of the following:
3 Pairs of 10-in. Reversed Pad Extra Heavy T Hinges
1 6-inch Chain Bolt with Staples.
1 6-inch Foot Bolt, Including Floor Plate.
1 No. 4 Heavy Thumb Latch.
1 No. 4 Heavy Door Handle.
Japanned Finish. Weight about 20 pounds.
No. 5336. Price per set.

(The above set does not include a lock. When ordering we suggest that either the rim lock shown above or a good padlock be used. The latch is made so that a padlock will prove effective if this kind of lock is desired.)

With the following hardware these doors can be hung as shown in illustration.

No. 3299, 1 Dead Lock
S1.45

No. 3259, 1 Thumb Latch
S0.27

No. 2926, 2 Chain Bolts,
S1.10

No. 2925, 2 Foot Ralts,
S1.04

No. 2995, 4½ Pair Butts,
S1.26 Garage Door Lock Foot Bolt

Size, six inches, wrought steel, square case, spring release. Complete screws. 2925



Price, each. 520

Chain Bolt

Size 6-inches, wrought steel, square case, com-plete with chain and and SCraws match.

No. 2926 Japanned. Price, Each55c



Tight Pin Butt

These butts are made of wrought steel with a joint,

fast joint, making it in possible for thieves to remove the pins and take down the doors from

the of finish. screws. outside. Japanned Complete

No. 2995. 4x4 inches. Price, per pair.....28c

Steel Thumb Latch

These latches being made of wrought steel will not break and are far superior to the old style cast iron latches. Complete with screws Made with screws, Made so that it may be used with

padlock. No. 3260. Galvanized. Price each 326



These doors are made extra heavy, strong and substantial from good sound Pine iumber, of selected quality. Stiles and rails are solid and measure either 1% or 2% inches thick, as required. The panels are made from %-inch Yeliow Pine beaded and matched partition stock heavily reinforced by cross bars as shown in lijustrations. All

doors are constructed in the best possible manner and are suitable for the finest class of work. Every joint is true and perfect. Clear double strength glass is used where shown. These doors are made to order and may be had in all sizes. Irregular sizes take same prices as next larger size.









PIERCE-ARROW Pair of Doors PRICES BELOW ARE FOR TWO DOORS OR ONE PAIR

PACKARD Pair of Doors


STUDEBAKER Single Door

THOSE SEED WITE LAND SOUTH OF THE TAIN										
Two Doors	SIZES	FOI	RD	PIERCE-	ARROW	PACKARD				
for Pair Measure	Single Door ft. in. ft. in.	No. 1601 1% in. thick	No. 1602 24 in. thick	No. 1597 1% in. thick	No. 1598 21/4 in. thick	No. 1595	No. 1596 24 in, thick			
5x 7 feet	2-6x7-0	\$21,00	\$28.00	\$21.00	\$28.00	\$27.50	\$ 34.50			
6x 7 ''	3-0x7-0	25.00	33.50	25.00	33.50	32.50	40.00			
7x 7 ''	3-6x7-0	29.50	39.50	29.50	39.50	36.00	46.00			
8x 7 "	4-0x7-0	33.50	45.00	33.50	45.00	40.00	51.50			
5x 8 ''	2-6x8-0	24.00	32.00	24.00	32.00	30.50	38.50			
6x 8 "	3-0x8-0	28.80	38.50	28.80	38.50	35,30	45.00			
8x 8 "	4-0x8-0	38.50	51.50	38.50	_ 51.50	45.00	58,00			
10x 8 "	5-0x8-0	48.00	64.00	48,00	64.00	54.50	70.50			
8x10 "	4-0x10-0	48.00	64.00	48.00	64.00	54.50	70.50			
10x10 ''	5-0x10-0	60.00	80.00	60.00	80.00	66.50	86.50			
12x10 "	6-0x10-0	72.00	96.00	72.00	96.00	78,50	102.50			

PRICES BELOW ARE FOR SINGLE DUORS								
SIZES	STUDEBAKER							
Singia Door	No. 1605 1% in. thick	No. 1606 214 in. thick						
4x 7 feet	\$17.00	\$22.50						
5x 7 **	21.00	28.00						
6x 7 **	25.00	33.50						
8x 7 **	33.50	45.00						
5x 8 **	24.00	32.00						
6x 8 **	28.80	38.50						
8x 8 **	38.50	51.50						
10x 8 "	48.00	64.00						
8x10 "	48.00	64.00						

Garage Hardware for Rolling Doors





Complete Equipment for Three-Door Combination Doors will roll along inside wall on either side of garage.

Illustration at right shows one of the methods of hanging three-door ombination. Note—One door can be hinged to jamb.

Illustration at left shows how a three-door combination garage door can be hung to roll along wall with Set No. 2505.

GARAGE HARDWARE FOR FOLDING DOORS

Garage Door Set

Set consists of 3 pairs of 10-inch reversed pad extra heavy T hinges, 1-6-inch chain bolt with staples, 1-6-inch foot bolt, including floor plate, 1 No. 4 heavy thumb latch, 1 No. 4 heavy door handle. Weight about 20 pounds. Japanned finish.

No. 5336. Price per set \$3.30

A complete first quality garage door set ready to be used in connection with any set of three garage doors. Suitable under most conditions, as it is convenient, safé, low in price, requires little space, beautiful in design and finish. The hangers are made with roller bearings and operate very easily.

All parts are placed inside and are thoroughly protected from the weather. Its high quality makes it desirable for expensive garages and the low price places it in the hands of those who wish an inexpensive set.

The complete set includes 3 No. 2525 Roller

wish an inexpensive set.

The complete set includes 3 No. 2525 Roller Bearing Hangers, 1½ pair No. 954 six-inch Heavy Strap Hinges, 1½ pair No. 960 eight-inch Extra Heavy "T" Hinges, 2 No. 482 Handles, 1 No. 1250-J, Thumb Latch, 1 No. 941 Safety Hasp, 1 set No. 2547 Floor Guide, 4 Expansion Bolt Shields for use in concrete floors, all necessary Bolts and Screws and Steel Track. All articles are heavily japanned. Shipping weight with track, about 30 lbs. Complete instructions showing how to use this hardware under any conditions, furnished free.





s, windows, casement sash,

GARAGE SIDE DOORS





No. 403-0REGO	FIR "B"	QUALITY-No. 40	4
---------------	---------	----------------	---

Price No. 403 Five Cross Panels	SIZE Ft. In. Ft. In	Inches Thick	Price No. 404 Glazed Clear Double Strength Glass
\$2.89	2—6x6—6	1%	\$3.70
3.06	2—8x6—8	1%	3.95

Side Door Frames

For Brick Building

1%x5% in. For either

GARAGE HARDWARE

Side Door Lock



Reversible
Lock size
4x3½ inch iron
bolts, with stop
malleable iron
k ey. Packed
with one pair
Jet Knobs and
one igpanned
k ey hole cscutcheon.
3170. Price per set

screws.

Sash Fastener



Wrought steel.
Complete with screws.
No. 3113. Andique Copper Finish.
Price, each......70
No. 3114. Lemon
Price, each......70

Brass finish. Price, per doz Hook Sash Lift



Wrought steel. Complete with Complete screws. No. 3294.

Antique Copper Finish. Price, each ... 31/20

No. 3295.

Le m on Brass 31/20

No.
Lemon Brass
each.....3½c
....38c

Finish. Price, eac Price. ner dozen.

Wrought Barrel Bolt
Polished
steel, brass
knobs. Length of bolt. 4 in. 5 in. 17c 18c 27c 32c No. 3210. 3 in. Price, each.... 150 Old Conver....250



Heavy wrought steel T-Hinges, No.

No. 3176.
Price, per pair 6-in...\$0.25
Price, per dozen pair... 2.95
Extra heavy wrought stuel
T-Hinges.
No. 3177.
Size........

\$0.62

Loose Pin Butts



For Garage Door Wrought steel, ball tipped, pack-ed with screws.

No. 3297.
Japanned with screws. Per pair: 3½x3½...24c 4x4...30c

Casement Butts



Size 3x3 in.
Wrought steel.
Tight pin. Complete with screws.
No. 3197. Antique Copper finish. Price per

No. 3198. Lemon Brass finish. Price, per pair...25c

Barn Door Track and Hangers



Tandem type hangers, with anti-friction steel roller bearings; ad-justable to doors from 1½ to 2 inches thick. The small section illustrates how hangers are pro-tected from weather. Track is 16-gauge steel; hangers include bolts for attaching to door, lag screws and stops, and splice cover for rail. Hangers weigh 9 pounds per pair. Track 3 pounds per foot.

2827, Track, per foot.....320 2828, Hangers, per pair.\$1.85

CASEMENT SASH FOR GARAGE



Sash No. 387

These sash are made of Western White Pine 13% in. thick. Two sash (1 pair) are made to fit on opening 2 ft. 8 in. wide by 2 ft. 6 in. high. Glazed with clear glass. Sash No. 391 has wood bar divisions.

No. 387. Price per single sash. \$1.00

No. 391. Price per single sash. \$2.25

For wood by Price per single sash. \$2.55

For Brilck Bullbing. Oambe 13% 53% 7 abbeted. Clear Western stock in the K. D. Complete No. 525 for 2 pair sash. Price. \$5.95

No. 528. Frame for wood building. \$2.75

No. 527. Frame for brick building. \$2.75







Western White Pine sash 1% in thick. Two sash (1 pair) fit opening 2 ft. 8 in. wide by 2 ft. 6 in. high, Glazed with best clear glass. Wood divisions in top.

Sash No. 382
Giazed best quality clear glass. Wood bar divisions White Pine sash 1% in. thick.

Outside Measure Ft. In. Ft. In.	Glass Size	Sash No. 355	Sash No. 382	Sash No. 383
3-0 x 1-9 3-4 x 1-11	32x16 36x18	\$1.13	\$1.56	\$1.80

Frames made for single sash, in accordance with specifications listed for frames shown above.

o. 556. For wood building....\$2.75 No. 557. For brick building....\$2.70

WINDOWS FOR GARAGE







Window No. 300

Measure Ft. In. Ft. In. \$1.45 1.58 1.80 2.09 \$1.65 1.84 2.12 2.47 \$2.23 2.37 2.60 \$1.87 2.01 2.25 2.56 20x20 2- 0x3-10 2- 4x3-10 2- 4x4-6 2-10x4-6 \$2.09 2.29 2.59 2.95 \$2.45 2.65 2.94 3.32 30x24

30x24 2-10x4-6 2.09		.56 2.95	2.91 3.32
These windows are 1% in. the raised and lowered. The wood and of the best quality. Wood No. 540. Frame for wood build-	bar divisions v	Vhite Pine and ti	rail, so may be
ing. Jambs %x5% in. outside cas- ing 1%x4½ in., sill 1%x7% in. K. D. Pulleys included in above 20c extra.	Size	Frame for Wood Bldg.	Frame for Brick Bldg.
No. 535. Box frame for brick building. Jambs 5% in. wide, sill 1%x5% in. Complete with pulleys. K. D.	20x20 24x20 24x24 30x24	\$2.25 2.25 2.25	\$4.85 4.95 5.25
D. D.	30X24	2.40	5.27

Sash Weights

Pounds—3, 3½, 4, 4½, 5, 5½, 6, 6½, 7, 7½, 8, 8½, 9, 10 and in even pounds up to and including 30. Price per 100 pounds....\$2.60




No. 3126. Peerless Sash Cord, made only of best quality of selected long fibre cotton, strong and durable. Fully guaranteed. Per hank of 100 feet........90c

Sash Pulleys

No. 4913. Noiseless steel

pulley. Strong and substantial. Diameter of



LBOARD.

Garage Mica Finish Roofing

A guaranteed, smooth, mica finished roofing—thick, tough, heavy and durable. It is weather-proof, water-proof and fire resisting. Made from rag felt and pure asphalt.

This roofing is strongly recommended for your garage roof since it will give unusually good service. It is made in rolls 32 inches wide and sufficient to Each roll contains the proper amount of nails and cement. Samples free.

Light, 35 lbs. Medium, 45 lbs. Heavy, 55 lbs. Guaranteed
5 years
5 years
10 years
11 years
12.78



Garage

Chip Slate Roofing
Soft Red or Grayish
Green Colors
An unusually heavy roofing weighing about 85 lbs. per reli of 108 square feet, which is sufficient to cover 100 square feet with the proper overlap. Made from selected rag felt thoroughly saturated and covered with pure asphalt, surfaced with chipped slate in the natural colors. Will never fade and is complete with natis and cement for laying. It has an exceptionally rich appearance and is guaranteed for 15 yrs. No. 960. Soft red color......\$2,45

Garage 4 In 1 Slab Shingles



Made from the same high grade feits and asphaits as the chip slate roof-ing shown above and in exactly the same colors and finish.

4 IN 1 SLAB SHINGLES are laid 4 inches to the weather. It is practically impossible to lay them wrong. Slabs are 32 inches long and 10 inches wide; spacings are ½ inch wide and 4 inches deep; four shingles to the slab. 112 slabs will cover 100 square feet. Ship. wt., 190 to 195 pounds per square. Price for sufficient roofing to cover 100 square. Series No. 2125. Grayish Gleen, per sq. \$7.75 No. 2126. Soft Red, per square. 7.75 Guaranteed to give satisfactory service for 15 years.

Standard Garage A



Build Your Own Garage and Save Rent

The best and most economical plan for building your new garage is to buy your lumber and millwork as shown on these pages and put up your own framework for a garage of the size and style that will suit you best. All that will be required for the framework are the 2x4 studs and rafters, 2x6 hips (all surfaced four sides), 2x6 sills and clear 1x6 drop siding, roof boards, dressed and matched, together with the frieze and corner boards, surfaced two sides.

If you do not have or cannot conveniently secure the lumber for framework, we shall gladly quote prices including full freight charges to your station, if you will tell us the

size of the building you wish to build.

Our price will cover the lumber complete, including sufficient nails for properly constructing the frame.

				Standard Garage A		
	8	Siz	е		Capa	acity
10	ft.	x	12	ft	.Small	Car
10	ft.	x	16	ft	.Small	Car
12	ft.	x	16	ft	Single	e Car
12	ft.	x	18	ft	.Single	e Car
18	ft.	X	16	ft	.Two	Cars
20	ft.	x	18	ft	Two	Cars
20	10.		~0			-

Under our plan you construct, at the most moderate cost, a substantial standard garage building that will add permanent value to your property.

Garage **Building Paper**

RED ROSIN SIZED SHEATHING has a strong,

Garage Paint

This our Wearwell brand of gunranteed house paint and is more fully described on the pages devoted to this subject in catalog. A paint that is absolutely dependable and that will give the utmost in satisfaction, Fully guaranteed. L4021 Outside White L92

White



L4020 Outside Black

Garage Wallboard

This is our Sterling brand and is the ideal wallboard for linning the interior of garages. It is made from seasoned wood fibre built up into strong, rigid damp proof boards or panels about at of an inch thick. Each panel is size of both sides for moisture about 70 lbs. per 100 sq both sides for moisture about 70 lbs. per 100 sq binches bind inches bind size and board size and si



sisture protection. Weight
100 square feet.
Boards per Square feet in
bundle 10 160
10 2131/2
10 240
320
Price per 48x96

Shipped from factory in Price per Western New York, 100 sq. ft. In full bundles.....\$3,50 in broken bundles.....\$4,00

for a Pergola 8 feet wide by 8 feet long, with 4 Columns and Trellis Work

Anyone with garden or lawn space will find it possible to greatly increase the beauty of his grounds with a Pergola. There is a growing tendency among some owners to add to the attractiveness of their surroundings, which accounts in no small measure for the present popularity of this beautiful decorative feature, its use is not confined to the rich, or to owners of spacious lawns. Its very inexpensiveness has made its use general. Covered with elinging vines it forms an admirable covering for one's favorite walk or to lend a formal aspect to a garden.



for a Pergola 8 feet wide by 16 feet long, with 6 Columns and Treilis Work

with 6 Columns and Trellis Work
We furnish all the material required to erect such a Pergola as is shown in the above illustration, namely, Columns, Deams and Trellis Work, with which it may be easily and quickly erected by anyone. Any walk or garden spot will prove a suitable location. Columns are usually placed 7½ feet apart, center to center, and extended any distance required.

Our material is all of the best quality, carefully selected and thoroughly dried. The columns are made of clear Western stock, 8 inches in diameter, 8 feet high. Long beams are 1%x7½ inches, cross beams 1%x5% inches; lattice strips %x2½.

of Pergola 8 feet wide. Columns, Beams and Trellis Price

No. 2083. No. 2084. No. 2085.



Colonial Front Entrances Properly Designed and Executed

Write for Prices

The revival of colonial designs in home building during the past few years has meant the return of a type that is not alone beautiful, but substan-tial and economical as well.

The one outstanding feature of a colonial dwelling is the front entrance and the design on this page is typical.

Work of this kind is difficult to price in a catalog since much depends upon the size of doors and sidelights and the projection of the canopy.

When you are in need of such an entrance or any similar work let us make you an estimate. Give us the necessary information so that we can quote prices.

Sometimes a customer will find a suitable and attractive entrance on some neighboring home. In this event send us a Kodak picture so that we can give you full information and quote the necessary prices.



Special Work

As a matter of economy, we suggest the use of regular designs and sizes of millwork whenever possible. Special work must neces-sarily require more time and greater expense.

Sometimes a customer's requirements make it impossible to use regular sizes or patterns and in such an occasion we are well prepared to take the best of care of his orders.

Colonial entrances are naturally consid-ered as special work and each order is given individual individual attention. Our facilities make it possible to produce this class of material to the best advantage.

You will find our prices low. The finished article will be architecturally correct and manufactured from first class material. The results are guaranteed. We can also give you prompt service.

service.

Name your requirements and let us make you an es-

Quality and Service

Port Washington, L. I.

Permit me to express also my appreciation of the quality of your goods and service rendered, for which I thank you.

Walter D. Allen.

Fine Grade of Goods

Cobbs Creek, Va.

My compliments to you for the very fine grade of goods; the material is perfect. The floor after being finished is equal to any piece of furniture in the house and is thought as much of. I am thinking of putting two more floors in two other rooms in the near future and will assure you I shall call on you again.

Harry W. Marchaut

Harry W. Marchant.

Excellent Material

Scotia, N. Y.

I wish to commend you not only upon the workmanship, but upon the excellency of the materials used. I note particularly the complete absence of knots in the window frames.

I shall be pleased to say a good word to any of my friends, who may be in the market for any of your products.

be in the products.

H. A. Thompson.

Well Pleased

Olean, N. Y.

Doors burchased from you, your order No. 10155, received in first class condition and we are very much pleased with them, Will be glad to recommend your firm to anyone contemplating any work in your line.

James W'. Cousins.



STORE DOORS—CLEAR OREGON FIR
We carry a large stock of Store Doors in Oregon Fir in the sizes
listed below.

Every Piece of Lumber that enters into the construction of our Old Growth Oregon Fir Doors is carefully selected from thoroughly dried clear door stock. Every door is inspected and properly crated before leaving our warehouse. It is guaranteed to reach you in first class condition—bright, clean and brand new. This lumber will stand perfectly without warping and is easily worked and fitted, yet sufficiently hard to withstand the constant wear and hard usage that Store Doors are subjected to.

We Recommend the following as the best possible store door that can be bought at any price.

PRICE PER PAIR (2 DOORS) 1% INCHES THICK, FOR FOLLOWING OPENINGS

SIZES In Stock, 1% In. Thick Ft. In. Ft. In.	No. 424 Un- glazed	No. 425 Un- glazed	No.7424 Glazed Clear Double Strength Glass	Clear Double	Glazed	No. 425 Glazed Bevel Plate Glass
5-0 x 7-0	\$11.30		\$13.90		\$24.00	
5-0 x 8-0	12.75	\$12.05	15.65	\$18.20	28.20	\$44.50
6-0 x 7-0	12.70		15.75		30.30	
6-0 x 8-0	i4.35		18.60		36.30	
0-0 2 0 0						




No. 425

No. 1164A.

in the construction of a new No Single Feature home or the remodeling of an old one should receive greater attention than a suitable front entrance. Aside from the satisfaction it will

afford you personally it has an actual investment value, since it stands out more prominently than almost any other improvement that can be made to your property.




The Front Entrance to

Your Home is perhaps the first object to attract the attention of your visitor. From it he may secure his first impression of your personality, since it is truly said that a man's character is reflected by his home and his surroundings. Here it is that good taste should be allowed to dominate in the selection of fittings that are harmonious and artistic, because here it is that the first and deepest impression of your real self is unconsciously formed in the minds of your friends and associates.

Your Old Home may be medernized with a new front entrance with the expense of little trouble and an outlay of only a few dollars. Such an entrance will allow more light to penetrate into an otherwise dark hall and your home will be made more attractive and comfortable. Perhaps no other improvement will give greater returns in value for the money expended. To place one of these entrances in an old building is a simple task that may be casily performed by any carpenter or handy man. If the following sizes are not suitable, aspecial sizes will be priced at your request, or if you prefer other designs of doors they may be selected from among the many shown in this book.

\$26⁵⁰



FRAME FOR BRICK BLDG Design Ne. 1159 White Pine

FRAME FOR WOOD BLDG

1159A.

Mullion Frame for deor 2 ft. 8 in. x 6 ft. 8 in., with side lights 1 ft. 2 in. x 6 ft. 8 in. for frame house. Drip Cap complete as described. Clear Western Stock. \$7.95 Two Side Lights 1 ft. 2 in. x 6 ft. 8 in., 1% in. White Pine, glazed leaded crystal glass. \$20.00 Front Door "Illinois Design" White Pine, 2 ft. 8 in. x 6 ft. 8 in. 1% in. glazed clear double strength glass. A quality. \$6.90

No. 1159B.

Mullion Frame for door 3 ft. x 7 ft. with side lights 1 ft. 2 in. x 7 ft. for Frame House. Drip Cap complete as described.

S8.35

Two Side Lights 1 ft. 2 in. x 7 ft., 1% in. White Pine, glazed leaded crystal glass.

\$20.60

Front Door "Hilliols Design" White Pine, 3 ft. x 7 ft., 1% in. glazed clear double strength glass. A quality.

\$7.85

\$3680

No. | 164A. Design No. | 164 White Pine Mullion Frame for door 2 ft. 8 in. x 6 ft. 8 in., with side lights 1 ft. 2 in. x 6 ft. 8 in. for frame house. Drlp Cap complete as described. Clear Western Stock. Drlp Cap complete as described. Clear Western Stock. S7.95 Two Side Lights 1 ft. 2 in. x 6 ft. 8 in., 1½ in. White Pine. glazed selected clear double strength glass. \$10.00 Front Door "Newport Design". White Pine 2 ft. 8 in. x 6 ft. 8 in., 1% in. glazed selected clear double strength glass. \$3.55 No. 1 164B.

Mullion Frame for door 3 ft. x 7 ft. with side lights 1 ft. 2 in. x 7 ft. or Frame House. Drlp Cap complete as described. Clear Western Stock. Drlp Cap complete as described. Clear Western Stock. S8.35 Two Side Lights 1 ft. 2 in. x 7 ft., 1½ in. White Pine. glazed selected clear double strength glass as shown. \$10.00 Front Door "Newport Design". White Pine 3 ft. x 7 ft., ½ in. glazed selected clear double strength glass as shown. \$8.35 For Door 1½ in. thick add \$1.50.

Design No. 1164 White Pine


Clear Western Stock or Oak as specified under lilustration

> Description of Frame

Oak or Clear Western Stock, as specified in design. All high grade cabinet work; all glass set with wood stops, For Frame Bulldings; outside casing, 1½x1½ inches; jambs, 1½x5½ inches; boxed mullions, 3 inches, made with either plain drip cap or crown mould cap. For Brick Bullding with 9-inch wall; jambs, 1½x5½ inches; boxed mullions, 3 inches, Brick Moulding No. 8441, all complete, bundled in the knock-down at prices indicated.

For Frame House. When the door is 3x7 feet allow 6 feet in width between studs.
For Brick Construction. When door is 3 feet wide the width of brick opening is 5 feet 11½ inches. If doors are 2 feet 8 inches wide these extreme openings will measure 4 inches less than measurements we have given.
If frame is for brick building with 9-inch wall deduct 50c from these prices. If for brick building with 13-inch wall add \$3,75 to above prices. If Crown Mould Cap is wanted in frames add 50c pet for Clear Western Stock and \$1.10 net for Oak. Complete Side of Inservice of the stock of the contraction oak trim No. 3928. \$4.49.

No. 1165A.





FRAME FOR WOOD BLDG

Design No. 1161 Oak

FRAME FOR BRICK BLDG.

FRAME FOR WOOD BLDG

Design No. 1161 Oak

No. 1161A.

Muilton Frame for door 2 ft. 8 in. x 6 ft. 8 in., with side lights 1 ft. 2 in. x 6 ft. 8 in. for frame house. Drip Cap complete as described. Red Oak.

S40.00

Two Side Lights 1 ft. 2 in. x 6 ft. 8 in. 1% in. Red Oak, glazed bevel plate glass as shown.

S28.85

Front Door "Glencoe Design" Red Oak, 2 ft. 8 in. x 6 ft. 8 in., 1% in. glazed bevel plate glass as shown.

S24.35

No. 1161B.

Mullion Frame for door 3 ft. x 7 ft. with side lights 1 ft. 2 in. x 7 ft. for Frame House. Drip Cap complete as described. Red Oak.

S42.00

Two Side Lights 1 ft. 2 in. x 7 ft., 1% in. Red Oak, glazed bevel plate glass as shown. \$30 GO Front Door "Glencoe Design" Red Oak 3 ft. x 7 ft. 1% in. glazed bevel plate glass as shown. \$28.65

\$93²⁰

No. | 165A.

Mullion Frame for door 2 ft. 8 in. x 6 ft. 8 in., with side lights 1 ft. 2 in. x 6 ft. 8 in. for frame house. Drip Cap complete as described. Red Oak.

S40.00

Two Side Lights 1 ft. 2 in. x 6 ft. 8 in., 1% in. Red Oak, glazed bevel plate glass as shown.

Front Door "Asbeville" Design Red Oak, 2 ft. 8 in. x 6 ft. 8 in., 1% in, glazed bevel plate glass as shown.

\$33.45

No. 1165B.

plate glass as shown. \$36.50

Front Door "Asheville Design" Red Oak 3 ft. x 7 ft., 1% in. glazed borel plate glass as shown. \$37.20

Any design of door in this book may be used in the above frames.





LOW PRICE FOR No. 1



Our Window and Door Frames are among the very best frames it is possible to produce and are sure to please you. They are made either entirely of Clear Oregon Fir or of Fir used in com-bination with Clear California Redwood. When the Redwood is used it forms the outside casings, caps and window sills.

Redwood will never rot. It may be exposed to the weather for years without apparent change. No other lumber possesses this remarkable quality in so great a

lumber possesses this remarkable quality in so great a degree.

Edge-grain Fir is tough and tenacious. Like Red-Edge-grain Fir is tough and decay are extreme. Experienced builders, who are familiar with the properties of this valuable wood, recognize its peculiar fitness for all parts of a frame subject to constant wear. Whether or not an all-Fir frame or a combination of Fir and Redwood is furnished on your order will depend upon our stock at the time order is received. Both are equally satisfactory. No other frame will give you better service.

tter service. The following prices are for Window Frame, bered for

The following prices are for Window Frame, better pulleys.
We will furnish the pulleys packed separately for 20c net per frame extra.
Cap nailed on head casing. Stops nailed in place.
When Ordering Door Frames state whether jamb is to be rabbeted for 1%-in. or 1%-in. door.
All frames are nicely bundled and shipped in the knock-down. Each frame bundled by itself. They can be easily and quickly put together on the job by anyone.
Our frames are made for use with 224 sized studding along with lath and plaster inside, and sheathing and siding outside. This is the regular standard house frame which you want.

ALL OF THESE FRAMES Have 11/8 inch Outside Casing

Frames shipped in the knockdown, securely bundledfor shipment. Easily put up by anyone.



Drip Cap Window Frames

For	Check Ra	til W	indow	7 1§ 1n. 1 f	lich
Size of	Outside Meas- ure of Window Ft. In. Ft. in.	Price Per Frame	Size of Glass	Outside Meas- ure of Window Ft. In. Ft. in.	Price Per Frame
T	WELVE LIGHT	s			
9 x 12 9 x 14	2- 4½ x 3-10 2- 7½ x 4- 6 2- 7½ x 5- 2	\$2.55 2.70 2.95	TWO	LIGHTS—Cont	inued
10 x 12 10 x 14	2-10½ x 4- 6 2-10½ x 5- 2	2.70 2.95	20 x 28 20 x 30 20 x 32	2-0 x 5-2 2-0 x 5-6 2-0 x 5-10	\$2.53 2.53 2.75
10 x 12	EIGHT LIGHTS		22 x 20. 22 x 24 22 x 26	2-2 x 3-10 2-2 x 4-6 2-2 x 4-10	2.25 2.25 2.25 2.35 2.35 2.55 3.35 3.55 3.5
10 x 14 12 x 14	2- 1 x 5- 2 2- 5 x 5- 2	\$2.25 2.53 2.53	22 x 28 22 x 30 22 x 32	2- 2 x 5- 2 2- 2 x 5- 6 2- 2 x 5-10	2.53 2.75
10 x 20	FOUR LIGHTS	\$2.27	24 x 20 24 x 24 24 x 26	2- 4 x 3-10 2- 4 x 4- 6 2- 4 x 4-10	2.25
10 x 24 10 x 26 10 x 28 10 x 30	2-1 x 4-6 2-1 x 4-10 2-1 x 5-2 2-1 x 5-6	2.27 2.53 2.53 2.53	24 x 28 24 x 30 24 x 32 24 x 36	2- 4 x 5- 2 2- 4 x 5- 6 2- 4 x 5-10 2- 4 x 6- 6	2.25533355 2.2553355 2.75 2.775
12 x 20 12 x 24 12 x 26 12 x 28 12 x 30	2-5 x 3-10 2-5 x 4-6 2-5 x 4-10 2-5 x 5-2 2-5 x 5-6	\$2.27 22.5533 22.5537 22.5533 22.5535 22.5535	26 x 24 26 x 26 26 x 28 26 x 30 26 x 32	2-6 x 4-6 2-6 x 4-10 2-6 x 5-2 2-6 x 5-6 2-6 x 5-10	2.40 2.65 2.65 2.65 2.88
12 x 32	TWO LIGHTS	2170	28 x 24 28 x 26 28 x 28	2-8 x 4-6 2-8 x 4-10 2-8 x 5-2 2-8 x 5-6	2.40 2.65 2.65 2.88 2.88
12 x 24 12 x 26 12 x 28	1-4x4-6 1-4x4-10 1-4x5-2	\$2.10 2.36 2.36 2.36	28 x 30 28 x 32 28 x 36	2-8 x 5-6 2-8 x 5-10 2-8 x 6-6 2-10 x 4-6	
12 x 30 14 x 24 14 x 26 14 x 28 14 x 30	1-4x5-6 1-6x4-6 1-6x4-10 1-6x5-2 1-6x5-6	2.12 2.36 2.36 2.36	30 x 24 30 x 26 30 x 28 30 x 30 30 x 32 30 x 31	2-10 x 4-10 2-10 x 5- 2 2-10 x 5- 6 2-10 x 5-10 2-10 x 6- 2	2.65 2.65 2.88 2.88
16 x 20 16 x 24 16 x 26 16 x 28 16 x 30	1-8 x 3-10 1-8 x 4-6 1-8 x 4-10 1-8 x 5-2 1-8 x 5-6	2.12 2.12 2.36 2.36 2.36	32 x 24 32 x 28 32 x 30 32 x 32	3-0x4-6 3-0x5-2 3-0x5-6 3-0x5-10	2.55 2.80 2.80 3.01
18 x 20 18 x 24 18 x 26 18 x 28	1-10 x 3-10 1-10 x 4- 6 1-10 x 4-10 1-10 x 5- 2	2.12 2.36 2.36 2.36 2.60	36 x 28 36 x 30 36 x 32 40 x 28	3-4 x 5-2 3-4 x 5-6 3-4 x 5-10 3-8 x 5-2	2.80 2.80 3.01 3.07
18 x 30 18 x 32	1-10 x 5- 6 1-10 x 5-10	2.36	40 x 30 40 x 32	3~ 8 x 5~ 6 3~ 8 x 5~10	3.07 3.07 3.30

Mullion or Double Frames sest double the price of Single Frame plus .45. Triple Frames take price of three frames plus .90 m Cottage Window Frames take the same price as regular 2-Light Window Frames having the same outside measures. Above frames bundled for shipment.

0 x 3-10 0 x 4- 6 0 x 4-10

HEAVY CROWN MOULD CAPS FOR WINDOW AND DOOR FRAMES

Both Window and Door Frames may be made with Heavy Crown Mould Cap when

desired. With this exception these frames Correspond with the above specifications.
No. 542. Crown Mould Window Frame.
No. 543. Crown Mould Door Frame.
For Heavy Crown Mould Cap add net, per frame

FRAMES FOR STUCCO BUILDING These Frames Are Intended

for use on a frame building with a stucce exterior. They are made of strictly No. 1 material throughout and are shipped knock-down carefully bundled for shipment. The frames are perfectly machined and may be easily put together by any carpenter.

When Ordering state number of lights in window, size of glass and outside measure of


Glass Size	Number Lights	Outside Measure of Window	Price, Not Including Pulleys
16 x 20	3	1-8 x 3-10	\$2.32
20 x 24	2	2-0 x 4-6	· 2.45
24 x 28	2	2-4 x 5-2	2.73
28 x 32	2	2—8 x 5—10	3.08
32 x 32	2	3-0 x 5-10	3.21
36 x 32	2	3—4 x 5—10	3.21
40 x 32	2	3-8 x 5-10	3,50
44 x 32	3	4-0 x 5-10	3.50

Irregular or intermediate sizes take same price as next larger.

Sash Frames Made similar to door frames except that jambs are 1½x5% inches, rabbeted for

sash to swing inward.
PRICE FOR SASH FRAME No. 553B.

Giass Size	Size of Sash	Price
14 x 25	1-6 x 2-6	\$2.18
20 x 31	2-0 x 3-0	2.50
26 x 31	2-6 x 8-0	2.75




SPECIFICATIONS FOR WIN-DOW FRAME No. 553A.

DOW FRAME No. 553A.
Pulley stitles %x1% in. Blind
stop %x1% in. Outside casing
1½x1% in. prepared with a
beveled edge to receive stucco.
Parting stop %x% in. Drip cap
1½x1% in. Sill 1%x7% in.
Frames bored for pulleys. Pulieys packed separately.

Mullion

of this description when made for windows have 6-in. mullion, and for sash have 4½-in. mul-lion. For price of mullion frame take price of two windows are sash frame of desired size and add 45c net.



50c extra.

For Brick, Stone or Concrete Buildings

All the Following Sizes are Carried in Stock for Prompt Shipment. For Check Raji Window 1% inches thick. Prices of box frames include Pulleys

Size of Glass	Outside Measure of Window Ft. In. Ft. In.	Price per Frame Bundled for Shipment	Size of Glass	Outside Measure of Window Ft. In. Ft. In.	Price per Frame Bundled for Shipment				
	FOUR LIGHTS		T	WO LIGHTS-Cont	Inued				
12x24 12x26 12x28 12x30 12x32	2 5 x4 6 2 5 x4 10 2 5 x5 2 2 5 x5 6 2 5 x5 10	\$5.25 5.25 5.30 5.35 5.40	26x28 26x30 26x32 23x24 28x26	2 6 x5 2 2 6 x5 6 2 6 x5 10 2 8 x4 6 2 8 x4 10	\$5.26 5.30 5.37				
12x34	2 5 x6 2	5.45	28x28	2 8 x5 2	5.25 5.26				
	TWO LIGHTS		28x30 28x32	2 8 x4 6 2 8 x4 10 2 8 x5 2 2 8 x5 6 2 8 x5 10 2 8 x6 2	5.30				
20x24	2 0 x4 6	\$4.95	28x34	2 8: x6 2	5.37 5.40				
20x26 20x28 20x30	2 0 x4 10 2 0 x5 2 2 0 x5 6 2 0 x5 10	5.00 5.05 5.10	30x24 30x26 30x28	2 10 x4 6 2 10 x4 10 2 10 x5 2	5.27 5.27				
20x32 20x34	2 0 x6 2	5.15	30x30 30x32	2 10 x5 2 2 10 x5 6 2 10 x5 10 2 10 x6 2	5.28 5.32 5.40 5.45				
22x24 22x26 22x28	2 2 x4 6 2 2 x4 10 2 2 x5 2 2 2 x5 6	5.00 5.05 5.10	30x34 32x24 32x28	3 0 x4 6	5.30				
22x30 22x32	2 2 x5 10	5.15	32x30 32x32	3 0 x5 2 3 0 x5 6 3 0 x5 10	5.35 5.40 6.00				
24x24 24x26 24x28	2 4 x4 6 2 4 x4 10 2 4 x5 2	5.25 5.25 5.26	36x28 36x30 36x32	3 4 x5 2 3 4 x5 6 3 4 x5 10	6.05 6.07 6.10				
24x30 24x32	2 4 x5 6 2 4 x5 10	5.30 5.35	40x28 40x30		6.12				
24x34 26x24 26x26	2 4 x6 2 2 6 x4 6 2 6 x4 10	5.40 5.25 5.25	40x32 40x34	3 8 x5 10 3 8 x6 2	6.17 6.20				
	Arch Piece or Segment Head Window, Door or Cellar Frame, each 20c net extra.								

PLANK CELLAR SASH FRAME


Cellar Frames to fit sash of all sizes up to 2 ft. 10 in. wide by 2 ft. high. Jambs are made 1% x 5% in.; brick mould 1% x 2 in. Shipped in the knock down. Easily and quickly put together by anyone.

No. 538.

For Frame to fit sash up to and including 2 ft. 10 in. by 2 ft.

Arch Piece for Segment Head Frames 20c each net extra,

Shipped in the knock



In ordering state whether wanted for door 1% or 1% inches thick.

Plank Door Frame complete, with 1%x5% inch jambs for a 9-inch wall, or 1%x9% inch jambs for a 13-inch wall. All made of strictly No. 1 thoroughly seasoned lumber. Brick moulding 1%x2 inches. Shipped in the "knocked down."

No. 536. For Door 2 ft. 8 in, by 6 ft. 8 in, or smaller. \$2.95 For Doors up to and including 3 ft. by 7 ft. \$3.20 No. 537. For Doors 2 ft. 8 in, by 6 ft. 8 in, or smaller. \$5.85 For Larger Doors up to and including 3 ft. by 7 ft. \$6.15 For Door Frames made to receive transom 16 inches high add 90c.

LOW PINE-OAK-GUM

Our Stock Inside Door Jambs

will save you time and money. We carry all regular sizes, and advise the use of stock whenever possible. These jambs are made in large quantities, which enables us to offer them at exceptionally low prices.

The machine work is perfectly executed and the quality of the material will please you.

While We Strongly Advise the

of stock frames, special work may be had when necessary at an increased price, and it usually requires from 10 days to two weeks to make and ship such work.

We Carry in Stock ready for quick shipment, carefully bundled (K. D.) inside door jambs in the woods specified below. Prices do not include door stops.

Size Ft. In. Ft. In.	No. 546 Yellow Pine	No. 547 Red Oak	No. 624 Gum	No. 625 Birch
2 — 8 x 6 — 8 or smaller	\$0.92	\$2.50	\$1.50	\$2.72
3 — 0 x 7 — 0 or smaller	1.10	2.68	1.75	3.18
· 6 — 0 x 7 — 0 or smaller	1.25	2.98	2.28	3.90
8 — 0 x 8 — 0 or smaller	1.55	3.75	2.50	4.63



Illustration shows inside Door Jamb for a 2x4 studding. Side Jambs dadoed for heads as shown.

Strictly Clear Kiln Dried Stock

Size 3/4 inch thick and 53% inches wide.

Door stops cut to lengths for Yellow Pine Jambs 35c per set extra. Oak stops 78c per set extra.

These sizes are carried in stock for prompt shipment

2 in]

Combined Screen

Made From Clear White Pine

The Top Section of this Door is Interchangeable, making either a strong screen door or a weatherproof storm door. It is but a moment's work to change from one to the other.

When section at left is fitted into place you have a strong, substantial Screen Door.

When section at right is fitted into place you have a weatherproof Storm Door giving plenty of light.

Saves Money, Time and Bother.

As a Screen Door



When once placed in position this door need never be taken from the hinges. Simply change the top sec-tion as the season demands. Screen or storm section firmly held in place by blued round head screws, provided for the purpose.

Spring Hinge



Size, 8x3 inches, made of wrought steel, with adjustable spiral spring tension. For screen and storm doors.

No. 3411. Antique Copper. Price, per pair......780 No. 3412. Lemon Brass. Price, per pair..........780

and Storm

Built Like a Fine Front Door

Door Has 4¾ In. Side Stiles and

rail, 9%-in. bottom rail and is 1%-in. thick, Sections fit snugly in place, making door dust and weatherproof. All made from Western White and weatnerproot. All made from Western White Pine, suitable for either natural finish or paint. Storm section is glazed with clear, strong glass; screen section is fitted with best Galvanoid wire which is steel wire, galvanized after being woven and then run through a transparent varnish bath. These doors are made in ½-in. wider and 1-in, longer than sizes listed, so they may be easily trimmed to As a Storm fit.

and up

may be the fit.

The following prices are for door complete with both sections. Galvanoid Wire 14 mesh, in Screen Section. Strong Clear Glass in Storm Door Section.

Door



Door Latch



Latch size, 1%x1%, Knob on one side and lever on the other. Escutcheon size, 3%x1½ in. Complete with screws.

No. 3251, Antique Copper finish. Per set......780 No. 3252, Lemon Brass finish, Per set......780

Insert this

Panel

to form

weather tight

Storm Door

Saves One Door

2- S x 6- 8	
2-10 x 6- 8.	
2-18 x 7-0	

Two One

These Doors Save Money and Work

Strong and Substantial

Combination screen and storm doors are decidedly more convenient than individual doors. The ease with which the storm and screen sections may be interchanged, the attractive appearance and the strength and durability of the door; combine to make the combination door much more satisfactory than the use of single screen and storm doors.

This design is made from Western White Pine practically free of all defects. The lumber is soft and of good texture; the workmanship is excellent.

The storm sash section is glazed with clear, strong glass. The screen section is covered with 14 mesh Galvanoid screen wire cloth.

When placed in position these doors need never be taken from the hinges. It is but the work of a few moments to change from a storm to a screen door or vice versa by simply changing the inserts.



Insert this Panel to form Strong Screen Door





Design No. 4741

Simple Locking Device

The highly efficient locking device is simplicity itself. It is operated with a small screw driver and has a lever action firmly holding the insert in place. We believe it to be one of the most satisfactory locks manufactured.

These doors are made 1/2 inch wider and 1 inch longer than sizes listed.

			es	ign	No.	4741	
Ft.	In	. I	٩ŧ.	In.			Price
2-	8	X	6-	8			\$6.75
2-	8	x	7-	0			7.10
2-1	10	x	6-	8			6.85
2-	10	x	6-	10			7.15
2-	10	x	7-	0			7.25
3-	0	x	6-	8			7.15
_							7.45

Only a few moments to change from a Screen to a Storm Door

(HICAGO) MILLLY ORK SUPPLY (O) CHIDAGO, LLINOIS, USIA



No. 4735

White Pine Screens with 14 Mesh Wire Cloth

Our Window Screens are made Clear Clear from Clear from

Four Light and Eight Light window screens take the same price as a 2-light window, having the same glass area plus 25c net. For example: A screen for window 12x28 4-light or a 12x14 8-light would cost the same as a screen for window 24x28 2-light, plus 25c or \$2.01.

Since These Screens are made from Clear lumber, they are furnished unpainted, as there are no defects to conceal. The quality is suitable for either natural finish or paint.

We use 14-mesh wire cloth in our screens. This is finer and stronger than the 12-mesh, often used. It will keep out the very small insects. Mesh Wire

	Full Size Scre	ens 11/8 in	ches Thick.	For Two-	Light Windows.	Unpainted.	
Glass Size	Outside Measure (t. in. ft. in	Price with Black Wire	Price with Galvanoid Wire	Glass Size	Outside Messure ft. in. ft. in.	Price with Black Wire	Price with Gaivanoid Wire
12 x 24 16 x 20 16 x 20 16 x 20 17 x 24 20 x 16 20 x 26 20 x 26 20 x 26 20 x 26 22 x 24 22 x 26 22 x 24 24 x 26 24 x 26 24 x 26 24 x 20 25 x 20 26 x 24 26 x 20 26 x 20 26 x 20 27 x 20 28 x 20	1-8 x x 4-8 4 1-8 x 6 4-8 4 1-9 0 4 4-8 4 1-9 0 5 4-1-0 6 1-9 0 x x 5-1-0 4 1-9 0 x x x x x x x x x x x x x x x x x x	\$ 2343456656666666666666666666666666666666	0000001791X791X9917900000000000000000000	28 x 32 30 x 24 30 x 24 30 x 32 30 x 32 30 x 32 32 x 24 32 x 24 32 x 28 32 x 28 32 x 32 34 x 32 34 x 32 36 x 32 36 x 32 36 x 32 36 x 32 37 38 x 28 38 x 32 38	2. 8 x 6-0 2. 10 x 4-8 2. 10 x 5-8 3. 0 x 5-9 3. 0	98899-9900-00-18-48-489990992921 98899-9900-00-18-18-18-18-18-18-18-18-18-18-18-18-18-	29938277282778577.067216-720723217 08990-00022-2233345345345

Special Sizes We are equipped to supply all kinds of screens of special size or design at money saying prices. Send in your list for estimate.

Cellar Screens

Strong, serviceable cellar screens made from clear Western White Pine. Mortised and tenoned joints. Will not warp or sag.

All sizes up to and including 2 ft. 10 in. x 2 ft.



No. 4737. 11/8 in. Thick

Full Size Screens For Front or Cottage Window

These screens are recommended as being first class in every particular, Made from Clear Western White Pine, suitable for natural finish or paint as desired. We use dried stock 11/4in. thick, surfaced and sanded to 11/8-in. thick. All joints mortised and tenoned. Stiles and rails are nicely machined and screen cloth is held in place with neatly moulded stop. The complete screen is well made and workmanlike in appearance.



No. 4736. 11/2 in. Thick

Prices of Front or Cottage Window Screens Unpainted

Bottom Glass	Top Giasa	Outside Measure Ft. In. Ft. In.	Price with Black Wire	Rustless Galvanoid Wire
40x40	40x16	3-8 x 5- 3	\$2.51	\$2.61
40x44	40x16	3-8 x 5- 7	2.56	2.66
40x48	40x16	3-8 x 5-11	2.61	2.71
44x40	44x16	4-0 x 5- 3	2.61	2.76
44x44	44x16	4-0 x 5- 7	2.66	
14x48	44x16	4-0 x 5-11	2.81	

Half Size Window Screens



No. 4739

Made from Clear Western White Pino and sanded to proper thickand sanded to proper thick-ness, Construct-ed in a work-manilke man-ner and made full width of window to set in blind rabbet against outside of blind stop. When ordering, give glass size

No. 4738

SLIDING SCREEN

We also make these half screens to slide up and down on a small moulding natled to the blind stop. These screens are 1 inch (width of blind stop) narrower than window to set on blind stop.



Chateau No. 4720 Clear White Pine

Special Desig Our

The Door Is Made from Strictly Clear This is our most popular White Pine lumber, screen door and is offered as thoroughly dried and well manufactured. The a leader, Quantity production quality is suitable for natural finish since there are no defects; or it may be painted, if desired. We furnish the door unfinished.

The Side Stiles and top rail are 434 inches wide; the bottom rail measures 93/4 inches. The thickness of the door is 11/8 inches.

The Workmanship is in every way equal to that given a good house door. It is strong and substantial so that long life and satisfaction are assured.

Wire. We offer a choice of the best black or Galvanoid wire. We recommend the Galvanoid which is steel wire, galvanized after being woven and then run through a transparent varnish bath,

a leader. Quantity production only is accountable for the low prices at which it is sold.

And Un

Sizes. These doors are made ½ inch wider and 1 inch longer than sizes listed, so they may be easily trimmed to fit the opening.

Suitable Hardware will be found in hardware section of this catalog.

Size	Price	Price
Ft. In. Ft. In.	Black Wire	Galv. Wire
2-8 x 6-8	\$4.40	\$4.45
2-10 x 6-10	5.25	5.30
2-8 x 7-0	4.95	5.00
2-10 x 7- 0	5.30	5.35
3- 0 × 7- 0	5 25	5.40




OUR PORCH

Another to Your Home

any Porch may be enclosed with screens as a protection against flies, mosquitoes and insects of all kinds. We can supply such screens made in sections so that they may be easily and quickly placed in position by any one and just as easily taken down and stored away during the winter. The cost for screening an ordinary porch is very low. Send us a sketch of your porch with all necessary measurements and we shall tell you the exact price of all screens necessary to complete the job.

Prices are per square foot for porch screens complete except screen doors and hardware. Select your screen door from among those shown on another page. All screens are made from 1½ inch thick, dressed and sanded two sides. Quality and workmanship guaranteed. Furnished in sections complete ready to place in position. This can be done easily and quickly by any one.

We strongly recommend the use of the Copper Bronze Wire. The original cost is little more than the Black or Galvanoid Wire, the best of which will rust and show wear after a few seasons. On an ordinary porch the Bronze Wire will cost only from \$7.00 to \$10.00 more, but will easily save many times that amount after two or three years' wear. Black wire is very serviceable at its low cost and is most generally used. If given a coat of wire paint each season it will last for years.



A Comfortable Out-of-Door Room

131/20 .. 14c in sections, per square foot ...

M.S

CREEN WIR CLOTH

Screen Wire Cloth

Our screen wire cloth is one of the best grades it is possible to buy. The black wire cloth is standard and is carefully painted.

painted.
Galvanded wire cloth is made from steel wire, galvanded after it has been woven and then run through a transparent varnish bath. Copper bronze wire is without exception the last word in wire cloth. It is made from an alloy of copper, aluminum and other metals, making it one of the loughest, strongest and most elastic wire cloths it is possible to produce.

Rolls contain 100 running feet.

Price full roll lots.

Width Inches	No. Square Feet Per Roll of 100 Running Feet	No. 4750 Black Wire Cloth Per Roil	No. 4751 Galvanized Wire Cloth Per Roll	No. 4752 Copper Bronze Cloth
18 20 22 24 26 28	150 165 % 183 % 200 216 % 233 % 250	\$5.05 5.58 5.85 6.36 6.37 7.39 8.00	\$ 5.50 6.08 6.40 6.96 7.509 8.65	\$ 12.80 14.20 15.33 16.70 18.08 19.25 20.83
30 32 34 36	266 % 283 % 300	8.41 8.93 9.38	9.21 9.78 10.34	22.20 23.58 24.95

Screens — White Make Your Own

Our screen stock is made from Western White Pine. It is bright, smooth and nicely machined. The following are standard sizes and will permit you to select stock to make screens either ¾ inch or 1½ inch thick.

Prices are for 100 lineal feet in random lengths. Specified lengths 10% extra.

Bottom Rail



No. 80. Bottom Rail, %x2% in., at \$3,15 per 100 lin. ft.
No. 81. Bottom Rail, 1\%x2\% in., at \$5.25 per 100 lin. ft.

Sliding Screens



Grooved Stile Sliding Strip Used in making half screens to slide on Sliding Strip nailed to Blind Stop

Screens Line Strip nailed to Billio Strip nailed to Billio or Jamb.

No. 85. Grooved Stile, %x1% in., at \$1,95 per 100 lin. ft.

No. 86. Stiding Strip, %x1% in., at \$1.00 per 100 lin. ft.



Stiles and Top Rail

No. 82. Stile and Top Rail, %x1%, at \$1.95 per 100 lin.

No. 83. Stile and Top Rail, 11/2x1%, at \$3.45 per 100 lin.

Cross Bars



No. 84. Cross Bar, %x 1% in.

Per 100 lin. ft \$1,25

SCREEN MOULDINGS

To cover screen wire where nailed to edge of stiles and rails.





Screen Moulding ¼x Screen Moulding, ½x Screen Moulding, ½x Screen Moulding, ½x Screen Moulding, ½x in., lin. ft.



Screen Moulding 1/4x in., at 750 per 100



For New Or Old Buildings

Aromatic Red Cedar Closet Lining

Destroys the Moths

At last we have found an easy and inexpensive way to keep destructive moths out of clothes. Line your closets with Red Cedar. Red Cedar has a delightful fragrance, but is avoided by moths. It can easily be installed by a carpenter or handy man in a short time. This will do away with the customary seasonal packing of clothes in boxes or trunks and covered with moth balls. Even then your clothes are not safe. When closets are lined with Red Cedar, you can let your garments remain hanging, all the year round.



No need to worry about moths. This closet lining can be used in old buildings as well as new. It can also be used to line trunks or ward-robes of any kind. Some of the largest fur dealers use Red Cedar to line their steel vaults. The cost is very little compared to the damage that can be done by moths. We carry samples of this cedar in stock and would be pleased to send one upon request.

Price of sufficient closet lining to cover one square foot.

No.	3800.	3/2	X.	$1\frac{1}{2}$	in.—Sufficient	to	cover	one	square	1001
No	3801	84	v	21/4	inSufficient	to	cover	one	square	foot
NTo	2002	3/.	~	914	in -Sufficient	to	cover	one	square	foot 17/46
TAT O	2002	3/.	~	ą.	in -Sufficient	to	cover	one	square	foot
No.	3804.	3%	x	31/4	inSufficient	to	cover	one	square	foot181/4c



E MODERNIZED

Interior Cornice Consisting of three members and used to give a finished appearance to the juncture of ceiling and side wall in living room, dining room,

Plan

Folding Door Astragal

Yellow Pine Astragal for 1% in. door up to 8 ft. high. Each.85c. Yellow Pine Astragal for 1% in. door up to 8 ft. high. Each.\$1.00 Oak Astragal for 1% in. door up to 8 ft. high. Each.....\$1.50 Oak Astragal for 1% in. door up to 8 ft. high. Each.....\$1.75

No. 8449 doors at 1 is nailed on one of the doors and forms a perfect joint when doors are closed.

Panel Moulding

DESIGN No. 690
Used around panels as an ornamental moulding. Also used in any other position where a small decorative moulding is required. Size 5%x1% inches. Yellow Pine, price per lineal foot Red Oak, price per lineal foot



Oyster Bay, N. Y.

The twenty sash and the door I ordered from you some time ago arrived O. K., not a break or mar of any sort and I wish to state they were as nice a lot of material as I have ever handled, also I saved about \$18.00 by buying from you.

Chas. G. Wilkinson.

Plate Rail



No. 688
Projection, 3% in.
Drop, 3% in.
Drop, 3% in.
even feet, for example: a 9 foot plece would be charged as 10 feet.

3 Member Complete

3 Member Complete

End Brackets

For Plate Rail

End Brackets are used to finish off the ends of plate rail where course is interrupted by doors or windows. brackets must be allowed for each such opening. Yellow Pine, each 11c Oak, each 16c,

Shelf Cleat



No. 689

No. 8242 Size, 3/4x17/8 ins. Price per 100 lineal feet, random lengths, 8 to 16 ft, Yellow Pine\$1.60

Hardwood Threshold



No. 696

No. 696. Carried in stock. Size, %x3% inches, 3 feet long. Birch.

Angle Bead



For use in corners for base boards to butt against, thus doing away with mitering.

No. 725—Size, 13/8×10½ inches. Oak, each ...12c

Yellow Pine, each6c

Corner Bead

Used to protect plastered

No. 8238-Size, 13/8x4 feet. Yellow Pine, each.....20c Oak, each40c

Pulley Stile



No. 4431
Pulley stile to form jamb in window frames.
Measures 13x4 % inches. Price per 100 lineal feet,
Yellow Pino \$4.50

Base Blocks

1% inches thick.

No. 705


	No. 705
Size	Yellow Pine Oak
4 x 10	10c 15c
4½ x 10	110 160

Improve Your Grounds with a Pergola

ONLY

for a Pergola 8 feet wide by 8 feet long, with 4 Columns and Trellis Work

Anyone with garden or lawn space will find it possible to greatly increase the beauty of his grounds with a Pergola. There is a growing tendency among some owners to add to the attractiveness of their surroundings, which accounts in no small measure for the present popularity of this beautiful decorative feature. Its use is not confined to the rich, or to owners of spacious lawns. Its very inexpensiveness has made its use general. Covered with clinging vines it forms an admirable covering for one's favorite walk or to lend a formal aspect to a garden.





ONLY

for a Pergola 8 feet wide by 16 feet long, with 6 Columns and Trellis Work

We furnish all the material required to erect such a Pergola as is shown in the illustration to left, namely, Columns, Beams and Trellis Work, with which it may be easily and quickly erected by anyone. Any walk or garden spot will prove a suitable location. Columns are usually placed 7½ feet apart, center to center, and extended any distance required.

Our material is all of the best quality.

Our material is all of the best quality, carefully selected and thoroughly dried. The columns are made of clear Western stock, 8 inches in diameter, 8 feet high. Long beams are 134x7½ inches, cross beams 13x534 inches; lattice strips %x 2½.



Clear Oregon Oak, Yellow l Fir

Our Mouldings are manufactured from clear, thoroughly seasoned stock. They are smoothly run and nicely machined. We carry a large stock of the designs shown below—all bright, clean mouldings that can be shipped promptly. Special designs made to detail when desired. Send in your list for estimate.

The prices shown below are for 100 lineal feet, random lengths, 8 to 16 feet. Specified length. Yellow Pine, 10 per cent extra; Oak, 15 per cent extra. Interior mouldings wrapped in paper to prevent them from becoming solled when in transit. 10 per cent extra.

Our Oregon Fir is clear, soft stock, nicely machined. It is suitable for outside work of all kinds.

The Yellow Pine where specified is clear short leaf yellow shows a beautiful grain and is suitable for oil finish.

Plain Oak Mouldings are manufactured from thoroughly seasoned selected clear stock to take a natural finish,









No. 8037





Nos. 8031-8032 **Drip Cap**

8014

8009

8012

8031

8032

8037

8060

8061

Door and Window

Stop

Lattice No. 8281 No. 8282 Price per 100 lines! feet. Random lengths.

Price,

Blind Stop No. 8430

ESP I

Stop No. 8432

Base

Parting

Screen Moulding

No. 8139

Quarter Round

See Price Table Below Chair Rail



Number Moule 8011 Crow 8010 Crow

Nos. 8288-8284-8285

Crow

Bed

Bed

ling	Size, Inches	Oregon Fir
n	34 x2 1/4	\$1.60
n	% x2 %	1.92
n	%x3¼	2,24
n	%x3%	2.56
n	%×4%	3.04
	%x1%	1.28
	% x2	1.44
	1%x1%	1.86
	% x %	.64
	97 - 997 "	0.0

Price. Oregon Fin Price, Redwood Number Moulding Size, Inches Quar. Round Lattice 8065 \$0.64 Nx N nxl% 8281 \$0.75 8282 Lattice %x1% 1%x1% 1.05 8283 Drip Cap 2.11 8284 Drip Cap 1%x2 2.91 8285 Drip Cap 1%x2% 8430 Blind Stop %×1% .96 14x % 8432 Parting Stop .64 Parting Stop 1/2x 3/4 Yellow Pine @
Write for Prices of Special Mouldings of all Kinds. \$0.80 8432

Cap Trim





No. 8267








Back Band No. 8378

Casing

Casing Nos. 8308-8309 Mullion Casing No. 4373



Casing





8396

3	OF OFFICE AND ADDRESS OF THE PARTY OF THE PA	8204
	No. 8395	Cove
uarte	Round	And Miles
	No. 8065	Nos 8060
1	1	8061

No.	8269		, 8378	No. 8308	- 300	No.	8422			
			P	rice per 100	lineal feet	Random	lengths No. 83	85 No.	8421 No.	8828
9	Number	Moulding	Size, Inches	Price, Yellow Pine	Price. Plain Oak	Number	Moulding	Size, Inches	Price. Yellow Pine	Price, Plain Oak
	8060	Cove	%x %	\$0.80	\$ 1.90	8396	Cap. Mldg.	1%x21/4	\$3.53	\$ 7.89
	8061	Cove	%x1%	1.00	2.38	8420	Base Midg.	% x21/4	2.34	5,23
	8065	Quar. Round	%x %	.80	1.90	8421	Base	% x71/4	7.20	15.20
	8095	O. G. Stop	1/2×1%	1.60		8422	Base Shoe	1/2 x 3/4	.80	1,90
	8096	O. G. Stop	14x1%	1.20		8540	Rnd. Edge Stop	16x116	1.00	
	8097	O. G. Stop	1/2×11/8	1,00		8541	Rnd. Edge Stop		1.20	2.85
	8264	Picture Mldg.	% x1%	1.60	3.80	8542	Rnd. Edge Stop		1,60	3.80
	8267	Window Stool	1%x3%	5.61	12,54	8544	Rnd. Edge Stop		2.13	4.75
	8269	Window Stool	11/6×41/4	6,67	14.92	8641	Apron	%x3%	3.78	7.98
2	8308	Casing	% x3%	3.78	7.98	8828	Base	%x7%	7.20	15.20
	8309	Casing	%x4%	4,50	9,50	4373	Mullion Cas	%x6 %x3%	6.30	[3.30
	8378	Back Band	1%x1%	2.00	4.47	4472	Casing	% x35%	3.78	
16	8385	Closet Base	%x514	5,40		4496	Chair Rail	½x3	3.78	7.98
g.	8394	Head Casing	%x45%	4,95	10.45	4529		76×234	3.25	6.20
	8395	Fillet	7 x 1 1/8	,88	2.09		Cap Midg.	%x1%	6.35	10,10
				100	2103	8282	Dust Cap	184174	Redwood @	\$1.05
,										

CHICAGO MINIMORK SUPPLY CO

FOR DOOR AND WINDOW OPENINGS

The Side Casing head casing, cap moulding, blocks, stool and apron dow opening, as illustrated below, are what is called a "side of trim." Each window in a building requires one side of this rim; each inside door two sides of trim, it is Economy to order such trim in the K. D. cut to the proper since by so doing you eliminate all waster shown, ready to be fitted into place, sibility of errors. All trim is carefully bundled and reaches you in a condition that reduces your labor, saves time and does away with all bother.

Three-member can trim pailed together with returned and a life.

Three-member cap trim nailed together with returned ends all complete ready to place, 30c extra.

Easy to Order To order "No Waste" trim simply state number of sides wanted, give size of glass and number of light and specify kind of wood, together with style of trim.

The Foot Notes two lights of glass or for doors of unusual size.



Door Trim No. 3928 No. 8396 No. 8394 No. 8395 → No. 8308 Door Trim No. 3947 Same as No. 3928 Except with Wide Casings No. 8309 4½ In. Add Net for Yel-low Fine 90 For Oak 19e

Door Trim No. 3952 Casing No. 8308 Head Cat. No. 8641 Back Band No. 8378 All Trim Is Carefully Bundled Safe Delivery Guaranteed No. 3952

PRICES PER "SIDE OF DOOR TRIM" COMPLETE, READY TO FIT INTO PLACE

FOR DOOR OPENING No. 3925 , No. 3926			No.	3927	No. 3928		No. 3952		
Size up to Ft. In. Ft. In.	Yellow Pine	Yellow Pine	Oak	Yellow Pine	Oak	Yeilow Pina	Oak	Yellow Pine	Oak
2 - 0 x 6 - 0	\$0.81	\$0.94	\$1.69	\$1.17	\$2.14	\$1.17	\$2.14	\$1.25	\$2.40
2 - 6 x 6 - 6	.88	1.00	1.83	1.27	2.30	1.27	2,30	1.34	2.60
2 - 8 x 6 - 8	.89	1.02	1.87	1.30	2.38	1.30	2.38	1.37	2,66
3 - 0 x 7 - 0	.93	1.07	1.95	1.37	2.54	1.37	2.54	1.43	2.81
5 - 0 x 7 - 0	1.02	1,14	2.13	1.58	2.98	1.58	2.98	1.56	3.07
6 - 0 x 8 - 0	1.14	1.27	2.40	1.77	3.37	1.77	3.37	1.76	3.48
8 - 0 x 8 - 0	1.23	1,35	2,56	1.98	3.82	1.98	3.82	1.89	3.75

All Cut to Proper Lengths Clear, Smoothly Machined, Stock Kila Dried Sultable for Oll Finish, Paint or White Enamel

Window Trim No. 3948 same as No. 3934, except with wide casings. No. 8309, 41/4 in. Add Net for Yellow Pine, 8c; for Oak, 16c.


Cap trim if nailed together 30c extra. Mullion trim 85% more than trim for single


opening.

Trim for triple window 175% more than trim for single opening.

100	E	43
	Window Trim No. 3931	
	No. 4384 No. 8267	Control of the Contro
	No. 8641	Marie Control
	Ready to	
	Fit Into	
	Window Stops Included	
THE RE	ZHCHUWA WALLOW	TIE.








10	Window Trim No. 3951	
10	No. 8378 No. 8308 and No. 8641	
	No. 8267	
	No. 8641	
17	No. 8541	
0	Be Sure	
	to Specify Kind of Wood	
	Wanted	
17	Window Stops	
	Included	

NET PRICES PER "SIDE OF WINDOW TRIM" COMPLETE WITH STOPS, READY TO FIT INTO PLACE

		No. 3931	No. 39	20	No. 39	133	No. 3934		No. 3951	
For Window in Size Up to (Glass Size)	United	Yellow Pine			Yellow Pine	Oak	Yellow Pine	Oak	Yellow Pine	Oak
	36	\$1.10	\$1.10	\$2.08	\$1.32	\$2,49	\$1.32	\$2.49	\$1.43	\$2,7 I
16 x 20—2 Light 20 x 24—2 Light	44	1.25	1.25	2.37	1.47	2.81	1.47	2.81	1,60	3.08
24 x 24—2 Light	48	1.29	1.29	2.48	1.54	2.97	1.54	2.97	1.66	3,21
*24 x 28—2 Light	52	1.37	1.37	2.65	1,61	3.13	1.61	3.13	1.77	3.53
28 x 28-2 Light	56	1.41	1.41	2.77	1.69	3.30	1.69	3.30	1.81	3,57
32 x 80—2 Light	62	1.52	1,52	2.96	1.82	3.53	1.82	3.53	1.96	3.81
40 x 32-2 Light	72	1.65	1.65	3,27	1.99	3.94	1.99	3.94	2.11	4.17
44 x 32-2 Light	76	1.71	1.71	3.38	2.08	4.11	2.08	4.11	2.18	4.32

Four, Eight and
Tweive Light
Windows
Trim for windows, 4
lights, 8 lights or 12
lights of glass takes the
same price as trim for a
2-light window with the
same glass area. Intermediate Sizes take the price of the next higher listed size.




For Door and Window Openings ,

The attractive door and window trim illustrated below shows the application of mouldings pictured on the opposite page when used to trim door and window openings. It is not only an economy to order in this form but the combinations listed will ensure you to carry out the latest ideas in the finishing of your rooms with greater consistency and effectiveness.

Each window in a building requires one side of trim; each inside door two sides of trim. (For this reason door stops are priced separately.)

Easy to Order To order "No Waste" trim simply state number of sides wanted, give size of glass and number of lights per window or size of door, specify kind of wood, and style of trim.

Three-member Cap Trim nalled together with returned ends all complete ready to place, 30c extra.



FOUR, EIGHT AND TWELVE LIGHT WINDOWS Trim for windows, 4 lights, 8 lights or 12 lights of glass takes the same price as trim for a 2-light window with the same glass area.

Intermediate Sizes

are priced according to method de-scrihed on page 33.

	FOR DOOR	Design No. 3960 Design No. 3961			Design No. 3962								
3	OPENING Size Up To Ft. In. Ft. In.	Yellow Pine	Oak	Unse- lected Birch	Gum	Yellow Pine	Oak	Unse- lected Birch	Gum	Yellow Pine	Oak	Unse- lected Birch	Gum
3	2-0 x 6-0	\$1.45	\$2,20	\$2.27	\$1.31	\$1.32	\$2.15	\$2.42	\$1.46	\$1.30	\$1.92	\$2.08	\$1.32
	2—6 ж 6—6	1.56	2.37	2.45	1.41	1.38	2.28	2.60	1.55	1.35	2.03	2.23	1.39
	2-8 x 6-8	1.68	2.56	2.64	1.51	1.53	2.53	2.89	1.72	1.46	2.21	2.42	1.50
	3-0 x 7-0	1.75	2.65	2.70	1.55	1.60	2.65	3.00	1.82	1.50	2.30	2.52	1.58
	5-0 x 7-0	1.83	2.80	2.89	1.65	1.71	2.95	3.43	2.03	1.56	2.42	2.70	1.65
	6-0 x 8-0	2.21	3.40	3.51	1.99	1.92	3.34	3.90	2.29	1.73	2.71	3.04	1.83
	8-0 x 8-0	2.44	3.76	3.89	2.20	2.17	3.88	4.61	2.68	1.88	3.03	3.47	2.05
7		D	esign No.	3963		D	esign No.	No. 3964 Design No. 3965					
	For Window In Unit	rd b	T	Unse-				Unse-	1			Unse-	
	Size Up To (Glass Size)	Yellow Pine	Oak	lected Birch	Gum	Yellow Pine	Oak	lected Birch	Gum	Yellow Pine	Oak	lected Birch	Gum
1	Size Up 10 Inch	es Yellow		lected Birch			0ak \$2,43	lected Birch			0ak \$2.20	lected Birch	S1.46
1	(Glass Size) Inch	Yellow Pine		lected Birch \$2.69		Pine \$1.42		lected Birch \$2.75		Pine \$1.40 1.62		lected Birch	\$1.46
1	(Glass Size) Inch 16x20—2 Lt. 36	Pine S1.62	\$2.57	lected Birch \$2.69	\$1.54	Pine \$1.42 1.64	\$2.43	lected Birch \$2.75	\$1.60 1.81 1.95	Pine \$1.40 1.62 1.68	\$2.20 2.56 2.76	lected Birch \$2.41 2.80 3.05	\$1.46 1.67 1.79
	(Glass Size) Inch 16x20—2 Lt. 36 20x24—2 Lt. 44	Yellow Pine \$1.62	\$2.57	lected Birch \$2.69 2.95 3.17	\$1.54	Pine \$1.42 1.64 1.76	\$2.43	lected Birch \$2,75 3.14 3.42	\$1.60	Pine \$1.40 1.62 1.68 1.82	\$2.20 2.56 2.76 2.88	lected Birch \$2.41 2.80 3.05 3.30	\$1.46 1.67 1.79 1.93
	Glass Size) 16x20—2 I.t. 36 20x24—2 I.t. 44 24x24—2 I.t. 48	Yellow Pine \$1.62 1.75	\$2.57 2.80 3.01	lected Birch \$2.69 2.95 3.17 3.43	\$1.54 1.67	Pine \$1.42 1.64 1.76 1.90	\$2.43 2.79 3.01 3.26 3.33	lected Birch \$2,75 3.14 3.42 3.67 3.77	\$1.60 1.81 1.95 2.09 2.15	Pine \$1.40 1.62 1.68 1.82 1.85	\$2.20 2.56 2.76 2.88 3.01	lected Birch \$2.41 2.80 3.05 3.30 3.37	\$1.46 1.67 1.79 1.93 1.97
	Glass Size) 16x20—2 I.t. 36 20x24—2 I.t. 44 24x24—2 I.t. 48 24x28—2 I.t. 52	Yellow Pine \$1.62 1.75 1.89 2.03	\$2.57 2.80 3.01 3.26	lected Birch \$2.69 2.95 3.17 3.43 3.53	\$1.54 1.67 1.80	Pine \$1.42 1.64 1.76 1.90	\$2,43 2,79 3,01 3,26 3,33 3,45	lected Birch	\$1.60 1.81 1.95 2.09 2.15 2.22	Pine \$1.40 1.62 1.68 1.82 1.85 1.85	\$2.20 2.56 2.76 2.88 3.01 3.13	lected Birch \$2.41 2.80 3.05 3.30 3.37 3.43	\$1.46 1.67 1.79 1.93 1.97 2.00
	Glass Size) Inch (Glass Size) 16x20—2 Lt. 36 20x24—2 Lt. 44 24x24—2 Lt. 48 24x28—2 Lt. 52 28x28—2 Lt. 58	Yellow Pine \$1.62 1.75 1.89 2.03 2.08	\$2.57 2.80 3.01 3.26 3.35	lected Birch \$2.69 2.95 3.17 3.43 3.53 3.62	\$1.54 1.67 1.80 1.94	Pine \$1.42 1.64 1.76 1.90 1.94 2.00 2.13	\$2.43 2.79 3.01 3.26 3.33	lected Birch \$2,75 3.14 3.42 3.67 3.77 3.90 4.26	\$1.60 1.81 1.95 2.09 2.15	Pine \$1.40 1.62 1.68 1.82 1.85 1.85	\$2.20 2.56 2.76 2.88 3.01	lected Birch \$2.41 2.80 3.05 3.30 3.37	\$1.46 1.67 1.79 1.93 1.97


Net Prices Per "Side of Trim" Complete, Ready to Fit into Place



(HIGAGO MILLWORKSUPPLY OF

CHICAGO DUNDIS USIA

PORCH COLUMNS



Plain Column Fluted Column No. 572. No. 573.

Paneled Column No. 563

Net Prices for Columns

Size	No. 572. Plain Column	No. 573. Fluted Column	No. Pa Co
6x 6, 6 ft. 6x 8, 8 ft. 8x 8, 6 ft. 8x 8, 8 ft. 10x10, 6 ft. 10x10, 9 ft.	\$2.25 2.75 3.25 3.45 4.05 4.25 4.60	\$3.45 3.95 4.40 4.65 5.25 4.75 5.45 5.80	\$
			TH

The Square Porch Column

has become very popular and deservedly so since it will outwear any column manufactured with a glued joint. Our square column is strongly and substantially made from one inch thick stantially made from one inch thick stock, with a tongue joint. It will never open or become

Every Wood Has Its Uses

and will be found peculiarly adapted to some particular purpose. For the manufacture of our manufacture of our square columns we have selected Clear O regon Fir and Clear California Redwood. Either of these woods is eminently suited for the manufacture of columns used in expose of positions, where long life and freedom from decay are of paramount importance.

The Lumber From Which These Columns

Columns

are made is purchased on the Pacific Coast and we use Fir or Redwood, depending uponarkt conditions.

Since both woods are equally sulfable for this purpose we use the -kind that will permit us to name the lowest self-ling price, therefore our stock will vary from time to time. 2,50 3.00 3.50 3.85 4.40 4.15 4.60 5.25

SOUARE NEWELS



Plain	Paneled			
Size 3 Ft. 8 In. High	No. 578 Plain Shaft	No. 562 Paneled Shaft		
6x6	\$2.25	\$2.50		

COLONIAL NEWELS

This newel is made from clear western stock, is correctly a winder western stock, is correctly a winder western stock, is correctly a winder with a patent interlocking glued joint.

Best resulta are secured by glying any column or newel made with a glued joint a priming coat as soon as it is received.

Prices
3 Ft. 8 in Eigh, Size, 6x6, \$2,30



COLONIAL PORCH

Our Colonial Built-Up Columns Are Tapered

Columns Are Tapered
In accordance with correct
architectural principles and
are substantially constructed. The Columns are niceily smoothed and show excellent workmanship.
They Are Made with a
Patent Interlocking Glued
Joint and will withstand
exposure to the elements
and the damaging effect of
extremes of heat and cold.
These columns are manufactured from clear Western stock. The lumber is
thoroughly dried and perfectly manufactured,
When dry and in good
condition any lumber will
absorb moisture. For this
reason, when these columns
are received the end's
should be given a coat of
good paint Immediately.
The inside as far as one
can reach should also be
painted. This will insure
for the column long and
satisfactory service.

For Fluting (Like No.
777), any of the plain shaft
columns shown on this page
add Net for each:

6x 6 Post.

1.10






Composition Capital No. 776

Corinthian Composition Capital No. 777

	Clear Western Stock				
Size	Price No. 775	Price No. 776	Price No. 777		
6x 6, 8 ft. 8x 8, 6 ft. 8x 8, 8 ft. 8x 8, 9 ft. 10x10, 8 ft. 10x10, 9 ft. 12x12, 8 ft. 12x12, 9 ft.	\$2.90 33.25 34.00 4.60 5.25 7.45	\$ 4.75 5.577 56.32 7.56 81.50 12.50	\$ 7.90 8.50 8.70 9.25 11.85 12.45 15.00 16.00		

12x12 columns made with extra heavy staves. For splitting or halving a column we charge 20c extra

\$2,45 **COLUMNS UP TO 30x30 INCHES, 30**



No. 559 MAMMOTH

Our Large Columns are manufactured from heavy No. 1.
White Pine staves, with a special interlocking joint. Only the very best glue that money can buy is used in their construction, and they are guaranteed to stand up perfectly and to give the very best of satisfaction.

All Columns are Swell Tapered

They are made straight one-third of their length from the bottom and then properly tapered to the capital. Each column is given a thorough priming coat of pure lead and oil before being crated for shipment.

We Cuarantee that with ordinary care and an occasional coat of paint when necessary, these columns will last as long as the building with which they are used and give the very best of service.

Columns of this Kind

when received should always be thoroughly painted outside and as far inside each end as one can reach, using the best lead and oil paint. This preserves the wood and prevents moisture from entering.

Thick Staves

Columns with diameter of 16, 18, 20 and 22 inches are made with 2-inch staves. Columns 24, 26, 28 and 30 inches are made with 21/2-inch

Special Sizes and Designs

may be made to detail. Our facilities for supplying work of this kind are unsurpassed.
Tell us the number, design and size of columns wanted and we shall send you an estimate.

Fluting

Either column shown with a plain shaft may be fluted like "Colossal" design at a small addition in cost.

Composition Capitals Both "Mammoth" and "Colossal" designs are surmounted by properly designed composition capitals, as shown in illustration.

No. 560 COLOSSAL



COLUMNS MADE TO YOUR ORDER

COLUMNS MADE TO TOOK UNDER					
Diam. at Base Inches	Diam. at Neck Inches	Lgth, Over All Feet	Weight No. 558 Pounds		
16 16 16 16	14 14 14 14	10 12 14 15	255 295 340 360		
18 18 18 18	16 16 16 16	12 14 16 18	295 340 380 425		
20 20 20 20 20	17 17 17 17	14 16 18 20	405 450 500 550		
22 22 22 22 22	19 19 19 19	14 16 18 20	470 525 575 630		
24 24 24 24 24	20 20 20 20 20	18 20 22 24	740 810 880 950		
26 26 26 26 26	22 22 22 22 22	20 22 24 28	1080 1170 1265 1355		
28 28 28	24 24 24	22 24 26	1290 1390 1490		
30 30 30 30	26 26 26 26 26	20 22 24 26	1310 1375 1480 1585		

Resists

Rot and

Decay



Our Superbly Illustrated Plan Book Is Free

CHICAGO MILLWORK SUPPLY (S) CHICAGO DILLINOIS USIA)

ENDID VALUES IN HIGH GRADE HOUSE TRIM

TURNED PORCH POSTS Our Turned Porch

Columns and Newels

are all strictly first quality Oregon Fir. The columns are bored the entire length to prevent entrelled to checking.

We Can Heartily Recom-

men Fir for outside porch work, as it withstands the ravages of the ravages of all kinds of weather. Practical tests bear out this statement. Remember that Fir takes paint as well as white pine.



Size	No. 580
4x4, 4 feet	30.60
5x5, 4 feet	.90
6x6, 4 feet	1.30

No. 576 TURNED COLUMN


Size	Length	Price
4 x 4	8 feet	\$1.14
5 x 5	8 feet	1.78
5 x 5	9 feet	1.98

For splitting or halving columns, 8c extra.

PORCH BALUSTERS

Our porch balusters are made from Clear Western Stock, either Oregon Fir or California Redwood. Both of these woods are well suited for balusters used in exposed positions where long life and freedom from decay are the important considerations. These balusters are nicely machined and are sure to please you. We ship either the Fir or the Redwood, depending upon our stock at the time your order is received. ceived.

stock 20 and Carried in stock 20 and 24 inches long. State length wanted.



	No. 592	No.	594	No. 597	
Desi	gn	Size,	Inches		Price
No.	592	11/8	x 11/4		21/20
No.	594	1%	x 1%		7 0
No.	507	1 3/4	x 1%		8 0

Bloomington, Ill.

Dear Sirs:

I received my order all O. K., and am more than pleased with everything. The freight and hading at this end was less than you guarateed the freight to be. I will remember you with my next order.

W. L. Ranney.

PORCH RAIL

Made from Clear Oregon Fir or Clear California Redwood. We ship either wood depending upon our stock at the time order reaches us. Both woods are ideal for out-of-door use. Prominent characteristics are long life, freedom from decay and easy working qualities.



No. 585. 1%x3% inches. 61/2C



Bottom Rail No. 587. 1%x3% inches 61/2C



Top Rail No. 583. 2%x3% inches.

BALUSTER STOCK



Sold in random lengths 6 to 16 May be cut to long or feet. short baluster work. 11/8 x 1 1/8 inches. Per foot 1%x1% 1c. Per foot .. inches.31/20

HEAVY O. G. GUTTER OR SPOUTING

Easy to Apply



This form of gutter is suitable for moderate priced or elaborate houses and either for new buildings or to improve old ones. There are several satisfactory methods of applying O. G. Gutter; the most common is to simply nail to rafter or facia on rafter and

end.
In some of the eastern states this kind of gutter will be found on the majority of houses, some of them many years old.
Our stock is made from California Redwood or Oregon Fir. and we ship either wood, depending upon our supply when your order reaches us.

our supply when your order reaches us.
Both woods are equally suitable.
Both will give long, satisfactory service without attention, Freedom from decay is a notable character-istic of each.



No. 2058. 3x4 in. O. G. Gutter per 100 lin. ft..... 4x5 in. O. G. Gutter per 100 lin. ft..... 2059.

RAFTER ENDS



Rafter Ends are used as ornaments for open cornices and eaves. Made from clear stock. Finished size 1%x 5½ inches, 3 feet 6 inches long. Shipping weight about 10 lbs. each.

No. 636

No. 635

Price, each.... 635. 636.

....\$0.85

FACE OR BAY BRACKETS



Face brackets are used as ornaments for cornices, porchwork, etc. Bay brackets are used as decorative false supports for bays. Made of clear material 6x18 inches, 1% inch

No. 615. Price, each.....\$1.00

EAVES BRACKETS



No. 616

Hornell, N. Y.

Hornell, N. Y.

Gentlemen:
The mirror door has been received and I find it to be of the same fine quality as the doors received earlier. We are thoroughly satisfied in every respect. Our dealings with you have been very pleasant and courteous on your part and we thank you. We can recommend your supplies and can furnish numberless com pliments from others who have seen them.

Yours truly,
Mrs. Richard Moore.

COMPOSITION CAPITALS



No. 617. ROMAN CORINTHIAN CAPITAL
The diameter given represents top of the column.

	Exterior			Interior		
Diam.	Height In.	Price		Diam.	Height In.	Price
61/2	934	\$4.15	-	3 1/2	4 43%	\$4.60
8 81/2	12 12 14	5.60 6.00		41/2	5½ 6¼	6.27
10	14%	7.35	-	5	. 7	8.75 12.55

Shipping weight of 8-inch diameter Capital is 40 lbs.



No. 618. Italian Renaissance Ionic (Vincenz Scamozzi)
The diameter given represents top of the The column.

~	Exter:	lor	Interior			
	Height In.	Price	Diam. In.	Height	Price	
In.	21/2		3	134	\$2.00	
6	33%	\$1.86 2.24	31/2	2	2.45	
61/2	35%	2,32	4	21/4	2.72	
7	334	2.46	41/2	216	3.10	
8	45%	2.96	_ 5	276	3.52	
81/2	4%	2.96	51/2	31/4	4.10	
10	5%	4.00	6	3%	5.05	
101/2	578	5.05	61/2	3 5/8	5.05	

6½, 8½ and 10½-inch Exterior Caps carried in stock. Shipping weight of 8-inch Capital is 20 lbs.

LOOK AT THESE STAIRWORK PRICES!

Perhaps no branch of the building material industries is less understood than the manufacture of stair-work. It is generally believed to be complicated and difficult, but this idea is entirely erroneous and any carpenter will find it a very simple undertaking to select his material from this book and put up his stairs without delay, and at a saving he can not afford to overlook. On this and the following page we have libustrated and priced a selection of stairwork parts that will answer all general requirements. The designs are so arranged as to simplify ordering and show at a glance exactly what seach article costs. Every necessary piece of stairwork may be easily and quickly located and the probabilities of a mistake are entirely climinated. You know exactly what you are ordering and our binding guarantee assures you that you will receive only material of the highest quality.

Our Excellent Assortment of designs makes possible almost unlimited combinations. You can make your stairs as ornamental or as plain as you please, and know that you pay for only what you order. When the matter has been affeted down to a simple basis it is readily seen that there is no excuse for the high prices usually charged for this class of material.

Our Stairwork is Carefully Packed

by experts and is shipped in the knock-down to all parts of the country. We not only guarantee the quality but guarantee safe delivery as explained on another page. Freight charges are much lower than is generally supposed by those not familiar with the subject and amount to almost nothing when compared with the great saving we offer in the cost of material. All goods are crated in a manner that will take the lowest freight classification.



Material Required to Erect this Run of Stairs

material industrial to brook		
No. 658. 16 feet face stringer, Y, P., at	60.14%	\$2.36
No. 649. 26 feet wall stringer, Y. P., at	.143/4	3.84
No. 660. 14 treads, Y. P., at	.65	9.10
No. 661. 16 risers, Y. P., at	.35	5.60
No. 663. 2 landing steps, Y. P., at	.20	.40
No. 664. 18 feet return nosing, Y. P., at	.03	.54
No. 8060. 80 feet scotia, Y. P., at	.80	.64
No. 666. 1 newel, Y. P. at	4.95	4.95
No. 674. 2 angle new- els, Y. P., at	3.15	6.30
No. 64 16 feet railing, Y. P., at	.32	5.12
No. 684. 12 feet filet. Y. P., at	.0134	.21
No. 679A. 45 balusters, Y. P., at	.07	3.15
Total Cost		642.21

Main Stair Newels



6 inch Shaft. 4 feet Length. 18 inch Base.

No.	670	No. 666 No. 667			667
Selected Oak	Yellow Pine	Selected Oak	Yellow Pine	Selected Oak	Yellow Pine
\$5.30	\$4.50	\$5.50	\$4.95	\$5.95	\$5.25

Stair Treads and Risers at Big Savings




Saved Over 50%

Greensburg, Ind.

"I got a pair of stairs from you, and the price was about \$73.00, I think, when our local mill man wanted \$150.00 for the same. I am a lover of a net priced catalog and hate to get hold of one that is afraid to tell you what they want for their goods.

"I. B. FEASTER."

Stair Balusters



Balusters are carried in stock only in the designs and sizes priced below. Carefully wrapped in paper and crated in bundles of fifty.

7c

Yellow Pine and Oak in Stock

No. 678 No. 679

Design. No.	Sixe	Length	Price each, Oak	Prica each. Yellow Pins.
678	1%x1%	28 or 32 in.	40e	32c
679A	1%x1%	28 or 32 in.	130	07c
679B	1%x1%	28 or 32 in.	300	200

Angle Newels



No. 674

ANGLE NEWELS

41/4-in. Shaft.

5-ft. 6-in. Length

No.	674	No.	675
elected Oak	Yellow Pine	Selected Oak	Yellow Pine
\$4.15	\$3.15	\$4.40	\$3,40

Level Quarter Turn

Not Stock Made to Order in about one week

No. 639
These turns are used most frequently around well hole on second floor, and are made to match our regular stock starrail.

Oak, each\$9.0

EASING



Not Stock Requires

about one week to make

Stair Brackets



Size, 10 x 8, ¼ inch thick. These brackets are often used at the end of each tread on open string stairways to give the work a dnished appearance.

Wall Rosette


In any position where it is necessary to end a stair rail against a wall it is desirable to use a wall rosette to secure a workmanlike finish. No. 671.

Oak, each....30c Yellow Pine, each.......260



HIGHES' GUARAN

POPULAR DESIGNS OF STAIR RAIL



Size 2½ x 3½ inches Rabbeted for 1½ Balusters Oak, per foot..... Yellow Pine, per foot.....

Shoe



Sub-Shoe



Stair Rail Bolts



No. 3279 is used for bolting two pieces of rail together or in bolting rail to an easing

No. 3220 is used in bolting rail to a newel.

No. 3279, 2x4½, two nuts, each...\$0.07

No. 3279, 2x4½, two nuts, dozen...\$0

No. 3279, 2x4½, two nuts, dozen...\$0

No. 3280, 2x4½, one nut, dozen...\$0

No. 643 Size 2 x 1% inches Yellow Pine, per foot...... fo Specified lengths, le per foot extra.

Fillet

For use between Bajusters



No. 682 Size % x 1% inches Oak, per foot Yellow Pine, per foot..... 340

Sub-Fillet



No. 683

Size 1¼ x ¼ inches
For use with our 1½ inch
square baluster.

Return Nosings



No. 664

Wearwell Mission Oil Stain For Finishing New Woodwork Only



Mission Oil Stains are high grade of guaranteed quality intended for new work of a better class. These stains may be used with highly satisfactory results on all kinds of woodwork and interior finish.

Easy to Apply

Excellent results may be obtained by any one. The stains reach you ready to use and it is only necessary to follow the simple directions plainly printed on the label.

Plied, the surface may be varnished or waxed. If desired, no further finish may be applied, although if a polished surface is wanted, varnish must be used.

One quart of Wearwell Oll Stain will cover about 50 square feet, one coat.

Furnished in the following shades:

56c

M81. Weathered Oak, M77. Old Oak. M72. Mahogany, M69. Oak. Pint Cans

35c

No. M67. Golden Oak. No. M71. Cherry. No. M68. Walnut. No. M82. Zarina Green. 1 Quart Cans

1 Gallon Cans \$1.98

Stair Stringers

We have in stock always ready for prompt shipment as shown in the accompanying illustrations. The dotted lines indicate the relative position of the treads and risers, but since this varies in different buildings, our stock is not cut. However, no carpenter will exour stock is not cut. However, no carpenter will experience any difficulty in this regard. Yellow Pine stringers may be had in lengths of 16 feet and less. It is very difficult to supply oak in 16 foot lengths, and as a consequence we supply shorter lengths to be spliced on the job. These may be used without inconvenience in practically all cases. No. 658 is furnished smoothly dressed on all sides and with jointed edges.

No. 649. is supplied as a single piece with the top moulded to match base No. 8421. The dimensions of this wall stringer are 18 in. by 11½ in.





 No. 658.
 Yellow Pine
 1434c per lineal foot

 No. 658.
 Oak
 26c per lineal foot

 No. 649.
 Yellow Pine
 1434c per lineal foot

 No. 649.
 Oak
 26c per lineal foot

Wall Stringer

Circle End Starting Tread and Riser



No. 662 Price Yellow Pine \$6.95

These circle end treads and risers add materially to the attractiveness of a flight of stairs. Carried in stock for stairs 3 ft. 6 in. wide or less. In ordering state whether circle end is at right or left-hand side when going upstairs.

Landing Steps

No. 663

For use on second floor or landings. On the inner edge these are rabbeted to 14-linch the thickness of the floor. 11/12 31/2 in., 3 ft. 6 in. long or less Yellow Pine... 2 Oo Oak... 3 Oc



Thoroughly Satisfied

Stonington, Ill.

"I have a modern builgalow which is built out of lumber bought from you and am so well pleased that I want another built on my farm. Please send me your book of homes with price list." JOHN JETT.

Better Than Expected

Foxcroft, Maine.

"The wall board has arrived and is ever so much better than I expected, Everybody that has seen it is just wild over it."

C. H. THOMPSON.

Hand Rail Bracket

No. 3278
Size 24
inches.
For use as brackets to support the hand rail on the wall side of stairs, comparews, finished iron.
Price, each....


complete in bronze

Price, each24c

Price, per dozen....\$2.75



ern Designs of Parquetry Floor



Qr. Swd. W. Oak... Mahogany Walnut 61/20 60 No. 879. Dark Oak 11/3 No. 881. White Maple 11/3

> Price per Lin. Ft. 48c Corners 60c

> > Price per Lin. Ft. 960 Corners \$1.25

808. Oak, Mahogany and Maple Border, inches wide.

Price per Lin Ft. 940 Corners \$1.20

No. 809. Oak, Mahogany and Maple Border, 10 inches wide,

No. 810. Oak, Mahogany and Maple Border, 12 inches wide

WHEN considering the purchase of a new floor, thought must be given to both the first thought must be given to both the first cost and the upkeep. Both are equally important although the latter is often ignored.

The cost of laying a hardwood or a softwood floor is practically the same. A softwood floor must be covered by carpets, which are often expensive. Carpets must be taken up and cleaned once or twice a

Hardwood floors look better, are more easily kept clean and will last as long as the building in which they are placed. They are an asset to any home. A building with hardwood floors will rent more quickly, and when placed on the market is more easily sold than one equipped with the old fashioned softwood floors.

This term Parquetry is applied to wood cut into geometrical designs, glued at joints and backed with cloth, the different woods forming a most beautiful weaving effect. Parquetry border usually comes in lengths of 12 feet and the centers or fields are glued up in slabs measuring 12x48 lnches.

Parquetry Flooring may be used in rooms of any shape or size. If the surface you wish to cover is irregular, send us a rough sketch of your rooms, showing exact measurements and we shall then be able to tell you the amount of flooring required and the exact cost to you, including freight charges direct to your railroad station.

We can supply many designs in addition to those shown below and if you do not find here a pattern that meets with your requirements, tell us what is desired and let us offer suggestions.

All of the flooring shown on this page measures five-sixteenths of an inch thick. It is frequently laid over old soft wood floors to modernize and improve a home.

Shipped direct from factory in Southern Indiana.

Parquetry Fields To form center or field of floor, %-inch thick. Usual size 12x48 inches. Can be cut, fitted and used with strip or parquetry borders.




301. French Herringbone, Separate pieces Inches. No cloth backing. Quartered White Price, per square foot......301/20













No. **806.** Quarter-sawed liogany Parquetry Field. Price, per square foot...

WINDOWS PARTICULARLY DISPLAY DESIGNS SUITED FOR STORE



Design No. 927. Using Quartered White Oak and Mahogany strips at wall line. Border 6 inches of White Oak Maple and Mahogany strips at wall line. Border 6 inches of White Oak Maple and Mahogany. Field Quartered White Oak and Mahogany strips at wall line. Border 14% inches over Oak and Cherry. Field, Quartered White Oak and Mahogany strips at wall line. Border 14% inches over Oak and Cherry. Field, Quartered White Oak and Mahogany strips at wall line. Border 14% inches over Oak and Cherry. Field, Quartered White Oak and Mahogany strips at wall line. Border 6 inches over Oak and Cherry. Field, Quartered White Oak and Mahogany strips at wall line. Border 14% inches over Oak and Cherry. Field, Quartered White Oak and Mahogany strips at wall line. Border 14% inches over Oak and Cherry. Field, Quartered White Oak and Mahogany strips at wall line. Border 14% inches over Oak and Cherry. Field, Quartered White Oak and Mahogany strips at wall line. Border 14% inches over Oak and Cherry. Field, Quartered White Oak and Mahogany strips at wall line. Border 14% inches over Oak and Cherry. Field, Quartered White Oak and Mahogany strips at wall line. Border 14% inches over Oak and Cherry. Field, Quartered White Oak and Mahogany strips at wall line. Border 14% inches over Oak and Cherry. Field, Quartered White Oak and Mahogany strips at wall line. Border 14% inches over Oak and Cherry. Field, Quartered White Oak and Mahogany strips at wall line. Border 14% inches over Oak and Cherry. Field, Quartered White Oak and Mahogany strips at wall line. Border 14% inches over Oak and Oak and Oak and Mahogany strips at wall line. Border 14% inches over Oak and Oa





ramic Mosaic

CERAMIC MOSAIC FLOOR TILE

Ceramic Mosaic Floor Tile of the better grade homes, for bathrooms. It is also frequently used in hallways and for kitchen floors. Floor tile invariably finds a place in every modern drug store, lee cream parlor, bank, buffet, etc. It is in common use for store entrances and is often used for a floor in display windows.

in many beautiful designs, but aside from its attractive appearance it possesses sanitary qualities that are too important to be overlooked. Ceramic Mosaic Floor Tile forms a floor that is easily kept sweet and clean under all conditions. Caramic Mosaic Floor Tile is perhaps most frequently used in plain black and white as shown on this page, although many prefer colors rather than plain black. We can furnish not only the black tile where shown in field and borders in the following designs, but can also supply any of the following colors in these patterns instead of the black.

Group No. 1 Red, Chocolate, Buff, Sal-Dark Vitreous Gray, Light Vitreous Gray, Dark Encaustic Gray and

Group No. 2 Pearl, Blue, Sage, Green and Pink.

If you do not find suitable designs on this page, or if you have special requirements write us, and send us your sketch upon receipt of which we shall be glad to offer suggestions and quote prices.

of your room. Tell us the kind of tile desired and we shall gladly mall you a free estimate, showing exactly what the tile will cost delivered to your station. This service is free.

are not required, since any handy man can produce the most satisfactory results. The tile comes in slabs all ready to lay. Each small piece of tile is pasted in its proper place to a paper backing.

This beautiful white Sanitary Wail Tile should be used in every bathroom. The prices will not prohibit its use even among those of modest means. Or der directly from the prices and descriptions shown below.

If your bathroom is of an irregular shape or slze send us a sketch with all necessary arrangements and we shall gladly quote prices on your requirements made from Eastern factory.


No. 5610

No. 5610

Body, slze 6x3 inches. Per sq. ft. 65c Cap, size 6x1½ inches. Each... 23c Base, size 6x6 inches. Each... 50c


Base, size 6x6 inches. Each....50c
Angles, stops and corners extra.
Send size of bathroom wall showing opening for windows and doors and we will submit price complete. plete


GLAZED WHITE WALL TILE




No. 5610

All Floor Tile shipped direct from Factory in West Virginia







FLOOR TILE, PRICE PER SQUARE FOOT COLOR IN AND ANY COLOR IN GROUP 2 ILLUSTRATED ¼ inch Squares. No Border.

1 inch Hexagon, No Border.

1n. wide. Body Tile, ¾ in Square.

1n. wide. Body Tile, 1 inch Hexagon.

1n. wide. Body Tile, ¼ inch Squares. 40° 40° 45° 46° 46° Square Square Square Square Square 500 Per Square Foot 510 Per Square Foot 50c Per Square Foot



Per Square Foot Without Lettering No. 5603 1 Border 6½ in. Wide



Design No. 5604

Per Square Foot Without Lettering Border 51/2 in. Wide



No. 5606

Per Square Foot Without Lettering Border 61/2 in. Wide

Where black is shown in these designs we can supply any color in Group No. 1 at an extra charge of 2c per sq. ft. Or where black is shown we can supply any color in Group No. 2 at an extra charge of 6c per sq. ft.



the ordinary soft wood floor, but the difference is much less than is generally supposed and is more than offset by the increased beauty, comfort and satisfaction of a permanent hardwood floor.

STANDARD 13-INCH FLOORING is the regulation size flooring that has been in constant use for years. It is cut from one-inch lumber and finishes 13-16 of an inch thick.

MODERN 1/2 INCH FLOORING may be used in many places where the heavier %-inch flooring was formerly thought necessary. It will give unusually good service.

THIN %-INCH FLOORING Our Everlastic thin flooring is made %-inch thick, with 1½ and 2-inch face. It is used extensively, is much less expensive than the standard thickness of floor and wears for all time. When ordinary care is given a %-inch hardwood floor, you cannot even wear through the finish, let alone the floor itself.

OVER OLD SOFTWOOD FLOORS

In new buildings Everlastic thin flooring is laid over chean soft wood linings. It makes a beautiful surface that looks as well as the heavier flooring.

But the excellence of the thin flooring lies in its adaptability to cover old, wornout soft wood floors. At small expense you can lay this flooring directly on your old floors, securing a surface that is strictly hygienic, modern, attractive and lasting.

Example A room 10 ft. x 12 ft. contains 120 square feet. To determine the cost of sufficient Clear Maple Flooring x x 1½ in. face Nc. 1527, simply multiply 120 by 11%c (the cost per foot), which gives you \$14.10 as the cost of the flooring.

Weight Hardwood flooring % x 1½ or 2-in, face will weigh about 1½ pounds per surface foot. Oak flooring 13-16 x 2½ face will weigh about 3 pounds per surface foot.

THE USE OF DIFFERENT GRADES OF MAPLE FLOORING

Service rooms such as kitchens, bedrooms, baths, stores and offices, Where a better floor than the Select grade is required, Strictly Clear

is Clear All White Where uniform color is required for high class work.

Factory Grade Warehouses, factories and where a serviceable floor is wanted with some cutting.

THE USE OF DIFFERENT GRADES OF OAK FLOORING

Medium priced residences, hotels and apartments; schools, offices and stores.

High class residences, hotels, apartments, churches and clubs

schools, offices and stores.

High class residences, hotels, apartments, churches and clubs.

Sawed All Clear High class residences, hotels, apartments and clubs.

Cheap dwellings, tenements, stores, or the better class of factories.

Common (Factory) Warehouses, factories and cheap tenements.

NOTE



Our Prices Are Full Count and insufficient flooring to COVER ONE SQUARE FOOT. You do not need to figure waste or shortage, neither are you obliged to figure on a board measure basis which is confusing and unsatisfactory. Our method avolds mistakes, shortages and disappointments. Please bear these facts in mind when comparing our prices with prices based on board measurements where from 25 per cent to 40 per cent must be added for machining and laying. We price enough flooring to LAY ONE SQUARE FOOT the contract of the co

Tongued And Grooved-End Matched

Weighted Floor Brush

Made very full of good, stiff stock, which stands up well under the heavy weight. Weight is extra wide casting, sets close to the floor to avoid tilting when in use. Furnished complete with handle. Best brush for polishing waxed floors.

No. 5154A. Price, 15-lb. size, each \$3.15 No. 5154B. Price, 25-lb. size, each 4.25



When Ordering Give Size, Catalog Number and Number of Square Feet to Cover

MAPLE FLOORING

	Grado	Prices are	FULL COUNT		foot surface n foot of floor.	icasure, suffic	lent to cover
Catalog Number	Size, Thickness and Face	% x 1½ in.	36 x 2 in.	想 x 1½ in.		18 x 21/4 in.	4.0
1527	No. 1 Strictly Clear	90 11340 160 41/20	8½c 11c 15c	1 1 3/4 c 1 5 3/4 c 2 4 3/4 c 7 3/4 c	12½0 17¾0 23¼0 23¼0	130 1534c 211/20 81/40	121/40 130

RED OAK FLOORING

Grade Size, Thickness	Prices a	re FULL (COUNT per sq one squa	uare foot sur le foot of flo		sufficient to	cover
Number and Face	747 740	% x 2 in.	1/2 x 1½ in.	½ x 2 in.	13 x 1½ in.	13 x 2 in.	13 x 21/4 in.
1546 Select Strictly Clear	101/26	8¾0 1 0c	151/4c	140	161/40	15 ³ / ₄ c	150 181/40
1548 4-Sawed, All Clear 1549 No. 1 Common	5%0	5½c	73/40	71/20	101/20	101/46	0%0

WHITE OAK FLOORING

Catalog	Grade Size, Thickness	Price	s are FULL	COUNT per so	uare foot sur ire foot of flo		sufficient to	cover
Number	and Face	% x 1 1/2 in.	% x 2 in.	1/2 x 11/2 in.	½ x 2 in.	18 x 1½ in.	18 x 2 in.	13 x 214 in.
1551	Select	83/40	8340	11/20	121/40	131/40	13%0	133/40
1551 1552 1553 1554	14-Sawed, All Clear	180	17/40	16c 22½c	21/40	281/40	260	25/40
1554	No. 1 Common		51/20	73/40	71/2C	101/20	4/20	103/40 50

Finishing Material For Floors

When placing an order for hardwood flooring it is a good plan to include the necessary finishing materials, such as floor lac, filler, wax, etc. This will be found described and priced on page 65 of this book.

Deadening Felt



BIRCH and BEECH FLOORING We can supply flooring in either of these woods. Prices will be quoted at your request.

Outside Blinds and Shutters



1570. 1% in. thick. inds. Rolling Slats.

Blinds are made to or-

der and shipped direct from factory. They are made to fit in the blind rabbet of any size window. (Exact width of window and one inch greater in length.) Here we give outside measurements of what are known as Chicago or Western frame sizes. Thus window with 2 lights of glass 24x28 in. measures 2 ft. 41/8 in. wide x 5 ft. 3 in. high. In some localities this frame would be made 2 ft. 4 in. wide, or 2 ft. 41/2 in. wide, or 2 ft. 5 in. wide according to local custom.

This slight difference would not affect the price.

No. 1575. 1% in. thick. Solid Ornamental Shutter.



1576. 1% in. thick. Ornamental Shutter.



No. 1573. 1½ in, thick. Shutters. Solid O. G. Raised Panels.

Price Per Pair (2 Pieces) of Blinds or Shutters for 2 Light Windows

	O RESIDENCE OF THE OWNER OWNE	THE TAKEN	CONTURCTOR	SHUTTER	SHUTTER No. 1573
GLASS SIZE Inches	OUTSIDE MEASURE	BLINDS No. 1570	SHUTTER No. 1575	No. 1576	Solid O. G. Raised
Thenes	ALEASONE	Full Rolling Slats	Flat Panels	Flat Panels	Panels
20x20	2-0 x 3-11	\$3,34	\$5,16	\$5.16	\$4.68
20x24	2-0 x 4-7	3,83	5.88	5.88	5.40
24x24	2-4 x 4-7	3.96	6.06	6.06	5.58
24x28	2— 4 x 5— 3	4.49	6.81	6,81	6.33
24x32	2— 4 x 5—11	5.00	7.53	7.53	7.05
26x24	2-6 x 4-7	4.04	6.17	6.17	5.69
26x28	2— 6 x 5— 3	4.57	6.92	6.92	6.44
26x32	2- 6 x 5-11	5.08	7.66	7,66	7.18
28x24	2-8 x 4-7	4.58	6.25	6.25	5.77
28x28	2— 8 x 5— 3	4.65	7.03	7.03	6.55
28x32	2-8 x 5-11	5.18	7.78	7.78	7.30
30x24	2—10 x 4— 7	4.18	6.36	6.36	5.88
30x28	2—10 x 5— 3	4.73	7.14	7.14	6.66
30x32	2-10 x 5-11	5.26	7.91	7.91	7.43
32x24	3-0 x 4-7	4.47	8.31	8.31	6,23
32x28	3-0 x 5-3	5.00	7.53	7.53	7.05
32x32	3-0 x 5-11	5.53	6.28	6.28	5.80
32x36	3-0 x 6-7	6.09	9.08	9.08	8.60
34x26	3— 2 x 4—11	4.76	7.32	7.32	6.84
34x30	3— 2 x 5— 7	5.56	8,30	8.30	7.82
34x34	3- 2 x 6- 3	6.09	9.10	9.10	8.62

Other sizes take proportionate prices.

Blinds and Shutters for 4 Light, 8 Light and 12 Light Windows take the same price as a 2 light window having the same glass area. INTERMEDIATE SIZES take price of next larger size.

VY O. G. ROOF GUTTER OR SPOUTING



Made from Oregon Fir or California Redwood

This form of will not rot There are several satisfacgutter is used or decay tory methods of applying O. G. Gutter, one of the extensively in the East; in some sections of New England most common being shown in illustration. It may be simply nailed to rafter or facia on rafter it will be found on almost every house, some of them 100

It is suitable for moderate priced or elaborate houses, and either for new buildings or to improve old ones. end. Made in two sizes, 3x4 in. and 4x5 in.

No. 2058. 3x4 in. O. G. Gutter per 100 lin. ft........\$ 8.50

No. 2059. 4x5 in. O. G. Gutter per 100 lin. ft........\$ 14.25

What We Have Done for Others We Can Do for You

Extracts from Letters Received from Satisfied Customers

Pleasant and courteous dealings

Gentlemen: Hornell, N. Y.

The mirror door has been received and I find it to be of the same fine quality as the doors received earlier. We are thoroughly satisfied in every respect. Our dealings with you have been very pleasant and courteous on your part and we thank you. We can recommend your supplies and can furnish numberless compliments from others who have seen them.

Yours truly,

Mrs. Richard Moore.

A customer and a friend

Gentlemen:

I am very well pleased with the treatment accorded me by your good organization and I assure you it will be a pleasure to recommend its principles to others. In our business here we like to make friends and satisfied customers because we feel that a satisfied customer is really a good advertisement. I want you to feel that I am your friend and above all a satisfied customer.

Sincerely yours,
Arthur I, Hamilton.



Write for Free Samples A tough, strong, heavy roofing that will give the very best of service. Every roll is unreservedly guaranteed.

Economy Asphalt Roofing is manufactured from a heavy, long fibred rag felt. This felt is saturated and coated with pure asphalts and both sides are then finished with a ground flint, which serves as a coat of armor, protecting the asphalt, which thoroughly covers and impregnates the felt. Satisfy yourself by actual test that the thickness, weight, strength and qualities of the material used in our Economy Asphalt Roofing is second to none.

We Shall Cladly Mall You Sample and ask that you subject it to every reasonable test. Put a hot coal on it, pound it with a hammer, soak it in acid, turn up the edges and make a dish of it. Into this dish you can pour water, which it will hold until the latter evaporates, showing that the roofing will not rot and that it is absolutely water proof.

This is a Guaranteed asphalt roofing. The very best asphalts are used in its manufacture. This is the same asphalt that is used to make streets, which are expected to stand heavy traffic passing over them for a lifetime. There are neither animal oils nor coal tar used in Economy Asphalt Roofing.

With Every Roll we furnish, free, plenty of large headed, barbed roofing nails and sufficient cement for properly applying. An ordinary %-inch nail is used, but when this roofing is applied over shingles it will be necessary to so advise us, that we may send extra long nails. An extra charge of 14c per roll is made when the long nails are wanted. nails are wanted.

Economy Asphalt Roofing is suitable for any steep or slightly pitched roof, It is guaranteed to give satisfaction. It is extensively used for offices, warehouses, stores, factories, or any other building where the roofs have to withstand extra hard usage.

or Laying Over Old Shingles

Economy Asphalt
Roofing is most
reviceable because it is heavier and has a stiffness not found in
ost other makes of roofing. It does not expand or contract with
the sudden extreme changes in the weather. Anyone can apply it
no experience is necessary—the only tools needed are a common
ck-knife and hammer.

ompare Our Goods with those of any. Compare the thickness and the weight of our

08 square feet. 7eight, 55 lbs. 7idth, 32 inches. er roll.....

No. 1381. Light No. 1382. Medium 108 square feet. Weight, 65 lbs. Width, 32 inches. Per roll..... 90 Guaranteed to wear 5 years.

roofing with those of any other concerns, and at the same time compare the price they ask you for their goods of similar weight and grade.

Have For Years Carefully Studied

the roofing situation and have paid particular attention to the materials used in their manufacture, and we believe that it is impossible for anyone to make or sell a better grade of roofing for the same amount of money.

No. 1383. Heavy 108 square feet. \$240 Weight, 65 lbs. Width, 32 inches. Per roll.

Guaranteed to wear 7 years.

May be shipped either from Chicago or factory in Western Pennsylvania.

No. 1384. Extra Heavy
108 square feet.
Weight, 85 lbs.
Width, 25 inches.
Per roll.
Guaranteed Guaranteed to wear 15 years.

th be eas by of property with not not the country of the country o

int Surfaced Roofing nomy Fi

Made to compete with other low priced roofings now on the market.

uitable for Use on sheds, inexpensive out-buildings and temporary work of all kinds. Nails and ment sufficient for laying are sent with each roll. his is a Good Cheap Roofing —Flint surfaced on one side and Tale

rfaced on the other side.

The Do Not Guarantee it as is done with our better grades of roofing, but can

Shipped either from Chicago or factory in Western Pennsylvania.

recommend it for inexpensive and temporary work. We can make no claims as to the length of time this roofing will wear, but believe it is a remarkably good bargain at the prices quoted.

—Flint surfaced on one side and Tale lonc with our better of roofing, but can lost of roofing, but can lost of roofing, but can lost Prepared Roofings

Roll of 108 Sq.Ft. Nails and Cement Furnished with Every Roll.



resemble cach other. Our Economy Flint Surface Roofing looks like our other brands, but if you want a satisfactory high grade roofing material, let us suggest that you be not governed by the price, but that you select one of the guaranteed brands shown on other pages of this catalog.

No. 966. Light. Weight, 35 lbs. Width, 32 inches. Per roll of 108 square feet Estimated life, 5 years. No. 967. Medium. Weight, 45 lbs. Width, 32 inches. Per roll of 108 square feet Estimated life, 8 years. No. 968. Heavy. Weight, 55 lbs. Width, 32 inches. Per roll of 108 square feet Estimated life, 10 years. Nails and Cement Furnished With Every Roll for Applying.





eardd RO GUARANTEED ROOFING, SMOOTH MICA FINISH

Our Thickest, Heaviest and Most Durable Smooth Finished Roofing

Economy Mica Coated Roofing is weather proof, water proof itic, tough and pliable. It is not affected by changes in climate, steam, gas or vapor and will not rust. It is free from odors, and will not discolor rain water.

This Roofing Will Outwear Tin and most ordinary roofings. It is made of heavy, strong, long fibred felt, thoroughly saturated with the very best quality of asphalts and finished with ground mica. We are so confident that this roofing is the best roofing of the kind now on the market, that we stand behind it with an absolute guarantee.

Anyone Can Apply this roofing, the only tools required being a knife and hammer.

Economy Mica Coated Roofing will often wear 25 per cent longer than roofing offered you at much higher prices by others.

Compare These Prices with others, then compare the quality of our roofing and judge for yourself as to the saving to be made hy using this brand.

Every Roll is Packed with large headed nails and cement, and contains complete instructions for laying. Shipped only from Chicago stocks.

WRITTE FOR FREE SAMPLES OF THE ROOFING ITS THE



Each roll contains 108 sq. ft. Single roll. Guaranteed 5 years. Width 32 in.

STAND ON END

CAGO WILLWON

GUALANTED

W MICA MINI COATED DURABLE

w the on Steep or fist fire

Free Free Tar er Polit

CHINO CHATS

No. 979 Light 35 pounds

Each roll contains 108 sq. ft. Single Roll. Guaranteed 8 years. Width, 32 in. No. 980

Medium45 pounds

Each roll contains 108 sq. ft. Single Roll, Guaranteed 10 Years, Width, 32 in.

No. 981 Heavy 55 pounds

FREE

There is No Coal Tar Pitch used in this roofing. Only the best of pure asphalts is used. Our Economy Mica Coated Roofing is made from honest, dependable material and is guaranteed for periods of from 5 to 10 years, depending upon the thickness. With proper attention it will last much longer.

May Be Laid Over Old Shingles with excellent wanted for this purpose your order should so state, so that we can supply you with extra long nails. There is an extra charge of 14c per roll when the long nails are supplied.

that prepared roofings are becoming more popular each year, and are preferred by many to all other forms of roof coverings. The low price and the fire resisting qualities of this roofing, as well as its absolute dependability, appeal to many users who want an article that when applied will need no further attention for a number of years.

dences bungalows, cottages, modest homes, barns, sheds and outbuildings of all kinds may be covered with Economy Mica Coated Roofing with results that will more than meet the expectations of the owner and at a price that will prove a very substantial saving.



Makes a Water Tight Roof

Economy Mica Coated Roofing is odorless, nothing being used in its composi-tion that will affect or dis-color rain water. Gives bet-ter service than shingles and costs less.

May Be Applied in Winter or Sum-

mer without danger of expanding, contracting or buckling, a feature which cannot fail to be appreciated by people experienced in the roofing business

Samples Free
Samples of Economy Mica Coated Roofing are put up in convenient form for mailing. If you want to test this roofing, send for a free sample.

Fire Proof

Place a red hot coal or a lighted match to the flat surface of a sample until it nearly burns your fingers. The sample will not light or catch fire. The only effect is to soften and boil up the rich water-proofing properties, which will return into the felt. It takes an intense heat to even do this, as the flame from a match is about 1,800 degrees Fahrenheit.

Alkali Proof

Place a sample in a glass half full of ammonia and allow to remain as long as you please. You will note that the Ammonia does not become discolored, which proves it to be Alkali Proof. Ammonia gas formed in barns eats metal roofing. Lye will eat the skin off your hand or paint off of wood, but it cannot affect Economy Rubber Roofing.

Acid Proof

Place a sample in a glass half full of some strong acid such as Nitric, Muriatic or Sulphuric, Allow it to remain as long as you please and you'll find that the acid will not become discolored, which proves the acid does not dissolve the waterproofing. The sample upon being removed will be found to be flexible.

Water Proof

Make a pan out of a sample by bending up the corners and fill with water. It will hold water until it evaporates-showing that it will not rot and that it is as waterproof as any there can

MATERIAL



RED AND GREEN CHIP SLATE ROOFING

NATURE'S OWN COLORS — WILL NEVER FADE

GUARANTEED TO LAST 15 YEARS WITHOUT ATT

Roll

Sufficient to Cover 100 Sq. Ft.

To Those Who Are Familiar

with the many advantages of prepared roofing but object to its lack of color we recommend our Colored Chip Slate Roofing, which may be used both as a covering or to form panel effects as siding for the finest residences. It is finished with a coating of Natural Colored Chipped Slate and may be had in either a soft red or grayish green color that is absolutely permanent.


Complete With Nails and Cement

Economy Chipped State

Roofing is made from the best rag felt—not straw felt—made from old woolen garments, such as coats, and o the reloths. This felt is saturated with Pure Asphalts so that every fibre is impregnated with this greatest waterproofing property known. In order to thoroughly saturate this felt the asphalt has to be heated to a temperature of from 350 to 400 degrees Fahrenheit, which proves that it is Free from Coal Tar or Oll. The weather side is the side finished with Natural Colored Cbip Slate—is given an extra heavy surfacing of an asphalt that has a higher melting point than asphalt used for saturation. The slate chip is embedded into this coating under heavy rollers.

Economy Chipped Slate
and other buildings by using battens over the joints to give the panel effect, it having the appearance of stucco or cement houses. Many contractors and architects are using and specifying this roofing for this purpose. Think how beautiful your house would look with a dull rich red roof and a grayish green siding, or vice versa. It makes the house warm in winter and cool in summer. Will not crack or peel. Besides adding to the beauty of a house, think of what you would save on the cost of painting your house, because this never requires painting and always looks fresh.

Strong and Heavy



Roofing never loses its color. Every rain washes and keeps it clean and bright. It will add attractiveness to any building to which it is applied. This is the kind of roofing that is put on expensive buildings where ordinary roofings would not be considered.

Think of the Saving that can be made by using this roofing in preference to shingles costing much more. Can be applied over old shingles. Be sure when ordering for over shingles use to ask for extra long nails, for which an extra charge of 14c is made for each roll.

Passed by the Board of Underwriters

We Furnish Free with roll plenty of large headed galvanized nails and liquid cement as well as full and complete instructions for applying. All the tools needed are a hammer and a jack knife. Anyone can apply it. When used over shingles an extra long nail is furnished as stated

above.
ECONOMY CHIP SLATE ROOFING put up in rolls containing 108 square feet in either color, RED or GREEN; width of roll 32 inches. Each roll will cover 100 square feet of roof surface on a

Price of Sufficient Roofing to Lay 100 Square Feet

No. 960. Soft Red Economy Chip Slate Roofing, roll • • • • • Grayish Green Economy Chip No. 961.

Slate Roofing, roll

May Be Shipped either from Chicago or factory in Western Pennsylvania



oint urnamen A RED OR GREEN STRIP SHINGLE

Primarily Intended for Recovering Old Roofs, applying direct-ly over the Old Shingles

Per Square

Diamond Point

Roofing is exactly the same as

Passed by the Board of Underwriters. heavy felt, high test asphalts and chip slate are used to produce a roofing that we can stand behind with a "15 year satisfactory service guarantee."

he Surface is Covered with natural colored chip slate in soft red and gray-

ish green colors that will never fade or change. The strips are often applied so that the colors alternate, making an exceptionally handsome tile-like roof.

In Addition to the Time and labor saving features Economy Strip Shingles possess all the artistic qualities of the regular slate covered shingle, and makes a strong and safe roof. It will not curl, crack or buckle on the roof and has strong fire resisting qualities. The colors are soft, attractive, and absolutely permanent.

The Strips are made 16 inches wide, 48 ft, long and like the other roofings on this page are extra strong and heavy, weighing 90 pounds to the square. One double roll covers 100 square feet. When laid 12½ inches is exposed to the weather. Price includes nails, cement and simple directions for

laying. Price of Sufficient Roofing to Cover 100 Sq. Ft.

Guaranteed for 15 Years. Shipped from Chicago only.





Samples Free

Asphalt Shingles are of uniform size, measuring 8x12% inches, and are much more easily laid than wood shingles. No time is lost in selecting the proper size or in sorting out culls. May be applied over old shingles. When nailed directly to roof boards the boards should be placed tight, not spaced.

Simple Instructions for laying are sent with each order. We Guarantee our Asphalt Shingles to wear fifteen years without painting or any attention whatever.

We Recommend
78-inch Galvanized barbed nail with head 78-inch diameter. These nails carry extra heavy coating of Galvanizing and are fully guaranteed to last. Requires 3 pounds for each 100 square feet. Price, per pound..

Passed by the Board of Underwriters

ing, although perhaps heavier and not quite so flexible which in a shingle is an advantage. The base is a rag felt, thoroughly impregnated with pure asphalts. The surface is then covered with NATURAL COLORED CHIP SLATE, the whole product passing under heavy rollers to inbed the slate firmly in the body.

Asphalt Shingles are considered by many superior to wood shingles. The first cost is not only less, but after the cost of staining and the higher cost of laying is considered, Asphalt Shingles will be found to cost decidedly less than the wood. Then, too the Asphalt Shingles never need attention and will always retain their attractive appearance. Add to this the fire resisting qualities of Asphalt and you will agree that wood shingles are less desirable on every count.

Asphalt Shingles weigh 240 pounds to the square of 424 shingles laid 4 in. to the weather. As indicated by its name this is the standard shingle most frequently used for all ordinary work. It will give exceptional service and prove a lasting source of satisfaction.

STANDARD SHINGLES

Price of Sufficient Shingles to Cover 100 Square Feet

No. 1010. Grayish Green. Weight 240 pounds per Square - - \$6.45 No. 1011. Soft Red. Weight 240 pounds per Square - -

Shingles Four

and made to meet the increasing demand for an easy-laying, decorative shingle. The exposed portion of the slab gives the appearance of the individual type shingle, and the top or covered part is a four-shingle self-locking slab.

Easy to Lay The fact that each slab is equivalent to four shingles and that the ends form an interlocking joint, makes this style of roofing very easy to lay. The rapidity and ease with which the slabs may be placed in position will form a strong appeal where time is an element to be considered.

This "4 in 1" Slab Shingle

is made exactly like our Red and Green Asphalt Shingles described at the top of this page. The same heavy rag felt is impregnated with the same high test asphalt and covered with the same selected grade of chipped slate. The only difference lies in the



Passed by Board of Underwriters

method of cutting the shingles to secure the desired shape,

Fewer Nails are Used to lay the "4 in 1" Slab Shingle. Each slab requires five nails where the individual shingle requires eight. Nails are not included in the price of this roofing but are priced separately with the standard shingles shown above. Two pounds are necessary to lay one square of slab roofing.

Made in Two Sizes
double thickness at all points except the
cutouts; weighs approximately
195 lbs. to square

Size 36x12½ in. gives a double thickness roof at all points, including cutouts and a three-thickness roof at the point of hardest wear.

Shipping weight approximately 240 ibs.

to give satisfactory service for fifteen years, without painting or any attention whatever. Guarantee this "4 in 1" Slab Shingle

Price of a Sufficient Amount to Cover 100 Square Feet

SIZE 36x12% INCHES SIZE 36x10 INCHES

No. 2125. Grayish Green. About 190 lbs., per Square, \$7.75
No. 2126. Soft Red. About 190 lbs., per Square - 7.75
No. 2128. Soft Red. About 240 lbs., per Square - 9.50

May be shipped either from Chicago or factory in Western Pennsylvania.



MASTERROCK, THE BASE



Better Than Lath and **Plaster**

Not a Substitute

For Walls and Ceilings in the Better Class of Residences, Apartments, Hotels, Clubs, Etc.



What MasterRock Is—

MasterRock is gypsum plaster with a protective covering of heavy fibre board. It is fireproof-non-warping -rigid and durable. It is extensively used instead of lath

and plaster for walls and ceilings.

Made of pure gypsum, MasterRocK makes walls and ceilings that positively will not burn or warp, buckle or bulgewalls that are sound-proof and resistant to heat and cold. It is fully as durable as lath and plaster, costs less and is much easier to apply.

MasterRocK comes in broad, standard width sections

with full ceiling heights, protected by the patented edge, which permits it to be sawed and nailed like lum-ber. The square folded edges butt tightly together, smooth, even forming a surface which can be readily decorated in any fashion with wallpaper, paint or calcimine.

Easy to Apply Master-R o c K can be applied by any mechanic. No tools except an ordinary saw and hammer are required to erect perfect walls and ceilings of this superior material.

MasterRocK may be successfully em-

ployed in numerous ways in both old and new construction. Although primarily used for new buildings, it can be used equally well for remodeling and for numerous other uses incident to construction work about the home.

Decorated to Suit Any Taste Because the surface of walls and ceilings built of MasterRock are smooth and unbroken, any decorative treatment can be used. It takes wall paper perfectly, or it can be painted or calcimined in either plain or panel style.

Size and Price of Crates and Single Sheets

Size of Sheet, Inches	Square Feet	Sheets per Crate	Square Feet per Crate	Price per Crate	Price per Sheet
32 x 48 32 x 72	10% 16	15	160 112	\$ 8.00 5.60	\$0.59
32 x 84 32 x 96	18% 21%	7	130%	6.54	1.03
32 x 108 32 x 120	24 26%	7	1491/3 168	7.47 8.40	1.18
48 x 48	16 24	10	186% 160	9.32 8.00	1.47
48 x 72 48 x 84	28 32	7	168 196	8.40 9.80	1.32
48 x 96 48 x 108	36	7 7	224 252	11.20	1.76
48 x 120	1 40	7	280	14.00	2.20

Weight, about 200 pounds per 100 square feet crated.

No Panel Strips are necessary with MasterRock to conceal joints unless they are part of the decorative plan-a superior feature of this wallboard. By

following the simple directions, the joints are easily concealed by the decoration, whether paint, paper or calcimine. By using the joint filler, which must be ordered separately, the surface becomes one solid wall absolutely smooth and

Simple Directions
When applying MasterRock place the sheets tightly together. sheets tightly together. Smooth the joints with joint filler, prepared expressly for this

purpose, which should be with your wall-Simple directions ordered board. are sent with each order. Fire Proof MasterRock

is absolutely e. The rock non-combustible. gypsum composition will not burn, but will hold inside fires in check until assistance arrives.

How MasterRock Board Is Made



A Rock Gypsum Composition Between Two Lavers of Heavy Fibre Board

Examine the above illustration carefully because it shows exactly how MasterRock is manufactured. It measures three-eighths of an inch thick, which after many tests has been found to give best results. The surface is even and smooth, made so by heavy rollers through which the board must pass when being manufactured. The center composition is compounded and mixed by machinery assuring uniformity at all times.

Cut with an ordinary saw, leaving a clean, true edge. Will not crack or crumble.

GUARANTEE

We hereby guarantee that MasterRock will not warp or buckle either on walls or cellings, or under any ordinary building conditions. We further building conditions. We further guarantee to replace any board which does not conform to the representations we have made or the samples we have submitted; or any unsatisfactory MasterRock may be returned and your money will be promptly refunded,

Samples A free sample of MasterRock will be mailed at Compare it with others. You will quickly decide that no other wallboard is quite equal to it.

Only 10 pounds of filler per 1000 square feet are required if not wasted. Order it Joint Filler with the board, unless you plan to use panel strips. Filler comes dry in 5 lb. cartons, and must be mixed according to the directions supplied.

It is Best to order full crate lots whenever possible. A small additional charge is made for less quantities.

Shipped direct from factories in Michigan, Iowa, Ohio and New York.

PRICE IN FULL CRATE LOTS. PER 100 SQUARE



FOR QUANTITIES
OF LESS THAN
FULL CRATES USE
PRICES SHOWN IN
TABLE AT LEFT.

Subject to available stocks

DSITIVELY WILL NOT WARP

TERLING WALLBOA ADEFROM PURE WOOD

Used instead of lath and plaster—builds attractive and permanent interiors at moderate cost.

It is Made from the best seasoned wood fibre built up into strong, rigid, damp-proof boards or panels about and widths.

Where Used

In the Home Sterling Pure Wood Fibre Wallboard is appropriate for use in every room—clean, painted rail and stenciled frieze for the dining room; there are any number of pleasing designs which may be worked out. In every case you get clean, sanitary interiors which are durable and permanent.

Easily and Quickly **Applied**

The application of Sterling Pure Wood Fibre Wallboard is an easy job for the carpenter or anyone handy with tools. In new work the big panels are nailed to the studding and joists—in remodeling it is laid right over the old lath and plaster, quickly and conveniently, without dirt or decorated, and mouldings stained to suit the room are put over the edges.

Moisture Proof

Each panel of Sterling Pure Wood Fibre Wallboard is "sized" (both sides) for moisture protection. This gives it full protection from the changes of temperature and weather in shipment and insures firm, even, solid walls and ceilings under all general conditions.

It makes unnecessary the use of an additional sizing coat before painting.



Showing method of converting an attic into a com-ortable study by the use of wallboard.

Samples

Write for free samples of Sterling Wallboard. These will be sent without one cent of cost to you and without placing you under any obligation.

HOW TO FIGURE THE AMOUNT REQUIRED

It is an easy matter to determine the amount of Sterling Wallboard required, since there is practically no waste. Simply find the area of your side walls and ceilings and deduct for all openings, the result will be the amount to order. If in doubt, send us a sketch of the rooms in which it is to be used, and we shall make up your order for the exact amount required. Be sure to give all measurements and show all openings in your sketch.

Sizes of Sterling Pure Wood Fibre Wallboard

In Stock for Immediate Shipment

In Stock for Immediate Shipment
Sterling Pure Wood Fibre Wallboard
Is made in the following sizes. It is prepared for shipment by bundling with
heavy wrapping paper with ends and
edges fully protected. It is securely tied
in easily handled, dust proof bundles.
It is advisable to order in full bundles,
if possible. The extra cost of handling
compels us to charge extra for less than
full bundle lots.

Square Feet in Each Bundle Size Each Board, Square Feet Inches Each Board in Number Boards in Each Bundle 160 32x 72 186% 32x 84 32x 96 211/ 213 1/3 240 32x108 266 % 32x120 320 32 32x144 10 240 24 48x 72 280 48x 84 28 10 32 48x 96 48x103 36 10 400 10 48x120 40 48x144 10 480 48

Offices and Stores Walls and cellings in offices, stores and other public buildings must endure hard usage. The strains and vibrations make Sterling Pure Wood Fibre Wallboard practically a necessity. For partitions, window backgrounds and general uses, you will find it most desirable. In remodeling it is quickly and cleanly applied—often without disturbing the occupants of the room. Attics and Garages Or cellars or

barns, for that matter-these are just the places for Sterling Wallboard, It's easy to turn the attic into a light, cheerful part of the house, making an extra bedroom or perhaps a billiard room.

A cold cellar may be made into a light, clean store room or a laundry. Garages may be lined and kept warm through the winter months. It's not an expensive proposition—just figure out the cost of enough Sterling Pure Wood Fibre Wallboard to do one room and see for yourself.

Panel

This illustration how easily Sterling Wall-board is applied.

These Panel Strips are used over the joints of Sterling Wallboard to form neat paneled effects. We suggest the use of strips not less than strips may be used with excellent results on inexpensive work.

Catalog Number	Kind of Wood	Size Inches	Price, per 100 lin. ft.
8281	Redwood	5/16x1%	\$0.75
8282	Redwood	5/16x1¾	1.05
706	Yellow Pine	5/16x1%	1.12
707	Oak	5/16x1¾	2.66
708	Yellow Pine	5/16x2½	1.60
709	Oak	5/16x2 1/2	3.80

Guarantee

We Guarantee Sterling Pure Wall board not to crack, not to crumble or fall, and that properly put up it will give satisfaction under a ll ordinary building conditions. We further guarantee to replace any board which does not conform to the representations we have made or the samples we have submitted.

The Low Cost

In Sterling Pure Wood Fibre Wall-board you get the best value in a wall and ceiling material that can be had and at a price reasonable enough for you to do your work most eco-nomically for you to

The first cost is the last cost—
there is no repairing and repapering
—no additional costs in time, labor,
material, worry and inconveniences
to repaper and replaster, not only
once but many times.



\$4.00

Instructions for Applying

Complete instructions for applying Sterling Pure Wood Fibre Wallboard are furnished with each order. A hammer and nails are the only tools required—any handy man or boy can make a fine looking job with ordinary care. Shipments direct from mill in Western New York. \$ 50

In full bundles-per 100 square feet.....

SPECIAL EX



Red Rosin Sized Sheathing 78c and up per Roll of 500 Square Feet

Rec. Rosin Sized Sheathing has been standard for years and is well known to builders throughout the entire country. Remember that it is economy to thoroughly line your building with a good, durable, high quality paper such as this. This paper has a strong, tough body, thoroughly rosin sized on both sides. Our stock consists of three different weights as priced below. No. 951 is light in weight and suitable only for inexpensive or temporary work. No. 952, weighing 25 pounds to the only for hexpensive of this porary work. No. 952, weighing 25 pounds to the roll, and No. 953 weighing 30 pounds to the roll, are most frequently used in building operations where best results are desired.

Price per Roll of 500 Square feet

No. 951. Light but Strong
and Durable. \$0.78

No. 952. About 25 lbs to
the Roll. \$0.98

No. 953. About 30 lbs to
the Roll. \$1,18

Tarred Felt Used for Roofing, Sheathing or General Building Purposes

Tarred Felt, one of the highest grades of building paper, has many and varied uses. It is used most frequently as a sheathing where high class work is necessary, or as a lining for outbuildings of all kinds. While not intended as a roofing paper it is often used for this purpose with excellent results, and when painted with our Prepared Coating as occasion demands will give satisfactory service for years. It is made in two weights as below. The heavier paper is recommended where expensive work is involved, the lighter paper is exactly the same quality, but not so thick and heavy, and is suitable for ordinary requirements or for temporary work of all kinds. Made only of wool paper felt, thoroughly saturated with coal tar.

No. 954. Heavy; price per roll of about 324 square feet......\$1.95

No. 955. Light; price per roll of about 460 square feet... \$2.25

Deadening Felt

Used to Deaden the Sound between Walls and Floors

Fifty square yards to the roll. Deadening Felt is placed between floors or partitions, and not only serves to deaden sounds, but also makes a building warmer. We especially recommend it for use under our thin flooring when the latter is laid over old floors. It is made of a good quality of wool felt, and is soft and pliable. Its cost is so low that you cannot afford to put up a building without using it liberally. About one pound per square yard.



No. 956. Price per roll of 50 square

Blue Plaster Board A Strong Light Weight Cardboard Used as a Substitute for Lath and Plaster

For finishing summer cottages, at-tics and small inexpensive buildings of all kinds our Blue Plaster Board has no equal. It is put up in rolls 36 inches wide and can be nailed directly to the studding, forming a hard, smooth surface that makes an excellent substitute for lath and plaster. Its color is a pleasing shade of blue. When a small moulding is nailed over the joints a neat paneled effect is obtained. It may be covered with wall paper by first pasting a cheese cloth over the joints to prevent paper from cracking when it becomes dry. For sheathing purposes Blue Plaster Board is the heaviest and most durable paper obtain-

Price per Roll of 250 No. 957. square feet

STOPS ROOF LEAKS

Roof Paint Brush

The most practical brush for applying roof paint. It has stiff, durable bristles, firmly secured in a strong substantial frame and made particularly for this pursubstantial frame and made particularly for this purpose. Furnished with either three or four knots.

3 KNOTS
No. 975. Each........\$1.85
4 KNOTS
No. 976. Each..........\$2.40



Roofing Nails
Barbed Roofing Nails.
1% pounds required for each 100 square feet of roofing surface.

No. 999. 172
per lb. GALVANIZED
No. 1000. 1 in. long, 10/20 No. 1001 per lb.....

Roofing Caps

No. 1002

pound required for each 100 square feet.



No. 975

1002. No. Price per pound Cap only 50 No nails.

Roofing Cement No. 1008 Sufficient cement

coating the seams is enclosed with each roll of prepared roofing. When additional quantities are desired for any purpose we can supply it at the following price: Price per pint.....

Cement Brush

No. 5181
This brusn is 2 inches wide and made of all Chinese Black Bristles, substantially set and bound. Handle is nicely finished. Excellent brush for applying cement on seams of roofing. Price each.

eaky Roofs Quickly and Repair

"Stop Leak" Plastic Cement

A Heavy Waterproof

Cement that will fill every hole or crevice in your roof.

It comes in the form of a paste and is easily applied by any one.

The Trifling Cost

of "Stop Leak" Plastic Cement is saved many times over in the protection it affords your building, and in the freedom it assures from repair bills and all ordinary roof troubles. A few dollars worth of this remarkable preservative will add years to the life of your roof—whether new or old.

"Stop Leak" Plastic Cement is Applied

with a trowel. It is a combination of gilsonite, asphaltum, asbestos and other weather-proofing materials. It will always retain its flexibility; never becoming hard and brittle.

Troublesome Leaks

around chimneys are quickly and permanently eliminated by the use of this cement. Old worn-out gutters may be relined so that they will give satisfactory service for years. In fact the most stubborn and persistent leak may be quickly and easily repaired with "Stop Leak" Plastic Cement. Fifty pounds will cover one hundred square feet one-eighth inch thick.

It is Not Only Water-proof but also weather-proof. It has the body to fill up and

seal all ordinary leaks and loose seams.

Price Per Pound

10 Lb. Cans Made in Black only. No. 5232, Black 61/20

"Stop Leak" Asbestos Liquid Cement

"Stop Leak" Asbestos

Liquid Cementis of the -s a m e high quality as the "Stop Leak" Cement Paint shown on page 63, but is somewhat heavier and of greater consistency, due to the addition of select asbestos fiber. It has been built up from an asphalt base and contains no tar.

An Extra Heavy Coat-

is formed by the use of this remarkable roof which is recommended for building up a new roof or re-surfacing an old roof that is badly worn. Covering capacity 50 to 100 square feet per gallon.

田田田田 10 '1 11 11 ON ROOFS-OLD SNEW

A Layer of "Stop Leak" Asbestos Liquid makes a continuous sheet of roofing, without seams or nailholes and will add from five to ten

ı	years to the life of an old	l roof.		
Ĭ	Price	Barrels Per Gallon	5 Gallon Can Per Gallon	1 Gallon Can
ı	No. 5241. Black	640	880	960



Dumb Waiters Are Easy to Install Will Quickly Save Their Cost



No. 3263 New York

Dumb Waiters

The erection of a dumb walter is a very simple operation, easily accomplished by any handy man with the help of a wrench, screw driver, hammer and saw. Contrary to the general belief, there is nothing difficult about it when following the simple directions supplied with each machine.


Most users have some particular place for their waiter, each using a special size car and operating at various heights. For this reason our price does not include car, ropes nor weights. Any one can make a car, and rope and weights may be easily obtained locally.

If necessary to secure com-plete equipment, prices will be quoted when you give us full in-formation, including correct sizes and description of the position where waiter is to be used. Shipment is made direct from factory located in New Jersey.

The New York

Sultable
for well
holes up to 24 linches in size.
Provided with grip so that when
car is loaded beyond balance it
may be held at any desired
point. Capacity, 50 pounds.
Complete directions with each
order.

The



The National This waiter is adapted to all places where 30 pounds or less are to be carried. Each machine is packed in box and includes full directions for installing. Easily erected by any handy man. Not suitable for use in well holes larger than 18 inches square. Dlameter of large wheel is twelve inches and the small wheels 3 and 4 inches. Each set contains one large wheel and five small wheels, Rope, weight and car not included. Any ordinary sash weights may be used.

No. 3264. Dumb Walter.
Price, per set.......\$14.75

The Paragon This design structed that the car may be held at any desired point by an automatic locking device. It works easily and with perfect safety; the moment the operator releases the rope the clutch operates and holds the car in piace. The Paragon takes only about one-third the rope required by the New York Waiter; it has a little greater lifting capacity and may be used in well holes up to 27 inches square. It is very simple and any handy man can easily erect it with the ald of the simple directions supplied with each machine.

Our price includes the fixtures

Our price includes the fixtures only, since most users install them in special openings or positions. We do not furnish the car, weights, ropes nor wood guide runs.

The Paragon is an exceptionally well designed and serviceable dumb waiter. It will give the utmost in service of lon.

and satisfaction. Capacity 50 pounds 75 pounds

Look At These Ladder Prices!



Wizard Step Ladder

substantial and durable ladder, strong-ly and securely braced. At the price this ladder is without an equal. Equipped with paint shelf, Made of selected stock throughout.

Height, 5 ft..... \$1.95 Height, 6 ft...... 2.35 Height, 8 ft..... 3.10

Suspended Porch Settee



for swing 42 inches long



Little Giant

This ladder is rodded every other step. Has steel hinge or ear to which top is securely riveted. Braces are steel bound. Strong and safe. With or without paint shelf as desired. Solidly constructed of selected material.

material. Height ..5 Feet 6 Feet 8 Feet Price with Shelf ..\$2.60 \$3.10 \$4.15

Long Ladder

Suitable for use on the farm or by painters. Strongly con-structed of thoroughly dried, se-tected hardwood stock. The best ladder for all-around use

on	the r	nar	'ke	t.		
L	ength					Price
12	Feet				 	 .\$3.10
						. 3.60
16	Feet				 	 . 4.10
18	Feet		٠.		 	 . 5.10
20	Feet				 	 . 5.60

Long Common Extension Lad-Ladder der

This Extension Ladder has malleable iron gravity drop hooks with lug, which extends into sides of ladder and supports the weight. Strongly and solidly made of hardwood with hickory rungs. Fully tested before leaving factory. Price Length

Ft., \$ 7.70 20 22 Ft., 8.15 24 Ft., 8.90 26 Ft., 9.65 28 Ft., 10.35 Ft., 11.10 30 32 Ft., 11.85

34 Ft., 14.80 36 Ft.,

No. 2073 All ladders shipped direct from factory in Northern Indiana

13.95 No. 2075 Narberth, Pa. Feb. 13, 1920.

I also take this opportunity to thank you for the interest and consideration given to our orders which proved to be quite satisfactory in both quality and workmanship.

Yours very truly,
Thomas A. Kerrigan.

HANDSOME COLONNA

UP-TO-THE-MINUTE DESIGNS

for

prices

of

other

woods.

Jambs and Trim

NOTE

S e t O a k Jambs....\$4.25

July 10, 1919. Bemidji, Minn., Am highly

> Yours truly, Gov. Clark.

AN UNUSUAL PRICE BARGAIN



BOOKCASE COLONNADE



PEERLESS COLONNADE



HIGHEST GRADE CABINET WORK

Plainly State Kind of Wood No. 736 A Round No. 736 B Square Column Style Wanted Golumn Style ionio Composition Capitals at Top of Columns. This columnade is carried in stock in both yellow pine and oak in the following sizes, for quick shipment: Any width from 6 ft. to 9 ft. Any height from 7 ft. to 8 ft. Prices Prices for Colonnade, unvarn-ished. named for Yellow Pine Oak No. 736A. (Round columns) also apply ...\$27.60 Birch. Write No. 736A. (Round columns)

ONE of Our MOST POPULAR DESIGNS

No. 736B. (Square columns)

30,60

31.10


Design No. 860 With Square Columns And Up Size of Open-Yellow Oak Pine ing \$38.50 6x8 ft. 8x8 ft. 8x9 ft. 10x8 ft. 10x9 ft. 12x8 ft. 12x9 ft.

A fine example of high grade cabinet work,

36.45

39.50 10.00 40.50

NOTE DRAWER AND BOOKCASE




ONNADES AT FACTORY E DESIGNS-WORKMANSHIP UNEXCEL



Reverse side shows a neat paneled effect.

Hardware for above design, \$1.73



A Beautiful and Massive Design



Plainly State Kind of Wood Wanted

Prices Named for Oak Also Apply to Birch.

Write for prices! of other woods



Reverse side of bookcase is neatly paneled. State whether round or square columns are wanted

Jambs and Trim

NOTE

These prices are for colon-nade only and do not include cap trim, side casing nor implementations. casin jambs.

If 3 member cap trim and side casing complete are wanted, add the following:

Side Yellow Pine Trim as illustrated \$1.98

Si de Oak Trim as illus-trated.....\$3.82

Inside jambs for 2x4 ln. stud-ding as follows: jambs

Set Yellow Pine Jambs.... \$1.75

Set Oak Jambs....\$4.25

Dec. 30, 1919. Ladysmith, Wis was well pleased with all goods or-dered from you, in quality they were even they were even beyond expec-tations, and I thank you for your straight forward busi-ness dealings with me. I shall certainly recommend you to my custom ers. Yours Respectfully, Cyrus Stanton.



12x8 ft. 12x9 ft. (Each colon-nade requires The illustration of Colonade No. 744 shows suare columns but we can two sides of furnish round columns when so ordered at the same price. trim.)

Design with Grille above Columns



BREAKFAST NOOK



A Breakfast Nook is one of the most popular fea-tures of medium priced homes, par-ticularly bunga-lows.

ticularly bungalows.

To the woman who does her own ho use work a Breakfast Nook is like other labor saving devices. It ellminates work and saves time. It may be made very attractive and is very often used for quick lunches as well as breakfast.

The design shown above may be placed in one corner of a kitchen if desired, or in any convenient position. The table measures 30 inches high, 30 inches high, 30 inches long. It may be moved for cleaning. The seats are 4 feet long, 18 inches from floor and the back is 3 feet 6 inches high, 30 feet 6 inches high, 30 feet 6 inches high, 30 inches long. It may be moved for cleaning. The seats are 4 feet long, 18 inches from floor and the back is 3 feet 6 inches high, 30 inches bligh. This Nook is manufactured in the best possible manner from solid.

manner from solid

.....\$32.40 35.45

COLONNADE COLUMNS

Nos. 856 and 857 consist of columns for use in openings between rooms to form a colonnade effect. The same raice applies to both designs of round and square columns of high grade cabinet work, unvarnished.


Your choice of woods such as Birch, Cypress, Sycamore and Poplar may be had at the same price as for the Oak.

Price applies to columns only and does not include jamb or trim.

PRICES No. 857 Square No. 856 Round PRICES No. 857 S Net Price for EACH Column, either No. 856 or No. 857, Unvarnished.



MODERN SIDEBOARD



Practically all new homes and apartment buildings are now equipped with built-in furniture. A late design that will make a strong appeal to lovers of good furniture is shown above. This built-in sideboard is made to project 18 inches from the wall. It is 5½ feet wide and 4½ inches from floor to counter shelf. The selected plate glass mirror measures 16x56 inches. There are five large drawers and two small ones where shown in illustration. A cupboard space with two shelves is placed on each side, and is enclosed by door glazed with clear plain glass with wood bar divisions. Priced without hardware.

No. 815. Yellow Pine		\$69.25 No. 8		Oak	
Select hardware from this catalog, or we suggest the following:	$\left\{\begin{array}{c}12\\2\\2\\2\end{array}\right.$	Metal Drawer Knobs Cupboard Turns Pair Butts	No. No. No.	2922 3144 3133	2.18



Width, up to..... Net price, unvarnished..... . \$9.95 \$12.50

AND BOOKCASE MANTEL



Bookcase No. 4713 Mantel Shelf No. 4716 Bookcase No. 4714

Bookcase No. 4713

Bookcases

The bookcases are made as shown in illustration. The doors are glazed with selected clear leaded glass. Three strong shelves in each case are supported by heavy when desired, these book cases may be made with finished ends to stand out from wall like an ordinary piece of furniture at a small increase in price. Cases have two drawers of ample size in base. They are 12 inches deep, 48 inches wide and 54 inches high.

Mantel Shelf No. 4716 is 2 inches thick and projects 11 inches from wall. It is supported by brack-test and finished with a neat moulding. Width, 5 feet.


For doors and drawers is not furnished at the prices quoted, because most buyers wish it to correspond in the building. You may select proper hardware in the hardware section of this book.

in the hard	Yellow Pine	Oak
	Bookcase, each \$29.70	\$32.75
No. 4714.	Bookcase, each 29.10	32.15
No. 4716.	Mantel Shelf 14.65	16.15

GRILLE OR FRET WORK

We select all woods used in the manufacture of grille work for uniformity of color and beauty of grain and produce results that never fall to please the most exacting.

In ordering always be careful to specify the exact width of your grille. Also give drop if necessary to have a particular size, otherwise we make drop proportionate. Prices apply to oak or woods of equal value. Plainly state kind of wood wanted.



6 feet \$10.25 5 feet \$8.65 Width, up to...... Net price, unvarnished. -\$6.95

Birch cabinet work may be supplied at the same price as that named for Oak.

IN CABINET

A Popular Buffet-China Closet



General Specifications:

Made either from Clear. Yellow Pine or Selected Oak, thoroughly kiln dried.
Doors glazed either with clear double strength glass or leaded crystal sheet as illustrated. trated.

Best quality Beveled Plate Glass Mirror above countershelf.

Three strong wood shelves in each side section held in place by heavy steel pins furnished as part of the equipment.

No. 476 is 7 ft. 6 in. wide and 5 ft. 6 in. high. Depth, 18 ins. This cabinet has 9 large drawers, 2 doors and heavy countershelf. Hardware not included.

\$2.34

Shipping weight about 450 lbs. Price for cabinets unvarnished. No. 476A. Yellow Pine, clear double strength glass in doors and side sec-...\$ 94.15 No. 476B. Yellow Pine, glazed clear leaded crystal sheets as Illustrated... 105.35 No. 476C. Selected Oak, clear double strength glass in doors and side sec-.... 103.50 tion No. 476D. Selected Oak, glazed clear leaded crystal sheet as illustrated 114,70 Clear Birch, glazed clear double strength glass in doors and 476E.

103.50 side section . No. 476F. Clear Birch, glazed clear leaded crystal sheet, as illustrated 114.70 Extra for all necessary hardware: 2 Cupboard Turns No. 3143. 2 Pair Butts No. 3133.

Attractive Sideboard

Another design that has proven very popular,

In height it is 5 feet 2 inches. The In height it is 5 feet 2 inches. The distance from floor to top of countershelf is 3 feet, 6 inches. The depth of the cabinet is 17 inches. The long plate glass mirror measures 62x12 inches. Patterned brackets on each side of the mirror have a face 3 inches wide, which is also the measurement of the countershelf face. There are seven drawers and two closets in this sideboard, the latter behind glazed doors as illustrated. Weight, about 350 lbs. No hardware. Price of sideboard unvarnished.


Necessary Hardware, extra, \$1.74



No. 491A. Clear Yellow Pine \$69.80 \$75.95 No. 491B. Clear Red Oak 72.95 79.25 No. 491C. Clear Birch 72.95 79.25

A Dignified Design of Nice Proportions

Frequently found in apartments and the finer homes. In width, this sideboard measures 7 feet, while the extreme height is 4 feet, 10 inches. The distance from floor to top of countershelf measures 3 feet, 4 inches. The depth of the



No. 492

No. 492B. Clear Red Oak.....

inches. The depth of the sideboard is 16 inches. There are three mirrors above the countershelf, that in the center, 34x12 inches, those on the side, 14x12 inches. In the lower section there are three large and two smaller drawers, also two large closets with shelves behind doors glazed with clear leaded glass. Weight is approximately 450 lbs. No hardware included. Price of sideboard unvar-Price of sideboard unvarnished.

104.95 No. 492C. Clear Birch Extra for necessary hardware, \$1.54 104.95

A Very Late Design

One of the newer sideboards, resting on short legs, allowing space between the bottom and floor. The extreme height is 4 ft. 10 in. The distance from floor to top of countershelf is 3 feet, 4 inches. The depth of the cabinet measures 16 inches. A long plate glass mirror above the countershelf is 62x12 inches; the face of the countershelf measures 2½ inches. In the bottom section there are five



drawers of ample size, on each side of which there is closet space reached by glazed doors. The weight is approximately 350 lbs. Hardware not included. Price for sideboard unvarnished.

				5 F	t. Wide	6 Ft. Wide
No.	490A.	Clear	Yellow	Pine\$	56.75	\$63.35
No.	490B.	Clear	Red O	ak	59.95	66.50
No	490C.	Clear	Rirch		50 05	66 50

Necessary hardware, extra, \$1.54.

China Closet or Sideboard

Built to set in recess with top section even with

This is an exceptionally well built and attractive design intended to be built into a recess in the wall. In width it measures 5 feet. In height it measures 7 feet to the head jamb in recess. It is 14 inches deep. As shown in illustration, this cabinet has a large bevel plate mirror 54x12 inches above counter shelf. The doors in the upper section and two doors below are glazed with clear leaded glass. The cupboard space is provided with shelves. shelves.

The section supporting counter shelf contains four large and two small drawers. Shipping weight about 400 pounds.

Hardware, side casing and cap trim extra price

CLO DITO WILL C	701011,	
No. 474A.	Yellow Pine	.\$75.90
No. 474B.	Selected Oak	. 82.30
No. 474C.	Clear Birch	. 82.30

Extra for necessary hard-ware, com-plete\$2.96

Trim

Inside trim consisting of base blocks, side casing and threeand three-member cap trim as illus-trated for de-signs Nos. 464 and 466 will be supplied at the following extra prices:

1 Side Trim complete, Yel-low Pine \$1.58

1 Side Trim complete. Oak



No. 474

BUILT-IN CHINA CLOSETS AND BUFFETS

HANDSOME, MOD-ERN, CONVENIENT This Handsome Buffet

China Closet is designed and constructed in a manner that will strongly appeal to the most critical and discriminating taste. It presents a massive, substantial appearance, carrying with it a sense of richness and value not to be secured in ordinary furniture. The tendency of the times is toward the more general use of "built in" turniture, a fashion that is not only most practical and sensible, but one that makes possible greater beauty in home decorations.

General Specifications

Made either from Clear Yellow Pine or Selected Oak, thoroughly kiln dried.

Doors Glazed either with olear double strength glass or leaded crystal sheet as illustrated.

Best Quality Bereied Plate Glass Mirror above counter-



485

SOLID OAK OR YELLOW PINE Three Strong Wood

No. 485 is 6 ft. 6 in. wide and 5 ft. 6 in. high. Depth, 18 ins. This cabinet has 7 drawers, one of a convenient size for silver, 2 doors and heavy countershelf. Hardware not included. Ship. wt., about 400 lbs. Price for cabinels unvarnished.

No. 485A. Yellow pine, clear, double strength glass in doors and slde No. 485B. Yellow pine, giazed clear leaded crystal sheet as section

\$91,95 crystal sheet as 1931-30 illustrated ... Selected oak, clear double strength glass in doors and side \$87.25

section

No. 485D. Selected oak, glazed clear leaded crystal sheet as \$96.50

illustrated Extra for all necessary hardware.

2 Cupboard Turns. No. 3143....
2 Pair Butts No. 3133.....
\$1.74

China Closet or Sideboard

China Closet or Sideboard
This Sideboard
It is made 5 feet wide and 7 feet high to the head jamb in recess. The bottom section has 4 large linen drawers and two additional drawers suitable for silverware, etc., and there is also ample closet space on each side. The top section has 3 strong shelves supported by heavy steel plins where shown, and all enclosed by 4 glazed doors made in pairs. A beveled plate glass mirror of the best quality is placed in the back immediately above the counter shelf where shown in the illustration. Hardware, side casing and cap trim take extra price. Shipping weight, about 300 pounds. The following prices are for case unvarnished, and do not include cap trim and side casing: No. 503A. Yellow pine, doors glazed with leaded crys- \$73.50 No. 503C. Selected oak, doors glazed clased crystal glass, as illustrated oak doors glazed leaded crystal glass. ... \$70.95
No. 503D Selected oak doors glazed leaded crystal glass as illustrated... \$78.80 No. 503D Selected oak doors glazed leaded crystal \$78.80 glass as illustrated....

No. 503 Extra for all necessary hardware: A Large Roomy Sideboard

This Cabinet is made 5 feet wide and 7 feet high to head famb in recess. The depth of top section drawers and two drawers suitable space on each side. Top section has strong sheives supported by heavy steel pins where shown, all enclosed by four glazed doors. Three mirrors of best beveled plate as shown by illustration are included. Hardware side casing and cap trim take extra price. Shippling weight, about 400 pounds. Price for case, univarnished:

No. 466A. Yellow Pine, doors glazed clear plain dou\$177.40

No. 466B. Yellow Pine, doors glazed leaded crystal \$85.15

No. 466C. Scleeted Oak, doors glazed clear plain dou\$178.40

Straged clear plain dou\$179.40

Straged clear

1 Elbow Catch, 3136 5 Turns, 3143 3143 6 Pair Butts, 3133 10 Drawer Pulis, 2920 No. 466
Inside trim consisting of base blocks, side casing and three-member cap trim as illustrated for design 466 will be supplied at the following extra prices:

ng extra prices:
Side Trim complete, Yellow Pine \$1.58
Side Trim complete, Oak 2.98

A Modern Conservative Design

This cabinet is manufactured in the following size, and is made to set back in wall: Width over all, 4 feet 6 inches; height over all, 7 feet; depth, 14 inches. The bottom section contains 4 drawers and large closet space behind the pancked door shown in illustration. Best beveled plate mirror above counter shelf;

2 strong shelves supported by steel plus; top section enclosed by glazed

Following prices are for cabinets unvarnished. Hardware, side casing and cap trim not included. Shipping weight, about 300 pounds.

No. 480B. Yellow Pine,

glazed with leaded crystal \$64.30 sheet as illustrated.....

No. 480C. Selected Oak, glazed with clear double \$60.30 No. 480D. Selected Oak, doors

glazed with leaded crystal \$67.95 Extra for necessary hardware..\$1.62

China Closet or Cupboard

No. 478 is built to set back in a recess and is made in the following dimensions: Width 3 feet 6 Inches, height to head jamb in recess 7 feet, depth 14 inches. The bottom section contains 2 large drawers suitable for linen and 2 smaller drawers suitable for silverware, etc. Top section is enclosed by a pair of glazed doors, behind which are 2 strong shelves supported by heavy steel plins furnished as part of the equipment. Illustration shows a wood panel above the counter shelf, but if necessary we can supply a plate mirror in this position at \$5.00 additional.

The following price represents the

sary we can supply a plate mirror in this position at \$5.00 additional.

The following price represents the cost of the case unvarnished all complete except hardware, side casing and cap trim, which items are often desired to match the hardware and interior trim of your building. Shipping weight, about 200 pounds.

No. 478B. Yellow Pine, \$41.75

No. 478B. Selected Oak, unvarnished

Extra for hardware:
2 Pair of Butts No. 3133
1 Elbow Catch No. 3133
1 Elbow Catch No. 3141
6 Drawer Pulls No. 3141
8 Solution of base blocks, side casing and 3 member cap trim. Yellow Pine \$1.50
Oak trim, as above 2.75



No. 478 Built to set in recess.

Birch Cabinets may be supplied at the same price as that named for Oak



BUILT-IN FURNITURE OF ALL

BUILT-IN CABINETS FOR KITCHEN OR PANTRY



No. 481. To be placed against wall

Built-in Furniture for Kitchen and Pantry is ences now within reach of the average housewife. At our prices they are no longer luxuries but actual necessities. The convenience and comfort resulting from their use make them indispensable. Their value as labor savers is readily apparent to every woman while their beautiful appearance makes of them a fitting ornament in any household.

SPECIFICATIONS

No. 481

This case is carried in stock in the following size: Width over all 5 feet. Height 7 feet. Depth of top section 12 inches. Depth of bottom section 16 inches. Top contains 2 shelves and 2 doors, the latter glazed with best double strength glass. Bottom sections contain 3 large drawers, 1 tilting flour bin and 1 roomy closet with shelf. All complete except hardware. Shipping weight about 350 lbs.

No. 482

The dimensions of this case are as follows: Width over all 6 feet. Height 7 feet. Depth of top section 12 Inches. Depth of bottom section 16 inches. Top contains 4 doors giazed with best double strength glass, also 2 shelves. Bottom section contains 5 drawers, 1 tifting flour bin and 1 large closet space with shelf, All complete except hardware. Shipping weight about 450 lbs. space with shell cept hardware, about 450 lbs.

No. 482A. Yellow Pine, unvarnished... \$56.25

No. 482B. Oak \$62.75

1 1 91 . P. J. W. 11.

No. 482. For corner of room with end against side wall.

You may select suitable hardware from this catalog, or we suggest the following:

2 Elbow Catches 3 Cupboard Turns 6 Pair Butts 7 Drawer Pulis

\$2.18 Extra.

3 Cupboard Turns 4 Pair Butts 4 Drawer Pulls No. 3143 No. 3133 No. 3147 Peerless

Your own selection of hardware may be made, from hardware section of catalog, t we suggest the following:

Ironing Board Cabinet

Among the many built-in conveniences found in the modern home, none finds a place of greater utility than a good, substantial ironing board cabinet.

The Peeriess is one of the most practical cabinets we have seen. It is built with greater strength than is actually necessary. All working parts are oversize, assuring for you years of satisfactory service. It is simple, strong and rigid. There are no adjustments and nothing to get out of order.

ments and nothing to get out of order.

The ironing board and the sieeve board operate independently, the latter being foided back when the large board is in

only clear, thoroughly seasoned lumber is used in the Peerless. The back is of three-ply laminated fir. It is made to fit in the waii between standard 2x4 studs placed 16-inch on centers. The outside measurements are: width, 13% inches; depth, 4% inches, In height, will line with a 6 ft. 8 in. door, It may be used in old or new buildings. Comes to you ready to install.

Door casing and back band and

Door casing and back band and

door hardware not furnished with cabinet

No. 513 Boards folded back

Drawers for Cabinet Work of All Kinds



Sultable for cabinet work of all kinds. Well made with Oak or Yellow Pine exposed parts, balance soft woods. Shipped in the knock-down. Note that in the following list you can select sizes so that two narrow drawers will finish the same width as a wide drawer and allow for a division strip between the narrow drawers. State whether a lipped front or flush front is wanted. Sizes are outside measure. No. 507A. Front Flush with outside of case.
No. 507B. Lip Front projecting beyond edge of drawer.

Width, Inches	Height, Inches	Depth, Inches	Yellow Pine	Oak
1514 1714 1914 32	4 % 4 % 5 % 6 %	18 18 18 18	\$1.30 1.55 1.75	\$1.45 1.60 1.95 2.20
36 40	6% 7%	18 18	2.20	2.45

Drawer or Pantry Case



The drawer case as shown is intended particularly as a fitting for clothes closets. It is made with three large drawers and its value and convenience will quickly appeal to the busy housewife. It is made to order in sizes up to 3 feet wide, 2 feet 8 inches high and 16 inches deep, with yellow pine top and front. Not seajed at back and sides, Shipping weight, 80 pounds, Price........\$11.65 Extra, for six Drawer Pulls 30

Flour Bin

Made of Yellow Pine, 1 foot 6 inches wide, 2 feet 6 inches high; top 17 inches deep, bottom 9 inches deep. Usually shipped in the knock down as a matter of convenience and to save freight charges. Easy to set up. Made so that it may be fastened at bottom front edge with a loose pin butt and removed at will.

The lumber from which this bin is made is thoroughly kiln dried, consequently the finished article will retain its shape. It will not warp or draw out of shape.

No. 508A. No. 508B. Yellow Pine, knockdown.....\$3.60 Yellow Pine, put together......3.95

> **Medicine Cases** Door Glazed with Polished Plate



Nos. 460 and 461



No. 508

tos, 460 and 461 require a wall opening 22 in, wide and 27 in, high,


lipping weight, 25	IDS.	
. 460. Yellow P	ine. Price	
. 461. Oak, Pric	ce	9.55
	; Nickel Plated	
	460 IN-	

Designs No. 462 and No. 463 have a draw-shown in illustration, and require a wail opening 22x32 inches, No. 462. Yellow Pine. \$ 9.55 No. 463. Oak 10.35

Extra for necessary hardware; Nickei Plated.....

Every new home should have a Majestic Coal Chute in the foundation. It protects against damage—lessens depreciation—saves money and enhances property value. Provision should be made for it when building. In houses already erected, it can easily be installed in the space now occupied by a basement window. Has heavy steel body, pressed steel door and frame,

and heavy boiler plate hopper. Patented hinge holds door open, protecting building above opening when coal is delivered. Every Majestic chute has automatic gravity latch which can only be opened from the inside. Chain attached to latch permits unlocking at a distance from the coal bin. These coal chutes last the life of the building. They are recognized as standard building equipment by architects and contractors,



No. 5490 to 5497 Open and Closed Views.

Numbers 5490 and 5494 are more than coal chutes, they are windows as well. Doors are fitted with 14-inch wired glass panels which are protected by a steel shield when open. When closed the shield lies flat in the bottom, allowing the daylight to shine into the coal bin, lighting the basement. They are furnished complete with hopper

Numbers 5491 and 5495 are furnished with wired glass panel and shields as shown, but without hopper.

Number	Description	Wide	all Openi High	ng Deep	Shipping Weight	Price
5490 5491 5494 5495	Glass panel with hopper Glass panel no hopper Glass panel with hopper Glass panel no hopper	24 in. 33 in.	17 in. 17 in. 22 in. 22 in.	13 in. 13 in. 18 in. 18 in.	85 lbs, 70 lbs, 160 lbs, 140 lbs,	\$12.00 10.80 21.60 19.45

8/				
	- FI			Company of the Compan
- Contraction				
1.1				STAN SAME
		On a character and	1	

No. 5500 to 5505 Closed and Open Views.

Numbers 5500 and 5501 Coal Chutes are furnished with pressed steel our and hopper as illustrated above. Hopper can easily be removed desired.

Numbers 5502 and 5503 Coal Chutes are also furnished with pressed steel door, but without hopper. Hopper can be added at any time if desired.

Coal Chute number 5504 is built for 8-inch basement walls, Furnished with 9-inch straight bottom body instead of sloping bottoms as used in chutes previously described. Door is pressed steel equipped with gravity latch, but without chain or hopper.

The Coal Chute number 5505 is also built for 8-inch basement walls and is furnished with 9-inch straight bottom. Equipped with glass paneled door with gravity latch, but without latch chain or

		Wall Opening			Shipping	
Number	Description	Wide	High	Deep	Weight	Price
	Cast panel with hopper.		17 in.	13 in.	80 ibs.	\$ 9.60
	Cast panel with hopper		22 in. 17 in.	18 ln. 13 in.	150 lbs. 65 lbs.	19.20
5503	Cast panel no hopper	33 in.	22 in.	18 in.	130 lbs.	17.05
	Cast panel no hopper		17 in.	9 In.	57 lbs.	7.20
5505	Glass panel no hopper	24 in.	17 in.	9 in,	63 lbs.	9.95

NOTE: In selecting a coal clute it is well to remember that the hopper is very essential where coal will be delivered in baskets or bags, or wheeled in, in a wheelbarrow, as it prevents the scattering of coal on the lawn or walk and makes it more convenient for emptying basket or bag. Where it is desirable or more convenient to unload coal direct from the wagon, using a long wagon chute the hopper is not necessary. Therefore, we quote prices on the clute with and without hopper.

For the above amount we agree to furnish all material to build this house, No. 193, consisting of lumber, lath, shingles, flooring, building paper, millwork, guttering, tinwork, hardware, paints-everything but labor, plaster and masonry, plumbing and heating.

The cost of labor and masonry varies in different localbut allowing a fair average price for these items, this house should be built for \$5200.00 complete.

PLANS FREE Upon receipt \$2.50 we shall promptly send to you, all charges prepaid, the complete set of architects' blue-prints, specifications, itemized bill of materials and our estimate showing what the goods will cost delivered to your nearest freight station. A small preliminary charge is made for the plans as a protection against curiosity seekers who have no intention of building, but when your order for the material

Design No. 193. Size $29\frac{1}{2}$ x39 $\frac{1}{2}$ feet not including porch or bay. An extra room upstairs.

In addition to this catalog we publish a su-

rial, and save for you at the very outset architects' fees

amounting to from \$50.00 to \$75.00.

perbly illustrated plan

book filled from cover to cover with beautiful, modern designs of convenient bungalows, handsome suburban residences, town houses, practical country homes and barns. You are sure to find just the plan you are looking for among the many attractive designs contained in this book.

This Plan Book of Modern Homes is Free

Write for a copy today, or

feet not including porch or if any of your neighbors expect to build, tell them about this valuable book. It is sent absolutely free, postage prepaid, to any one interested in building. Write for a copy tocomplete or for any reasonable amount is received by us, we deduct from the purchase price the amount paid for the plans. Thus the latter are entirely free to users of our mate-

Grate Outfit No. 2






Outfit consists of east iron grate complete, ready to be shoved into fireplace and requiring no mason work whatever. Back is of heavy cast from with heavy tile to reflect heat. Draft is controlled by two dampers in top. Summer piece for this grate is of pressed steel. Shipping weight, 165 lbs.

Rustless Black Finish Oxidized Copper Finish Size 244x304 inches. \$15.50 \$13.60 \$13.60 If summer front is not wanted, deduct 50c.

Grate Outfit No. 4




Ratchet Damper



No. 3399, 9 in. deep, 24 in. wide. \$2.10 No. 3400, 9 in. deep, 30 in. wide. 2.65

Folding Screen or Spark Guard



This screen is made of spiral or mattress weave cloth on a spot welded frame ¼ in. diameter. The trimmings are all solid brass; the balance of screen black

ANDIRONS

Made of cast iron with either Black or Hammered Brass finish. The latter finish is applied by an electroplating process and is very serviceable. This brass finish is attractive and is becoming very popular.



Automatic Ash Dump



No. 3403. Self opening and closing, about 6x8 inches.

Fire Set

No. 3414. Fire Set, consisting of shovel, poker and clinker tong with rack. Black finish. Price, as illustrated\$4.40


NOTE

All fireplace accessories on this page shipped direct from Ohio factory



18 Inches High. No. 3422. Black Finish\$4.80 No. 3423. Hammered Brass Finish ... 6.40

Portable Basket Grate



For use in open fireplaces, for wood or coal. No. 3386. Black, 22 in. wide.......\$6.10 No. 3387. Black, 24 in. wide...... 6.40

Portable Grate



Depth 12 in. 13 in. 13 in. 13 in. 13 in. 13 in.

Dome Damper

Ash Pit Door



No. 3401. 8 in. x No. 3402. 10 in. x

Used with Used with brick or tile irreplace to control draft from face of mantel. Made of cast iron 13 in. deep over all and must be built in with brickmust be built in with brick-work. Draft adjusted by turning handle. There is a projection beyond the following sizes to secure proper anchorage in brickwork.

..\$5.75 .. 6.40 .. 7.20

Saved about \$400.00

Sept. 21st, 1921.

Chicago Millwork Supply

Chicago, Ill. Gentlemen:-

My father purchased lumber and building ma-terial fron: you about four years ago. It was the best lumber that ever came to the town, and also saved about \$400.00.

Yours very truly, R. C. Price. New Philadelphia, Ohio.

Wire Spark Guard

Used to prevent sparks from flying from the fire back into the room. Should be used with every open fire-place.

Coppered fine wire lining. For grates 301/4 inches high.

No. 3611. 24 inches wide\$2.90 No. 3612. 30 inches \$3,20 wide No. 3613. 36 inches wide _____\$3.60

No. 3614. 42 inches

wide __

.....\$4.30



Beautiful Church

Cost People Much Believe



The Quiet Restfulness of Vast Cathedrals is Due Almost Wholly to Lighting Effects

The soft, yet glorious beauty, of the ART GLASS WINDOWS is the real secret of the attractiveness in the furnishings of most churches—whether large or small.

Your church is not complete until it is equipped with Art Glass Windows. There is no furnishing in a church more essential, or that will afford so great satisfaction to the congregation. No matter how simple and plain the building or the furnishings may be, these windows immediately transform it into a place of beauty and reverence.

The price may be whatever you choose to make it—from a very insignificant sum, up to a considerable amount, dependent wholly on the elaborateness of details.

Cost of Art Windows

These windows are often considered too expensive by the uninformed. As a matter of fact you can install these beautiful windows and can afford to replace the old plain windows at a cost very little greater than plain or imitation paper decorations.

Even small mission churches can now afford the genuine art glass windows. Do not consider any substitute for real stained glass when you can get the genuine for so little cost.

You can discard your plain glass windows requiring cloth shades to break the sun rays—and substitute our restful, genuine art glass windows at very little expense. Let us quote delivered prices on your actual requirements.

When Giving

Always give the width first and the length last.

Prices Shown on This Page

are for glass only unless otherwise specified and do not include the wood sash. There is a wide variation in desirable sizes, consequently we suggest that you tell us of your requirements and let us send you an estimate on such windows that you may need. Give us the number wanted, the size and design number. Follow the instructions at foot of this page. If you find nothing suitable among these designs let us send you additional library that lack of space will not you additional illustrations that lack of space will not permit us to show here.

We can, if necessary, make you water color drawings of windows designed to meet with your individual

We Use The Genuine Opalescent

Class in these windows. Opalescent glass gives soft, rich effects of color and still admits sufficient light into the room. This glass will not prove bothersome to the eyes when under strong sualight, a quality peculiar to itself and of the utmost importance in producing satisfactory lighting effects in churches, auditoriums or cathedrals. No two pieces of opalescent glass are entirely alike in the markings, and it is this variation, brought out under different lighting conditions, that gives the glass its great beauty. The oftener such windows are viewed the more they will appeal to and please the beholer.



Church Windows
These windows are glazed with figured obscure glass—one cannot see through it, yet it admits the light. No cloth shades needed.

Prices quoted include 1%-in. thick wood sash and glass complete as shown. Can also be made with square or circle top at same prices.

In table herewith we quote net prices on three most popular sizes of windows in use. We can make these windows in any size to fit your frames in the building. Smaller sizes than those listed will take the price of the next larger listed size. For example: If your windows measure 2-8x9-0 they will take the 2-10x9-0 prices.

Write us for special prices on windows larger than 2-10x9-0.

2-10x9-0.		
, Size	No. 1290	No. 1291
Sash Opening	Glazed Florentine Glass	Glazed Chipped Glass
2- 6 x 6- 6	\$12,95	\$16.20
2-8 x 8-0	14.45	18.80
2-10 x 9- 0	15.57	20.90



No. 1314

Let us quote prices on your actual requirements



No. 1322

The cost of windows of this kind depends upon size and number wanted. Give us this information and let us quote delivered prices.

The Colors For Any Design on this page may page may Tell us. be made to harmonize with your interior decorations. Tell us the shades that must predominate and the artists will see that satisfactory results are secured.

INFORMATION BLANK

To enable us to offer exact estimate of cost for your work, send complete information in regard to number of windows, their shape and sizes wanted. We can get this data from your blue prints; If not available send rough sketch showing shapes of your windows, and answer the following questions;


s: windows wanted for old or new church?..... WIII you want painted figures?.....What subjects?.....

Gothle Top Circle Top AND SIZES.

AND SIZES.

Square Top

Also state if single sash, one place (see sketch C) or 2-light check rall windows to raise and lower on weights (see sketch A or B) are wanted and give thickness of sash 13%-in., i34-in., or heavier.



checkrail. Gothic top change on weights.
Window, 2-light, checkrail, ½ circle top, to be hung on weights.

\$2.65 Per Square Foot For This Glass. Genuine Opalescent Leaded Glass

No. 1293



No. 1315 \$2.50

Per Square Foot For This Glass. Painted Figure Extra. Price De-pends Upon Size.





HOUSE PAINT

Qur Wearwell Brand of House Paint is positively guar-tion. It is manufactured under the supervision of expert paint chemists and has proven, by many years of actual test, to be a perfect paint

rhe Ingredients used in its composition are of the highest standard of quality and are combined in exactly the proper proportions to insure ease of application, greatest covering capacity and extreme durability.

The Colors used in preparing the various tints, shown on
our Color Chart, are selected with special care
and are in all cases the best obtainable—a fact which insures
the maximum of permanency.

Our Wearwell Paint has been made formula for over 15 years and has been used by painters as well as by inexperienced men. After preserving a record of actual results obtained, we are so convinced that this is the BEST and ONLY paint that can be safely used by anyone, however inexperienced in house-painting, with most satisfactory results, that to show our confidence in this paint of proven quality, we will protect you by the following strong guarantee.

Unside Painting Wearwell Paint is not

Inside Painting
only the best paint for only the best paint for outside work, but is a perfect and sanitary paint for inside use—kitchen walls, bedrooms, bathrooms, pantries, etc., painted with it can be washed and kept clean the year round. It is made in pretty delicate tints for inside use.

How to Choose the Right **Color Combination**

One of the principal things in color harmony is the selection of colors which will tend to blend one into the other. Bright, glaring colors, such as green and blue, should not be used together; nor should bright red and blue. The following combinations are always pleasing and harmonious. The selection, however, must be governed somewhat by the surroundings: roundings:

No. 1. No. 2. No. 3.

Pearl Gray, trimmed with White. Buff, trimmed with Ivory, Light Salmon, trimmed with Snuff Brown.

Brown.

No. 4. Light Salmon, trimmed with Buff. are extremely durable combinations and will last for years without becoming thresome to the eye. Never select Cold Grays and Green in combination; in a short time these colors will become irksome—a condition which never exists with soft warm

Amount Required

Measure the length and width of the building; add together the total number of feet in the two sides and two ends; then multiply this amount by the number of feet high, which will give you the total amount of square feet to be palnted. Make no allowance for doors or windows; figure as if for a solid surface. Divide the total number of square feet by 250, which is about the number of square feet one gallon of our paint will cover—two coats—the result will give you the number of gallons of paint required.

Wearwell Paint will cover from 250 to 300 square feet, two coats, to each gallon.

Isn't a fully guaranteed paint the best paint for you to use? You take no chance. We assume all the risk. We could not do it unless we felt absolutely sure that Wearwell Paint is a perfect paint. Satisfactory results based on actual experience, enable us to offer you this broad protection.

Color Chart

The colors named are accurately described. You are safe in ordering the more popular shades from this list. If you prefer to see the exact colors before ordering, we will gladly mail you, free, our color chart showing full line of Wearwell Paint in full

Select the Desired Color from this List

No. L4021—Outside White No. L4010—Inside White No. L92 —Pearl Gray No. L87 —Flesh L196 — Faun L57 — Pea Pod Green L15 — Cream No. L57 No. L40 —Cream
No. L40 —Venetlan Red
No. L190 —Dark Pea Green
No. L195 —Straw
No. L16 —Buff
No. L61 —Snuff Brown
No. L78 No. L75 No. L91 No. L17 -Manse Green
-Ivory
-Light Salmon No. L/ — Light Salmon No. L8 — Marcon No. L28 — Bright Green No. L1676— French Gray No. L65 — Canary No. L45 — Vermillon No. L222 — Wyrtle Green No. L12 — Lead No. L81 — Warm Gray No. L63 — Sky Blue —Lead —Warm Gray —Sky Blue —Light Blue

No. L50

GUARANTEE

WHITE

GO MILLWORK SUPPLY

We hereby guarantee our Wearwell Guaranteed House Paint to give perfect satisfaction if used according to our simple directions, and we agree to furnish new paint free of charge to replace any Wearwell Guaranteed House Paint which does not prove satisfactory.



39.70 Pays for a sufficient amount of Guaranteed House Paint (any color) to thoroughpaint the exterior of this building with 539.70

Apply with a 4 in. or 4½ in. Flat Wall Brush

Prices of House Paints

50 Gallon Barrels \$2.40

25 Gallon 1/2 Barrels Per Gal.

2.42

5 Gallon Kits Per Gal.

2.45

1 Gallon Cans Per Gal.

2.55

1/4 Gallon Cans Per Can

'ur'pose

Guaranteed Wearwell Brand

WEARWELL FLAT WALL PAINT is the very latest and most satisfactory decoration all interior walls and cellings. It is made in twelve delicate and attractive adde is absolutely sanitary and germproof, and is guaranteed waterproof and

shable.

N APPEARANCE Wearwell Flat Wall Paint resembles a high grade water color catcimine. It has all the qualities of any high grade oil paint, except that it es with an absolute flat surface, showing none of the lustre so undesirable in

work of this character.

IT IS MUCH SUPERIOR TO CALCIMINE, since it may be washed without injury. It is easily cleaned, leaving a surface that is fresh, beautiful and sanitary.

One gallon will cover about 300 sq. ft. of surface—two coats.

No.	F3.	Willow Green.
No.	F6. F9. F10.	Tile Pink. Ivory. Colonial Yellow.

No. FII. Gobelin Green. No. F25. French Gray No. F16. Light Buff. No. F17. Jasper Blue. No. F18. Allce Blue. Gallon Can

No. F23. Light Blue. I Quart Can Per Can 75c

No. F20. Manhatta

No. F21. Leather

5 Gallon Kits Per Gallon **52.75**



Barnand Roof Paint WEARWELL BRAND

WEARWELL BRAND

Woarwell Barn and Roof Paint is one of the best paints in the world for barns and all outbuildings. It is made scientifically of the best minerals ground by heavy machinery in a specialty treated linseed oil—is rich in color, wears like Iron and is a perfect preservative for the wood. It is absolutely weather and waterproof, Makes no difference if applied to wood or metal surfaces; we guarantee satisfaction. Specially adapted for metal and shingle roofs, bridgee, rain pipes, gutters, cornices, etc. Prevents the metal from rusting. New metal or galvanized roofs are in most cases greasy. This must be thoroughly cleaned with benzine before applying the paint. One gallon covers about 250 sq. ft. two coats.

MADE IN THREE SHADES

No. B4073. Red.	No. B407	4. Gray. No.	B4075. Brow
50-Gallon Barrels, per gallon \$1.85	25-Gallon 1/2-Bar reis, per gallon \$1.88	per gallon \$1.92	i-Gallon Gans, per gallon \$1.95
	Color chart maile	d on application.	

Durro Red Barn Paint Color Chart Mailed Free on Application

This Is Our Lower Priced Barn Paint

and while not as high quality as our Wearwell brand, has excellent wearing and preservative properties. Color is rich and permanent. Apply with a 4 or 4½-inch flat wall brush.

We Cuarantee it to be equal to any paint on the actual wear, service and durability, we recommend our Wearwell brand as listed abore.

Made in one color only, Oxlde Red.

No. 4078-Prices:

5-Gallon Kits, Per Gallon \$1.60

I-Gallon Cans Per Gallon \$1.65

Wearwell Shingle Stain



No. SC6. Indian Red.

50-Gallon Barrels Per Gallon \$1.22 25-Gallon 1/2 Bar-rels, Per Gallon \$1.25

Is made of genuine creesete oil and will preserve your shingles better than any other stain on the market. Creesete oil is the greatest wood preservative known. This stain penetrates further and does not evaporate; the case with shingle stains made of compelition oils. It renders the surface proof against decay. We recommend that shingles be dipped in stain before betty laid. By dipping, both sides of the shingle are better to 2½ gallons will cover 1,000 shingles. Only two-thirds of the shingles need be dipped. Brush work should have two coats to completely saturate the wood. One gallon will cover about 100 square feet two coats. No. SB9 11. Moss Green.

No. SB911. Moss Green. No. SB4. Ivy Green.

5-Gallon Kits Per Gallon \$1.30

I-Gallon Cans Per Gallon \$1.45

We Guarantee

that each and every article in this catalogue is exactly as described and represented, thus, must be fully satisfactory in every respect to our customers. If, through a mistake or misuaderstanding, you do not find the goods, when received, just as ordered and exactly as represented by us, we permit unconditionally the return of any or all of such unsatisfactory goods and we agree to promptly return to you any money you have paid us for such goods, together with transportation charges both ways, so that the transaction will cost you nothing, or will make exchange of such goods returned for others that are satisfactory in case you ask us to.



A liquid floor covering in ten beautiful colors, for wood or cement floors-inside or outside. It dries with a hard tilelike finish, combining attractive appearance, absolute protection and unusually long service at moderate expense.

KOVERFLOR is not to be confused with paint, varnish, stains, lacquers, lacs, etc. It is distinctive. Its characteristics of extraordinary merit are to be found in its super-resistance to water, weather, oil, grease, alkali, lime, dirt, and extreme hard wear.

The covering capacity of KOVERFLOR depends entirely upon the porosity of the surface and the application; consequently only approximate averages can be given for estimating purposes-namely: on wood, 400 square feet to the gallon; on cement and concrete, 300 square feet to the gallon.

No. 4200. No. 4201. No. 4202. No. 4203. No. 4204.	Cream. Dust. Gray. Spruce. Linoleum Brown.	No. 4205. No. 4206. No. 4207. No. 4208. No. 4209.	Russet. Tile Red. Mahogany. Green. Dutch Blue.
No. 4204.	Linoleum Brown.	No. 4209.	Dutch Blue.

1 Gallon Can ½ Gal. Can \$4.55 \$2.50		1 Pint Can \$0.72
---	--	---------------------

Descriptive booklet sent at your request.

Wearwell Floor Paint



Wearwell Floor Paint is made especially for floors. In it are combined the most durable and wear-resisting materials known to the paint chemists. It will withstand the hard knocks to which floors are unlected, wearwell Floor Paint is made to wear. Unequaled for painting Kitchen, Dining Room and Bed Room floors. It also makes an ideal border paint around rugs in any room. Wearwell Floor Paint should not be classed with the many cheap and worthess floor paints on the market. No better floor paint can be made. Anyone can apply it, however inexperienced in painting.

Made in the following colors:

No. F. 2. Yellow.

No. F 2. Yellow.
No. F20. Ash.
No. F23. Persian Red.
No. F70. Terra Cotta.
No. F75. Green.

One gallon covers 250 square feet two coats. Apply with a 31/2 or 4-inch flat wall brush.

5-Gallon Kits, Per Gallon \$2.80

I-Gallon Cans Per Gallon \$2.85

1/4-Gallon Cans Per Can .80e

Porch and Step Paint

WEARWELL BRAND

Wearwell Porch and Step Paint dries very hard, but is at the same time elastic enough to resist all changes in temperature. Winds, rains and storms will not affect it. It is made from a speciality treated Linseed Oil to which it owes its extreme durability. Do not use an inside floor paint for outside use, as they are not intended for such work. Wearwell Porch and Step Paint is made in five practical and attractive colors, as follows:

5-Gallon Kits, Per Gallon \$3.05 I-Gallon Cans Per Gallon \$3.10

%-Gallon Cans Per Can 840

NOTE-Be sure and state number and shade you desire. about 250 square feet two coats. One gallon will sever

Of Your Buildings Add **Property**

(HICAGO MIULLYORK SUPPLY (O)

CHICAGO, DUNOIS, USIA

Wearwell Mission Oil Stain For Finishing New Woodwork Only



Finished Surface

After Misston Oll Stains have been applied, the surface may be varnished or wared. If desired no further finish may be applied, although if a polished surface is wanted, varnish must be used. One quart of Wearwell Oll Stain will cover about 50 square feet, one coat.

			Furnished	In	the	fellow	ing sha	des:	0.1
	MO I	Weathered	Oak.			No.	W67.	Golden	Oak.
υ.	INIO .	Old Onle				No	MZI.	Cherry.	

No.	M77. M72. M69.	Old Oak. Mahogany. Oak.	No. M71. Cherry. No. M68. Walnut. No. M82. Zarina	

1 Pint Cans	1 Quart Cans	1	Gallon	Can
35c	56c		\$1.9	8

Paint and Varnish Thinner

Our Paint and Varnish Thlnner is recommended by us for thinning paints and varnishes.

This thinner mixes thoroughly with paints, varnishes, japans and fillers. It is free from grease, naphtha and coal oil, is without color and evaporates as slowly as turpentine. It is guaranteed by us and we unconditionally allow its return if not

No. 4184.	Prices	
	per gallon	
Price 5 Gallon Can,	per gallon	1.20



3.5

Wearwell Gloss Enamel The Ideal Finish for Interior Woodwork

This Enamel dries hard as flint with a brilliant gloss and produces a surface like ivory.

Retains its lustre longer than any imported enamels sold at much higher prices. It is made ready for use, Anyone can apply it and obtain results equal to those produced by expert painters.



It Is Sanitary because dirt and grease

½ Pint	4 Gallon	1/2 Gallon	1 Gallon	
Cans	Cans	Cans	Cans	
Each	Each	Each	Each	
31c	90c	\$1.75	\$3.30	

Magic Paint and Varnish Remover

Free from acids, fusel oil, alkali, or water.

The Magic has no offensive odor and will do its work without injury to the finest of woods, fabric or the hands.



No. 5228

This remover is made by one of the most reliable manufacturers in the country and may be depended upon to do its work quickly and effectively.

	Prices.	00.00
1	gailon can	\$2.88
1/	gallon can	1.52
, -	0	9211
	quart can	
1	pint can	0.4
1/2	pint can	.24

"Stop Leak" for Your Roof Over Old or New Shingle, Tin or Composition Roof

A leaky roof is the first signal of distress—it is the beginning of what is sure to be the ruination of your property.

"Stop Leak" is a

Sure Relief for all



Handsome Colors. When You Buy "Stop Leak"

you get color beauty as well as roof protection. "STOP LEAK" does not fade, crack or crumble—there's not a particle of non-durable material used in its pro-

Applied Like Ordinary Paint

as smooth as oil, easily applied with any kind of brush, it is equal in thickness to two or even three coats of linseed oil paint, and forms a tough, elastic coating that is absolutely watertight. It stops all leaks to stay stopped.

Amount to Use "STOP LEAK" covers from 150 to 225 sq. ft. per gallon, depending on the surface—whether new or old.

The Trifling Cost of "Stop Leak" is saved many times over in the protection of your building, freedom from the protection of your building, freedom from years to the life of your roof—whether new or old.

	Made in Three Colors	Barrels Per Gallon	Per Gallon	Per Gallon	Can
No.	5055. Dark Red	\$1.35	\$1.44	\$1.52	\$1.76
No.	5056. Moss Green	1.90	2.00	2.16	2.32
No.	5057. Black	.56	,64	.80	.95

Wearwell Varnish Stain

Unsurpassed as a Wood Preservative and Beautifier

For New and Old Work

former brightness by the use of Wearwell Varnish Stain. Scratches and marks other articles are made to regain their original newness.

Interior Woodwork that has been badly used and has a dull, worn look may be easily and quickly transformed in appearance with the aid of Wearwell Varnish Stain. With it anyone can secure results that are truly marvelous.

What It Is
which is combined a special, hard drying varnish with
stain and varnish. It is manufactured to serve as a wood finish, combining
stain and varnish. It works freely, dries hard quickly and
produces a hich lustre. Extremely durable, it may be
used with perfect satisfaction anywhere. Colors are permanent—water will not affect the finish.



Easily Applied

It is not necessary to secure the services of a high-class finisher; you can easily poly Wearwell Varnish Stain. Use a flat varnish brush.

No.	5091. 5092.	Light Oak, Dark Oak, Cherry, Mahogany,	10 (10)	No.	5094.	Walnut. Clear or Natural Ground Color.
					1	

1-Pint Can, Each 25c 1-Pint Can, Each 38c I-Gailon Can. Each i-Quart Can, Each



Wearwell Cold Water Paint For Inside Use Only

This paint is put up in the form of a powder and is ready for use when mixed with cold water.

It Is Far Superior to White-

wash is pure white in color, will not rub off and is absolutely fireproof. It will not deteriorate with age and can be mixed and used any time. It is an ideal paint for finishing inside of basements, barns, stables, chicken houses, granames, summer cottages or factories. One 25 lb. drum will cover about 1000 sq. ft.

White Only It's Guaranteed
Wearwell Cold Water Paint, White Only, One Culor

111000, 110, 0070	AA CONT II CT CON		
Barrels 400 Pounds, Per Pound	Drums 100 Pounds Per Pound	Drums 50 Pounds Per Pound	Drums 25 Pounds Per Pound
6c	8½c	10½c	12c

Wearwell Furniture and Piano Polish



Will not injure the finest finish. Contains no acids. It cleans and polishes at the same time. Leaves no oil or gum to catch dust.

For cleaning and polishing old work it is unsurpassed. Can be used on all kinds of furniture, pianos, organs, varnished floors, woodwork, buggies, automobile bodies, etc.

14 Pint Can

No. 5010 1 Pint Can

1 Quart Can 50c

Wearwell Floor Wax

Wagon and Implement Paint—Wearwell Brand Protect Your Wagons and Implements



For a very little expenditure you can prolong the life of your wagons and implements many years by applying a coat of this paint every spring.

Rust is the Most Dan-

gerous Enemy of farm Implement such a galast these elements is a coat of Wearwell Wagon and Implement Palnt. It is a varnish paint made from durable pigments ground in a high grade coach varnish. This paint must not be compared in price with the cheap so-called wagon and implement paints on the market. Is there anything around the farm that is subject to as hard wear as farm machinery? To properly protect them the best paint that paint chemists can produce should be used. Wearwell Wagon and Implement Paint is such a paint. No expense is spared in making it and you can use it with utmost confidence on wagons, all kinds of implements, pumps and all iron exposed to weather. Do not throw away your money for a cheap paint. Use the best. It pays to do it. in mall kind not thro to do it.

No. 4091. Yell 1 Pint Cans. Price, each, Yellow. 48c

No. 4096. Biue. 1 Quart Cans. Price, each, 85c

No. 4093. Green. 1 Gallon Cans. Price, each, \$3.10

White Lead

Strictly Pure

This white Lead is guaranteed to be strictly pure and is sure to please you. It is equal to, if not better, than most brands on the market, and if you do not find it equal to our claims and satisfactory in every way, it may be returned



and your money will be promptly refunded. It is packed in steel kegs to reach you in the best possible condition.

PRICES

Prices fluctuate constantly. Tell us the amount desired and we shall quote lowest prices effective at the time you are ready to buy.

No. 4183.

Wearwell White Lead

No. 4193

This White Lead is a high grade combination of white lead, exide of zine and inert plament ground in strictly pure linesed oil. It is a well recognized fact that a combination of paint pigments almost without exception gives better results than any one single pigment. The proportions of pigments in Wesrwell White Lead are those which give the very best body and wearing quality.

100 ib. kegs, per lb. | 8½6 25 | b. kegs, per lb. | 9½6 Above prices subject to market changes. Write for special quotations when ready to buy.

Linseed Oil

The price of Linseed Oil is subject to change with market conditions, therefore we cannot quote a price in this book that we can guarantee for any length of time. Send us a postal and we shall name you the lowest prices in effect at the time your order is to be placed. Packed in from 1 gallon cans up.



Putty

No. 1509

This is not a cheap marble dust putty. Will not crack or crumble.

PRICES:

4	pound	seale	d can,	per	pound	.9 с
					lb	
50	pound	steel	tube,	per	1b	.634c
					lb	

Wearwell Paste Wood Filler

Intended for use on all open grained woods, such as oak, ash and mahogany. It fills the pores, leaving a smooth surface for varnishing or waxing. It also brings out the grain of the wood. Put up in following shades:

No. 5015. Light Oak, No. 5016. Antique Oak, No. 5017. Golden Oak, No. 5018. Mahogany

			 	 - with the state of the state o
1	Ìb.	can	 	 \$0.21
Z	10.	can,,	 	
5	lb.	can.	 	 0.8



Wearwell Crack and Crevice Filler



A paste preparation for filling holes, cracks and openings of all kinds of wood, particularly floors, before applying paint or varnish. Closes all openings where insects and dust might gather.

No. 5012. 1, 2 and 4 lb. cans, per lb......23c

Wearwell Floor Lac

WEARWELL FLOOR LAC is a special preparation for use on floors where an excoptionally good finish is desired, either wax or gloss. One gallon will cover four hundred and fifty square feet.

No. 4185

Gallon, per can.....



Wearwell Bath Tub Enamel

For Use on Wood or Metal




This enamel produces a porcelain-like surface, will not chip or mar, and hot or cold water will not affect it.

Paint your iron tub with this enamel and you will be surprised at its changed appearance. Very good for re-enameling beds. Dries quickly. Result: Hard glossy surface like marble or tile.

No. 5038. White only.
nt Cans, 1 Quart Cans,
38e \$1.24 % Pint Cans,

Iron Paint Paddle

Mixes paint much better and quicker than is possible with a wooden paddie. Lasts a lifetime. No. 5039. Price, each...........250



Scraping Knives

Steel blade, unvarnished hardwood handle, A practical, good quality product. No. 5048. 3-inch blade. Each. 18c No. 5049. 4-inch blade. Each. 22c



Rubber Tips

Seven-eighths inch diameter slotted screw tip with perforated countersunk brass washer, for dining room chairs and other furniture not having casters. They are easily applied



Wearwell Screen Paint

For Both Wire and Frames
Ready For Use Easy to Apply
Does not clog the Meshes
Two shades: No. 4065 Green; No. 4066

One coat of WEARWELL SCREEN PAINT completely renovates old rusty screens and gives a brilliant and lasting finish. Before putting your screens up paint them with this paint. They will last twice as long.

Apply with a 1½ or 2-inch Flat Vernish

Brush. Quart 470



MEMINIE WARNISH

(HIGAGO) MULLYORK SUPPLY (OX CHIPAGO, LUINOIS, LISIA

arnishes and Brushes-Guaranteed Quali

finishing new work or refinishing old work, use Wearwell hes—the best and most reliable finishes made for all kinds of

For finishing new work or remissing to the most prominent work.

Varnishes—the best and most reliable finishes made for all kinds of varnish work.

Wearwell Varnishes are made for us by one of the most prominent manufacturers in this country, who sells the same goods under his own brands at considerably more than our prices.

The cost of canning, labeling, boxing, shipping and most important of all, the cost of putting it on is the same, whether a cheap or high-grade varnish is used. A good varnish, however, covers so much more surface, is so much more durable—looks so much better that the best is the most economical and satisfactory to use.

Be sure to select the proper varnish for any given work. A varnish intended for interior use should never be used for out-of-door work or where exposed to the weather. If in doubt about the varnish best suited for any special purpose, write us. We shall gladly give you expert advice.

Guarantee

We guarantee our Wearwell Varnishes to be exactly
as represented and especially manufactured to perform the work for which they are intended. They are made from
high-grade raw materials by experis who understand every phase of varnish manufacture.

Wearwell Durable Floor Varnish

Wearwell Durable Floor Varnish
No. 5200. No varnish receives such hard
wear as a floor varnish. Furniture is pulled back
and forth over it. It must resist the hard pound of
the heel. The best varnish that can be made
should only be used as a floor covering. Wearwell Durable Floor Varnish meets all floor requirements. It is especially prepared to withstand the
hard knocks to which floors are subjected. It is
very elastic, durable and waterproof. It will not
mar or scratch white and, what the housewife
appreciates most, varnished floors are easily kept
clean. Works easily, hence anyone can put it on.
Dries hard over night with a fine gloss. One-half
gailon will cover an ordinary floor—two coats.

5 gailons 1 gailon Quart Pint
......\$13.88 \$2.85 \$0.86 \$0.49

Wearwell Extra Interior Finish

5201. This varnish is made of the highest grade materials and nded for very fine interior work and on all woodwork where a durable and serviceable finish is required. It flows and works dries over night with a fine gloss, and can be rubbed to a dull in three days if desired. This varnish, under the manufacturers' retails at much more than our price. good, durable and

It Pays to Use the Best Varnish

5 gallons \$13.12 1 gallon \$2.70 Quart \$0.82

No. 5207. A good varnish intended for finishing ordinary wood-work and over painted and grained surfaces. Made especially to meet the demand of a varnish lower in price than our Wearwell Extra Inthe demand of a varnish lower in price than our Wear terior Finish. Dries hard with a good gloss over night. Pint Quart 1 ge

1 gallon \$2.40 Quart \$0.74 \$ 11.63 ...\$0.43

Wearwell Extra Light Hard Oil Finish

Wearwell No. 1 Hard Oil Finish

No. 5209. A moderate priced varnish of good quality, but not as light in color as our Wearwell Extra Light Hard Oil Finish. Hardens over night with a good gloss.

1 gailon \$2.62 5 gallons \$12.75 Wall Brushes



No. 5175. The painter's fav-orite Made of all selected Chinese bristles, nickel binding, Cherry handle. An excellent and practical brush for house painting.

31/4 Width, inches. Length of Bri Price, each.....\$1.17 \$1.66 \$2.21 \$3.09

\$0.85 \$1.12 \$1.57 \$2.14

| Ruber Set Wall Brush | No. 5117 | An excellent brush at a reasonable price, selected Chinese bristles, set in rulcanized rubber. Can be used in alcohol, benzine, turpentine and water without loosening the bristles. | Width, inches | 3 3½ 4 4½ 2% 3½ 2

Economy Varnish Brush

No. 5181. All black Chinese bristles. Double thick. Yellow handle. An excellent brush for the money.

5178. Triple thick. All selected Chinese black bristles, Extra long and Fully chizeled. A splendid brush.
 olasilic, Fully Cribeacu.
 1 11/2
 2 24/4

 Width, inches
 1 7/4
 7 24/4
 24/4

 Length of Bristles, inches
 1 0.32
 \$0.48
 \$0.62
 \$0.83

 Price, each
 \$0.32
 \$0.48
 \$0.62
 \$0.83
 11/4

Steel Varnish Remover


(o. 5169. For removing varnish, etc., from surfaces that cannot reached with a curved or flat back brush. Size of block. 9% x% thes. Length of brush, 5 inches. Wires, 1% inches long. \$0.35

Wearwell Outside Spar Varnish

No. 5204. A high grade Varnish for finishing outside doors, store fronts and all surfaces exposed to the weather. We also recommend its use for finishing window sills, inside blinds, or any woodwork subjected to dampness. Never use an inside varnish for outdoor use. It is not intended for such work. Where used, it soon loses its lustre, then cracks and peels. Our Wearwell Outside Spar Varnish is specially made for outdoor use, is weather-proof, dries free from dust in 8 hours, and hardens days.

Stide 33.00 S0.90 S0.

.....\$14.63 \$3.00 \$0.90 \$0.51



No. 5213. This shellae varnish is made from pure white shellae gum and denatured alcohol. The best first coater for furniture, woodwork or any surface that is to be varnished, except floors. Never use shellae on floors. To be applied directly over the bare wood or over paste wood filter and makes a hard, uniform surface to varnish on. All expert finishers use it on high grade plane and furniture work.

......\$0,63 \$1.10 \$4.19

Wearwell Interior Spar Varnish

No. 5206. This is an all around house varnish, and while not as good as our Wearwell Extra Interior Finish, is suitable for all kinds of interior woodwork that is to be left in the gloss. It is durable, brushes out easily and dries with a fine gloss.

Pint Quart I gallon 5 gallons \$0.48 \$0.84 \$2.79 \$13.50

Wearwell Furniture Varnish

No. 5210. This varnish may be used to brighten up old and worn furniture. For more valuable furniture recommend using our Wearvell Seat Finish or Cabinet Finish. Wearwell Furniture Varnish is the best preparation to use for sizing walls for kalsomining. Stops all suction and is better than gloss oil and all other sizings on the market. Pint. Ouart. I railon. 5 valions.

Pint Quart\$0.44 \$0.76

Wearwell Cabinet Finish

No. 5205. This is made especially for cabinet work, furniture, inside woodwork where a rubbed or polished finish is required. It is an excellent Varnish for this purpose, as it dries hard over night with a beautiful gloss, and can be rubbed within 3 days to an egg shell gloss and a high piano polish, if desired.

Pint Quart 1 gallon 5 gallons\$0.48 \$0.84 \$2.96 \$14.40

No. 52 i 2. This is an excellent Japan Dryer, which mixes readily with linseed it, colors and white lead. It is a powerful dryer and reliable in all kinds eather.

Pint Quart ½-gailon 1 gallon 5 gallons (colors). So.35 \$0.58 \$1.04 \$1.92 \$9.20 weather.

Linolcum or Floor Oil Cloth Finish

No. A5202. The use of the highest grade Varnish is absolutely necessary for your Linoleum or Floor Oil Cloth, because the popular covering is soft and pilable and a very elastic varnish—one that you can dent and bend, but cannot break bistex or peel is needed.

Wearwell Linoleum or Floor Oil Cloth Finish is just such a varnish—one we recommend and guarantee for this work. It spreads and brushes easily and can be applied by anyone. Dries hard over night with an excellent gloss. It will double the life of your floor covering.

Pint Quart 1 gallon 5 gallons Prices

\$0.49 \$0.86 \$3.04 \$14.80

Economy

Kalsomine Erush, Cement Set. Nickel Bound

No. 5126. NATURAL VARNISHED HANDLES, all selected black bristles.

\$5.60 \$8.00

Whitewash Brush

No. 5189. Made in four sizes, suitable for whitewashing rooms, outbuildings, fences, etc. A good, practical brush made from selected black bristles.

Width, Inches 6½ 7 8
Length of Bristles, inches 2% 2% 8
Price, each \$1.00 \$1.30 \$1.48

Rooting Brush
THESE BRUSHES are made of the best stock, are bound with wire and carelly camented into a head of hard maple, thoroughly seasoned and will not



Steel Paint Remover

No. 5168. For removing looss and scaly paint from surfaces where a flat or curved back brush cannot reach. Size of linches, Wires, 1½ inches long.

Length of brush 6 inches, 14½xl inch.

The only reasonable test of roofing or siding material is the test of time and service. One sees many advertisements of roofing and siding material being "rust proof," "non-corrosive," and many other m. sleading statements. Any exposed iron or steel sheet will rust and corrode unless galvanized or painted. Dipping a sheet in sulphuric acid does not indicate how long it will last on a building. Well informed buyers do not use this test. The safest guarantee to a customer is to buy a product which is made right. Our sheets are full gauge and the weights are guaranteed. The lower the gauge number the thicker and heavier the sheet. We recommend using 26 gauge for roofing, as it costs only a trifle more, is 20 per cent heavier and consequently is more durable than 29 gauge. Will quote price on application for heavier gauge.

Galvanizing is the best and most satisfac-

Galvanizing is the best and most satisfactory method ever discovered to prevent metal sheets from corrosion. By this process the surface is uniformly covered with a conting of zinc, which prevents rusting.

114-Inch Cor-

rugation Width 25 Inches

Number of square feet in one Corru-

2%-Inch Corrugation Width 26 Inches

10 5/6

Length of Sheet in Feet

Painting of sheets protects them from deterioration. We advise you to use only the best linseed oil and oxide paint, not only for roofs, but for all sheet metal work. We recommend our "Wearwell Barn and Roof Paint" for this purpose. The objection often raised against a metal roof that "it has to be painted" is very misleading. Of course, so do your house, woodwork, implements and automobile.

Length of Sheet in Feet



Illustrating Application of Siding and Roofing

Correct Method of Laying. Begin from opposite end from which the prevailing wind blows. Allow one corrugation of first sheet to extend over roof boards at edge and two or three inch projection over eaves. Flange projecting portion of sheet over edge and nail. Nail every other corrugation at eaves. Nail only at sides and ends of sheets. Second sheet lap one and half corrugations over first sheet. Second row (if necessary) of sheets lap about three inches the state of the second row (if necessary) of sheets lap about three trackers of the second row of the second ro first sheet. Second row (if necessary) of sheets lap about three inches over first row. Use lead washers and roofing nails, catalog number 3444.

Style of Roofing to Use. When the pitch of roof is three inches to a foot or more, corrugated and V crimped roofing or metal shingles may be used.

Where the roof pitch is less than three inches to the foot, roll and cap or pressed standing seam roofing must be applied, as slow running water or collected snow cannot seep through the joints in these styles.

How to Estimate Amount of Corrugated Roofing Required


TEEL

First select the best lengths of sheets to fit the space, bearing in mind the end laps. On siding one inch lap will do, while for roofing allow nothing less than three inches, and if only a slight pltch allow six inches, for end lap. As each sheet lays just two feet wide, it is a simple matter to ascertain the number of sheets necessary to cover the space.

Estimate of number of square feet material required to cover 100 square feet of surface based on using sheets 96 inches long and 2½-inch corrugations.

and 272 men corregacioner									
End Lap	1-Inch	2-Inch	3-Inch	4-Inch	5-Inch	6-Inch			
Side Lap 1 Corrugation	110	111	112	113	114	115			
Side Lap 11/2 Corrugation		117 124	118 125	119 126	120 127	121			
Side Lap 2 Corrugation									
AAICH	174-111	011 001							
End Lap	1-Inch	2-Inch	3-Inch	4-Inch	5-Inch	6-Inch			
Side Lap 1 Corrugation	107 2/5	103 3/5	109 7/10	110 9/10	112 1/10	113 1/3			
Side Lap 1% Corrugation					115 1/10	116 2/8			
Side Lap 2 Corrugation	113 3/10	114 1/2	1 - 2 - 1 -	1	1110 1/3	120 5/6			
PRICES SUBJECT TO MARKET CHANGES									

10 5/12 12 1/2 14 7/12 16 2/3 18 3/4 20 5/6 9 1/4 7 3/5 6 3/5 5 3/4 5 1/8 4 5/8 15 1/6 17 1/3 19 1/2 21 2/3 Corrugated Sheets



Corrugated sheets are used for ceiling as well as roofing and siding in buildings constructed of inflammable materials,

Number of Corrugated Sheets shipped for 100 square feet.

11/4 - Inch Cor-

rugation Width 25 Inches

9 3/5

8 6 7/8

No allowance made for laps

2⅓-Inch Cor-rugation Width 26 Inches

We do not recommend corrugated roofing for roofs having less than 3-inch pltch; 2½-inch corrugated sheets have 10 corrugations %-inch deep to the sheet, and covering width 24 inches, allowing for lap of one corrugation. Sheets are 26 inches wide and 5-6-7-8-9-10 feet long, as ordered.

14-inch corrugated sheets have 20 corrugations %-inch deep to the sheet, and covering width 24 inches, allowing for lap of one corrugation. Sheets are 25 inches wide and 5-6-7-8-9-10 feet long. Specify length wanted.

Shipped from Chicago or Ohio Factory Standard 28 gauge or extra heavy 26 gauge.

Catalog	Corruga- tions	Welght Squar	per 100 e Feet	Gauge	Price per 100 Square Feet				
Number	In,	Painted	Galvanized		Patriod	Galvanized			
3440A	21/2	68	84	28	\$4.50	\$6 68			
3440B	21/2	82 68	98 84	26 28	5.30 4.55	7 35 6.74			
3442A 3442B	21/2 21/2 11/4 11/4	82	98	26	5.35	7.42			



V Crimped is one of the of metal roofing and because of its unfailing reliability it is becoming more popular daily for roofing any building where the slope of the roof is more than 3 inches to the foot. Laid on sheathing, over old shingle roofs, or direct to the rafters. Hammer, saw and snips the only tools required.

Sheets ever 24 hadron and


Sheets cover 24 inches as measured from center to center of crimps, and are 5-6-7-8-9-10 feet long. Specify length wanted.

long. Specify length wanted.

A V-shaped wood strip, %-inch
on each side, is necessary with
V crimped roofing, being used
under the crimps to brace them
and to nall to. With each 100
square feet of 2-V crimp roofing
50 lineal feet of this stripping is
required; with 100 square feet of
3-V crimp roofing 100 lineal feet of stripping is required.
Shipped
together with roofing from central Ohio or Chicago stocks.
No. 3454. Wood V strips for V crimp roofing. Price per 100
lineal feet
Shipped from Chicago or Ohio Factory.

Shipped from Chicago or Ohio Factory.





Pressed Standing Seam Roofing

Pressed Standing Seam Roofing is made with a cap formed on each side, any form of roof. Laid without nails and, therefore, no holes are made in the sheets as in laying V crimp and corrugated roofing.

Illustration Shows how sheets are put on roof. Outside cleats make a firm, permanent fastening that resists the wind. Made in 5, 6, 7, 8, 9

Illustration Shows how sheets are put on roof. Outside cleats make t firm, permanent fastening that resists the wind. Made in 5, 6, 7, 8, 9 your roof and use sheets with the least waste. Specify length wanted. We include sufficient Cleats with each order to facton all Sheets.

Shipped from Chicago or Ohio Factory

Catalog	Weight per 100 Square Feet			Price per 100 Square Feet		
Number	Painted	Galvanized	Gauge	Painted	Galyanized	
3438A	70	87	Standard 28	\$4.80	\$7.05	
, 3438B	84	101	Extra Heavy 26	5.61	7.72	


You will require 1 pound %-inch harbed rooting naits for each 100 square feet of this rooting.

Lead Washers and Roofing Nails

Lead washers should be used with every nail in a metal roof. A metal roof is practically ruined when it has been eaten away by rust from close contact with the nails. By making a water tight joint under the nail heads, lead washers prevent all leakage and rusting at Note—Prices on this page are subject to market changes. If the market decline, we will give you the benefit; if it advances we will increase our prices to cover increased cost

these points. They are absolutely necessary to maximum service in roofing and siding. Very cheap-last forever. No. 3444. Sufficient lead washers and roofing nails to lay 100 square feet of roofing, 32c

Money Saving Prices—Guaranteed Quality



Self Capping Double Cross Lock Steel Roofing

Self Capping Roofing made from sheets full 26½ inches wide and in rolls of 50 lineal feet. Covering width 24 inches, making cover-ing area 100 square

ing area 10 feet per roll.

Our Price includes 1 pound of cleats with each roll.

May Be Used on any roof, whether steep or flat. Frequently it is soid to cover a defective shingle roof, but more often it is laid over rafters and sheathing.

Edging and squeezing tongs, wooden mallet or hammer and tinners snips are the only tools required.

To Lay This Simple Roofing begin at the left edge of the roof, unrolling the sheet from top to bottom; turn up the standing seam on each side and secure with cleats, as shown in the lilustration of Pressed Standing Seam. Lay the next sheet alongside with the standing seam formed. Flatten the cleat over, two sheets together and lock standing seam with squeezing tongs or hammer and mallet. Shipped from Chicago stock or Ohio factory.

Catalog	Weight per 10	Square Feet		Price per 100	Square Feet
Number	Painted	Galvanized	Gauge	Painted	Galvanized
3553	71 lbs.	88 lbs.	Std. 28		\$7.20
3554	85 lbs. ·	102 lbs.	Ex. H. 26		7.92

Steel Siding of Guaranteed Quality



Pressed Brick Siding No. 3480

Viv. (Market, Juliane, James, Market, रत्। अस्ता अस्ता अस्ता अस्ता अस्ता स्थाप



Rock Face Stone Siding No. 3484

Rock Face Brick And Plain Brick Siding

comes in sheets 28x60 inches, with brick 24x8 inches, with %-Inch bead between the bricks. These sldings are used for facing store fronts, business blocks, etc. They are rapidly taking the place of old time galvanized fronts, because cheaper, much neater in appearance, and more easily applied. Cost about ½ the price of brick, no more than wood slding and the best possible imitation of the genuine construction is gueranteed.

Rock Face Stone Siding
This is one of the most popular of sidings.
This is one of the most popular of sidings.

This is one of the most popular of sidings.

Directions How To Erect

a level. At one corner of building place a sheet of siding laying it so that the end extends at least two feet beyond corner, with cross grooves directly over corner, and lower edge touching chalk line. Nali sheet through groove firmly to wail.

Nali sheet through groove firmly to wail.

Begin nalling at center and work toward ends. Do not nall through the brick. Use a nall set to

Rock Face Stone Siding No. 3484 drive nails home. This prevents injuring sheet. Bend the projecting two feet around corner, and with a mallet, hammer down lightly any uneven places. Lay around building to starting point. Adjust second tier so as to break joints as in brick work. In lapping sheets be careful to keep all joints in straight lines. Always lay sheets with the concave or hollowed part of mortar line on the outside. A most excellent imitation of stone can be obtained by carefully applying stone siding, then painting it with a coat of thick gray or brown "Wearwell Roof and Barn Paint" and dashed with pebbles or coarse sand. The general effect can be further improved by lining out between the stones with a lighter paint, giving the appearance of "pointing." Brick siding may be made very attractive by painting a good coat of brick red paint, then painting mortar lines a grayish white. Shipped from Chicago or Ohio Factory.

Catalog	Weight per 10	9 Square Feet		Price per 100 Square Feet		
Number	Painted	Galvanized	Gauge	Painted	Galvanized	
3480	64 lbs,	78 lbs.	Std. 28	\$4.37	\$6.15 6.21	
3482 3484	64 lbs. 64 lbs.	78 lbs. 78 lbs.	Std. 28 Std. 28	4.41	621	

Round Ridge Roll Cap



Round Ridge Roll

Cap in 10 foot lengths galvanized steel.

Girth, 10 inches; width of es. Used on metai, slate or

apron, 2½ inches; diameter of roll, 2 inches, shingle roofs. Cheaper than roof boards.

Standard 28 Gauge.

No. 3499A. Price, per length, galvanized......69c No. 3499B. Price, per length, galvanized......82c

V-Angle Ridge Cap

"V" Angle Ridge

Cap in 10 foot lengths



Corrugated Ridge Roll Cap



Ridge Corrugated

Roll Cap in 10 foot lengths galvanized steel. Girth 12 inches: diameter of roil 2½ inches. Apron especially corrugated to fit corrugations of roofing. Do not fall to state when ordering whether wanted for 1½ or 2½ inch corrugation.

Standard 28 Gauge.

Ornamental Steel Building Corners

For Use with Bevel Siding

Better results can be obtained by using these neat, labor and money saving corner shields. It is no longer necessary to miter corners as a weatherproof job can be obtained with less cost for labor. For use with four or six inch siding and extends two inches from the corner, Anyone can efficiently apply them and guarantee a neat job as they are made of heavy galvanized steel and have the nall holes punched. Readily adapted for use with all angles as they can easily be bent into position. Low in cost and will save money for the builder.



Outside Corner Shield Shown. Can also be furnished for inside corners.



Hip Shingles

Metallic Hip Shingles are used for covering curved or straight roof hips. Use with any flat roofing material. They prevent shingles warping and snow from drifting at the hips. Very easily applied. Size 4x9 hehes in either painted or galvanized, as quoted below. Sold only in full crates, 500 each. Shipped direct from Central Ohio or Chicago stocks.

No. 3555. Price per 100 Shingles. Tin, Painted ... \$2.75 No. 3556. Price per 100 Shingles. Steel, Galvanized.\$2.95





Work Required on

VALLEY

AND

ROOFING

Tin Roofing and Valley Tin in Rolls

Long rolls of tin roofing made of full weight I. C. Tin Roofing Plates locked together and soldered, ready to lay. Used most generally on roofs of bay windows, porches and for valley, where a long wide valley is desired. Easily handled—the most convenient form of roofing tin and adaptable to all roofing requirements. For large roofs, however, we recommend our galvanized steel roofing, either corrugated, V crimped or in rolls. Roll Tin Roofing

is painted on underside and is not sold except in full rolls as quoted below.

No. 3455—Painted one side, 14-inch wide. Price ft. length. Weight 29 lbs..... \$4.30 No. 3456-Galvanized, (soldered one side) 14-inch wide. Price per 50 ft. length, weight 40 lbs......\$5.20



Tin Shingles or Flashing

Cut from high grade tin roofing plates and used especially for flashings and repairing leaky roofs. One side painted with red oxide of iron paint. Made in two sizes.

No. 3457. Size 5x 7 inches. Price, per 100....\$1.60

No. 3458. Size 7x10 inches. Price, per 100....\$1.50

Galvanized Round Corrugated Conductor

Corrugated Galvanized Conductor is many times more rigid than plain conductor. Made without cross seam, easily handled and put in place, and

the corrugations allow the metal to expand so that ice cannot break the pipe. Made with lock seam joint that cannot pull apart or loosen. The most used and most desirable form of conductor. In 10-foot lengths only. From Chicago or Central Ohlo stocks. Conductor pipe made to fit the proper size eaves trough. See combinations and quotations below.

Standard 28 Gauge. Catalog No. 3465A.

\$0.85 \$0.88 \$1.25



Slip Joint Eaves Trough

Easily erected. The folding seam at one end holds the plain end of the next length of trough securely and yourself, as no skill is required and no soldering to do. Single beaded. State whether right or left-hand trough is desired (water flows out at right-hand end of right-hand trough; at left-hand end of left-hand trough). Sold from Chicago stocks or factory in Ohio in 10-foot lengths, only. Width is inside width.

Size, Inches 4	5	6
Catalog No. 3462A. Right-hand. Price, per length 10 feet		\$0.98
Catalog No. 3462B. Left-hand. Price, per length 10 feet		
Extra Heavy 25 Gauge.	5	A
Size, Inches		01.00
Price, per length 10 feet\$0.90 Catalog No. 3462D. Left-hand.		
Price, per length 10 feet\$0.90	\$0.95	\$1.20

End Cap for Eaves Trough

Slip Joint End Cap used on both eaves trough and our adjustable outlet. Order right size for your eaves trough. Very simple. Size, inches 4 5 6 No. 3511. Price, each 15c 16c 19c





Conductor Funnel


Conductor Funnel, galvanized steel. where two conductors are run into one. Sizes shown are the sizes of the lower end of funnel. Catalog No. Size, inches—2 3512A. Extra Heavy, 26 Gauge. Price, each45 3 4 ...45c 52c 60c

Rain Water Cut-off

Made for corrugated conductor. Simple and efficient in operation. Strong, dependable, low priced. Cat. No. Size In. 2 3 3514 Standard 28 Gauge

Price, each72c 77c \$1.05 3514A Extra Heavy 26

Gauge. Price





Corrugated Round Expanding Elbows

These galvanized corrugated clbows are made in one piece and No.1 thoroughly galvanized after being formed so that the protective spelter covers every spot and crevice. Note the three

crevice. Note the three
different angles they are made in and be sure to specify the
angle and give the catalog number of the style desired.
At prices that give you jobbers' and dealers' profits.
Standard 28 Gauge.

No. 3468A. Elbow Angle No. 1. No. 3468B. Elbow Angle No. 1.
No. 3469A. Elbow Angle No. 2. No. 3469B. Elbow Angle No. 2.
No. 3470A. Elbow Angle No. 3. No. 3470B. Elbow Angle No. 3.
No. 3715A. Conductor Shoe.

Standard

28
Gauge
Extra Heavy
26
Gauge
Extra Heavy
27
Elbow. Price, Each.
28
Elbow. Price, Each.
29
Extra Heavy
26
Gauge
Shoe. Price, Each.
31c 37c 57c
Elbow. Price, Each.
31c 37c 61c
Shoe. Price, Each.
31c 37c 61c

Galvanized Eaves Trough Corners or Miters

Single Bead

Galvanized 'Miters, inside and outside corner bead, slip joint. Reach you ready to use. If you order slip joints state plainly catalog number.

Be sure to state whether slip joint is on right or left





Outside Corner Miter.

Outside Corner as
Standard 28 Gauge.
No. 3474B. Outside Corner Left Hand.
No. 3472B. Inside Corner Left Hand.
No. 3472B. Inside Corner Left Hand.
No. 3471B. Inside Corner Right Hand.
Extra Heavy 26 Gauge.
No. 3475A. Outside Corner Left Hand.
No. 3474A. Outside Corner Right Hand.
No. 3471A. Inside Corner Right Hand.
No. 3471A. Inside Corner Right Hand.
Stze. Inches

Plain Roof Gutter



Box Gutter



		1	Price per 10-foot Lengths			
3706 3707 3708	Girth 15 18 20	Width 6 7 8	Depth 4 5 5%	Bead 14 54 54	Standard 28 Gauge \$1.52 1.81 2.08	Extra Heavy 26 Gauge \$1.86 2.16 2.51

Adjustable Outlet for Eaves Trough



This illustration represents outlet in position. Ends are made plain to slip into folded seam of end cap or eaves trough. No soldering required. cap or eaves

To fit Eaves Trough, size, inches

Adjustable Steel Eaves Trough Hangers

A more expensive but more economical hanger. No soldering, so there is a saving of \$2.00 worth of solder and a half day in labor in hanging a gross of the adjustable steel hangers. Made of galvanized bar iron which will not rust and will brace the trough in shape as well as hold it in place. By means of hanger tongs the cross bars are made to grip the trough tightly and permanently.





Steel Hooks for Conductor Pipe

Perfectly Formed—Strong

All Steel Tinned Conductor Pipe Hooks for all forms of conductor pipe. Do not forget these in your order for conductor pipe.

Corrugated Hinged Hooks for **Conductor Pipe**

Illustration shows Galvanized Conductor Hook, made especially for corrugated conductor. A wire over the hooks holds the pipe firm and rigid always. For use on wood or brick wall. ways. For ways. Inches

For Wood, per dozen..\$1.53 \$1.92 \$2.95 For Brick, per dozen.. 1.60 2.08 2.98 No. 3508. No. 3509.



Eaves **Trough Hangers**



Illustration shows use of our wire Eaves Trough Hangers. Simple, cheap, strong and lasting. Braces the trough and holds it in shape while supporting it from eaves. Made from heavy 11 gauge twisted galvanized steel wire. Easily and rapidly used.

..37c 40c 47c dozen

Galvanized Wire Conductor Strainers

Conductor Strainers, made of heavy galvanized wire, are placed in the eaves trough outlet to prevent accumulation of leaves and the like from stopping up the conductor pipe. Siz-shown are the sizes of outlet strainer will fit. Size, inches No. **3513.** 2 Price, each13c 15c 21c



Ventilators

The cheapest perfect ventilators made. Removes foul air and smoke by creating a persistent, steady draft. Made of 26-gauge galvanized steel. Exceptional value at this price.

No.	3897.	Size	8	in.	Price\$	4.95
No.	3898.	Size	12	in.	Price	6.60
No.	3899.	Size	14	in.	Price	8.20
No.	3900.	Size	16	in.	Price	9.10
No.	3901.				Price	
No.	3902.	Size	20	in.	Price I	1.65
No.	3903.				Price	
No.	3904.				Price	

Galvanized Cornice



MEASUREMENT RULES

Send Rough Sketch showing extreme measurements at foot of cornice, including end blocks. End blocks are made with 12-inch face. Sketch should show the full course of cornice around wall. Each cornice is made up after measurements are received, and it is important that orders be placed early, so that the cornice may be delivered when needed. As we must follow your measurements in making the cornice, you must be sure they are accurate, as you can readily see we cannot assume responsibility for errors made in your measurements. State whether cornice is for building in process of erection or for building already finished and to be attached from outside; a slight difference in the construction at bottom of cornice is necessary. Also say if building is brick or frame. Prices do not include roof of cornice, which is generally made of tin or extension of roofing material on building. If you wish, we will estimate on your requirements before you ordersend full information as above.

Hipped Turret Skylight With Ventilators



26 gauge, galvanized steel frame, galvanized steel ventilators

CLIN	18-111011	11050 4	9 .	TIDDEG	WILE	Y RISE	55.		
No.	3884.							ventilator	
No.	3885.	Size	3x	5 ft.	With	one	8-in.	ventilator	22.85
No.	3886.	Size	4x	4 ft.	With	one	8-in.	ventilator	24.00
No.	3887.	Size	4x	6 ft.	With	one	8-in.	ventilator	33.00
No.	3888.	Size	6x:	10 ft.	With	two	8-in.	ventilator	78.00
No.	3889.	Size	8x	8 ft.	With	one	12-in.	ventilator	80.00

Double Pitch Skylight with Louvre Ventilators



Made of 26-gauge galvanized steel with Louvre ventilator in

each end, compl	ete with	3-inch ribbed wired glass.	
No. 3875. Size	3x 3 ft.	Price	\$24 00
No. 3876. Size	3x 4 ft.	Price	25.50
No. 3877, Size	3x 5 ft.	Price	27.50
No. 3878. Size	4x 4 ft.	Price	
	4x 6 ft.		37.50
	4x 8 ft.		46 50
	6x 8 ft.		64.50
		Price.	78.00
		Price	
TION GOODS! DITIO	OAIL IL.	A 1100	91.00

Tinners' Snips

Tinners' Snips, of best quality and length. Forged from a solid piece of steel, perfectly tempered and warranted. You will find a hundred uses for them in addition to laying roofing. Order them to come in the same shipment with your roofing.

No. 3449. Tinners' Snips, 12 in. long. length of cut 2 in.

Price



NOTE—Prices on this page are subject to market changes. If the market declines we will give you the benefit; if it advances we will increase our prices to cover increased cost to us,

Sanitary, Permanent, Fireproof, Vermin Proof, Ornamental, Economical

Qualities, are supplianting tath, plaster and wooden ceilings. Metal Ceilings do not crack and fall like plaster, or warp like wood. They are fire-proof and dust proof, eliminating all danger of falling plaster caused through leaks, etc. They are adapted for use in churches, halfs, obtels, lodge-rooms, restaurants, theaters, public buildings and private dweilings, and being permanently ornamental, a fresh coat of paint changes their entire appearance.

Changes their entire appearance.

Our Guarantee We guarantee our Steel Ceilings and Sidewalls to be equal or superior in quality to the metal ceilings of other manufacturers, but cannot, under any circumstances, allow a metal ceiling or sidewall to be returned because of a customer furnishing us with inaccurate dimensions. Ceilings and sidewalls are made up especially for each order and are useless except for the dimensions of the room they are made up for.

With Every Ceiling Order we furnish complete draw-ings showing exactly where and how each section of ceiling, furring, etc., is to go on. No workman can err if these instructions are followed closely. As this drawing, however, is made from the measurements and data furnished us, you can see the necessity of following absolutely the measurement rules.

ment rules.

ment rules.

Starting from one corner at rear of room, apply the field plates crossways and lengthways of room, thus throwing all laps towards rear of room. If care is taken in lapping the beads or ridges, the joints will be invisible. The plates are then nalled at intervals of about 6 inches, using the small cone headed nails which are furnished with the ceiling in ample supply at no additional charge. Sheets measuring not more than 24x48 in, have nailholes cut in at factory. Proper width of filler plate is supplied and should be placed under the mouiding or field on side away from cornice. Any joints that do not lap tightly on account of flattened or dented lapping beads, can be swedged together with any small blunt tool. Soft wood furring strips are not necessary when ceiling is applied to sheathing; on joists or over plaster, however, they must be used. For field plates these strips should be

placed on 24 inch centers both lengthways and crossways; this will require 100 lineal feet of furring strips for each 100 square feet, a space 10x10 feet. Additional furring will be necessary for moulding, filler and cornice, in a quantity according to the size of moulding, filler and cornice.

We Furnish, Free of Charge, nails for applying the ceiting; also wood brackets for mouiding and cornice.

Instructions for Ordering Metal Ceilings

22 ft. 6 in. x 42 ft. 6 in. x 9.57 sqs.

This illustrates the fact that room measurements do not represent the true metal ceilings measurements. There should be no deduction for openings, unless the amount of material so displaced, amounts to more than one square.

To determine the approximate price of material, multiply the number of squares and the price per square of the design selected.

These rules must be followed closely and completely, as our estimates are based upon the sketch and sizes submitted; the ceiling itself is assembled and cut, depending on their accuracy.



FIELD STAMPED IN 24-IN. SQUARES.


Using cornice with 4½ in. drop on wall. Add 2 ft. to length and width of room to allow for cornice and waste before calculating number of square feet for this design.

No. 3595. Price, per 100 square feet.....\$6.25



Our most handsome design of metal ceiling plate. Made in sheets, 24x96 inches only. Very artistic for either small or iarge living rooms. Price does not include cornice or mitres. Use our Dart or Radiant cornice with this design for room 12x15 feet and smaller.

No. 3548. Art metal ceiling. Price, per 100 sq. feet\$5.40




A very pretty cornice design with 2½-inch projection on ceiling and 2½-inch drop on wall. Made in 48-inch length only. Intended for rooms not larger than 10x12 feet. No. 3540. DART Metal Cornice, per foot......4c




very handsome cornice pattern with 5-inch projection selling and 9%-inch drop on wall. Made only in 48-i lengths Suitable for rooms 12x15 feet and larger, be used with any of the ceiling plates shown on

No. 3545. SUNBURST design cornice. Price, per foot No. 3546. Mitre for inside corners. Price, each. 400 No. 3547. Mitre for outside corners. Price, each. 400 Note—Prices on this page are subject to market our prices to cover increased cost to us.





Cornice drop on wall add 8% inches. Add 3 feet to length and width of room to allow for cornice, and waste before calculating number of so. ft. for this design. Field stanped in 12-inch squares.

No. 3590, Price, per 100 square feet.....\$6.10




A very neat pattern ceiling for small rooms, such as bathrooms, kitchens and bedrooms, Cornice drop on wall 4 inches. Add 8 inches to length and width of room to allow for cornice before figuring number of square feet for this design.
Field stamped in 6-inch squares,
No. 3539, Price, per 100 square feet.....\$5.70





Cornice drop on wall 9% inches. Add 3 feet to length and width of room to allow for cornice and waste before calculating number of square feet for this design. Fleid stemped in 24-inch squares.

No. 3587. Price, per 100 square feet......\$6,20



Cornice drop on wali 5½ inches. Add 2 feet 6 inches to length and width of room to allow for cornice and waste before calculating number of square feet for this design. Field stamped in 6-linch squares.

No. 3589. Price, per 100 square feet......\$6,25.



One of our favorite patterns with well defined stampings, and suitable for side walls or ceiling. Made in sheets 24x96 inches. Easily applied and makes a very neat and pleasing effect. Use cornice shown on this page. Price does not include cornice.

No. 3593. Classic metal ceiling. Price, per 100 square feet.

RO GUARANTEED

(HICAGO MILLWORKSUPPLY OF

CHICAGO, DUINOIS, LIGIA)

to buy your hardware with your building material, because our prices will save you money, and it is also safe, because the quality is unreservedly guaranteed.

You Take No Risk Whatever. Our designs are standard—and most reliable manufacturers in the country; our assortment is complete and contains hardware for all ordinary building purposes,

Pays To Buy Hardware Such As Ours,

hecause with it you buy satisfaction. Each illustration is reproduced from an actual photograph, and each article is briefly but fully described. You can make your selections from this book as easily, as quickly and as surely as similar goods could be looked over and purchased at home, and you can realize a saving

on every article, a saving that no man can afford to overlook.

Remember that our guarantee stands back of every sale—a guarantee that protects you absolutely. We have established a reputation for square dealing that must be maintained at ait costs. Our very existence depends upon the good will and continued patronage of our customers.

If you find our goods are not as represented, send them back. We'll return your money promptly and cheerfully. We know our goods will please you and are willing to assume all responsibility.

Our regular lock sets are carried in both genuine bronze and steel, finished either in antique copper or lemon brass, as described on the following pages. Both metals are very similar in appearance when finished, but we recommend the bronze for use in all exposed positions.

all exposeu positions. When ordering small articles to be sent by mall, do not forget to include postago, two money by ordering your Hardware with your Millwork.

ON GENUINE BRONZE AND STEEL

Consists of lock 3½x3½, cast 1 ron japanned case steel front. Knobs 2½. Escutcheon 7x2½

cutcheon 7x2½ Nickel plated steel key. Com-piele with screws

No. 3036. Lemon Brass fluish on wrough

BRASS AND ANTIQUE COPPER FINISH

AJESTIC LOCK

Bit Key Front Door Set



Set consists of one bit key front door lock, 4 ½ x 3 ½, cast iron japanned case. Bronze front, with easy spring bronze latch bolt steel tumblers. Two nickel plated steel keys. Knobs 2 ¼ in. Outside escutcheons 10x 3, inside 7x 2 ½. One key operates both latch and dead bolt.

No. 3030, Lemon Brass finish on wrought steel. Per set. \$ 1.85 No. 3031. Lemon Brass finish a genuine bronze. Per set.\$3.25

No. 3032. Antique Copper finish on wrought steel Per set...\$1.85

No. 3033. Antique Copper finish on genuine bronze. Per set..\$3.25

Cylinder Front Door Set

0

Consists of one heavy cylinder lock 5x3 % in, cast iron japanned case, cast bronze front, bolis and strike, easy spring latch bolt, five pln tumbler cylinder with three German silver keys. Knobs 2¼ in. Outside es-2¼ in. Outside es-cutcheon 10x3 in., inside 7x2½ in. Com-plete with screws.

LEMON

No. 3034. Lemon Brass finish on genulne bronze, per set. \$7.45. No. 3035. Antique Copper finish, genulne bronze, per set ... \$7.45



Push Plate

Size 10x3 Complete with screws.
No. 3055.
Lemon Brass Lemon Brass finish on steel. Price, ea.22c No. 3056.

Antique



Sliding Door Set

Lock 44x3%, steel face, cup escutcheon size 7x2% in. Adjustable bronze key. Sets for slugle doors have two escutcheons, for double four escutcheons. Be sure and state whether sets are for single or double doors. For Single Doors
No. 3040. Lemon Brass finish on wrought steel.

No. 3 Per set.

For Double Doors
3044. Lemon Brass finish on wrought steel, No 3045. Lemon Brass finish on genuine bronze. No. 3046. Antique Copper finish on wrought steel.

Electric **Push Button**



No. 3054. Size 3½x
1½ in., genuine bronze
metal, pearl button, complete with serews. Lemon
brass finish.
Price, each....\$1.05
No. 3298, As above,
Anlique Copper finish
Price, each....\$1.0

LEMON

Flush Sash Lift



Size 31/2 x11/2 in., heavy bevel, complete with screws.

No. 3105. Lemon Brass finish on steel. Each. [] c No. 3106. Antique Copper finish on steel. Each 110
No. 3107. Lemon Brass finish on bronze. Each, 250 No. 3108. Antique Cop-250

Drop Pull



Size 3½x1½ inches. Wrought steel or

metai. Machine screws in Sultable for cupboard drawers.

No. 2986A. Antique Coper on steel...........450

onze... 750

LOCK PERIAL

Bit Key Front Door Set



genuine bronze knobs and escutements at following prices:
o. 3016A. Lemon brass finish on genuine No. 3016B. Antique copper finish on genuine No. 3017B. Antique coprone. Per set. \$3.00 on genuine bronze. Per set

Cylinder Front Door Set Reversible



No. 3017A. Lemon brass finish on genuine bronze.

Per set\$7.25 Antique copper finish \$7.25

BRASS AND ANTIQUE COPPER FINISH ON GENUINE BRONZE AND STEEL

Inside Door Set



Reversible

Lock 3½x3¼ in., cast iron japanned case, steel face and strike, plated bolts. Knobs 2½ juches, Knobs 2½ juches, 1203½

No. 3018B. Antique copper finish on wrought steel. Per set..................................680

This set can be furnished as above with east bronze lock and genuine bronze knobs and escutcheous if desired.

No. 3019A. Lemon brass finish on genuine bronze. Per set.......\$1.85

Push Plate

Size 10x31/8 in., wrought steel or gen-uine bronze uine metal. Commetal. Com-

No. 3024A. emon brass Lemon brass finish on steel. Price each ... 35c No. 3024B. Antique cop-per f in is h on steel. Price each ... 350



Sliding Door Set

Lock 4½x3¾ inches, cast iron japanned case, steel face, escutcheons 7½x2½ inches. Sets for single doors have two cup escutcheons; for double doors, four cup escutcheons. Complete with screws.

For Single Doors.

	3020A.						
set	3020B.	Antlone of	conner	finish	on	steel.	Per
set						\$2.	45
	3021A.						
No.	3021B.	Antique co	pper f	inish or	geni	line bro	nze.
Per se	t					6.3	75



Lift Size 1½x3½ in., wrought sieel or genuine bronze metal, complete with screws.

Flush

Sash

Drop Pull



Drawer pulisize 4x15% in. Wrought siee or gonuline bronze metal. Machine screws in back. A very neat pull for your cupboard drawers, matching our Imperial sets perfectly.

No. 2982A.

Electric Push Button

Size 4 x 1 % size 4x1% inch pearl push button, genuine bronze metal, complete with screws.



Each\$1.00 No. 3029B. Antiquo copper finish on genuine

bronze.

Sanded Dull Brass Finish With ERIDAN **Bright High Lines**

Front Door



This set consists of bit key front door lock 4% inch x 3% inch east fron ease, with 1½ inch x 6½ inch east brass front, cast brass bolts, easy spring latch bolt, steel tumblers. Key operates both latch and thead bolt, 2 nickel plat-ed keys. Lock reversi-ble.

Outside escutcheon 11 K 3 Inches. Inside es-cutcheon 7½x2¼ in-

cutcheon 7½x2¼ inches.
No. 2932. Complete with wrought brass trim and screws—Sanded dull brass finish with bright high lines....\$4.00
No. 2933. As described above but with steel tace lock and steel trim in sanded dull brass finish with bright high lines...\$2.15

Cylinder Front Door Set



This set consists of heavy cylinder tock, 3¼ inch x 5¾ inch cast from case, 1½ inch x 7¾ inch cast brass from, cast brass bolts and hubs; operates by key from outside at all times, five pin cylinder with 3 keys. Lock reversible.

Knobs 2¼ inch x

Knobs 2¼ inch x 2¼ lnch (one piece). Outside escutcheon 11x3 inches, Inside escutcheon 7½ x 2½ inches.

No. 2931. Complete with wrought brass trlm and screws—Sanded dull brass finish with bright high lines...\$7.95

Door Set Inside Reversible



This set consists of 3½ inch x 3½ inch x 3½ inch x 3½ inch cast iron ease look with cast brass face and botts, east pring latch bolt, 1 s t e c 1 tumbler, 1 lickel platted steel key. Lock reversible. key.

Knob 2¼ inch. (One piece.) Escutcheon 71/2x

inches. No. 2934. Complete with wrought brass trim and screws in sanded dull brass finish with bright high lines...\$2.35

Flush Sash Lift



1%x4 in., com-plete with screws.

N 6. 2942. Wr ought brass, sanded dull brass finish with bright high lines...3e 2942.

No. 2943. Steel, sanded dull brass finish with bright high innes

Push Plate

Wrought brass or steel 11x3 inches; complete with screws. with screws.
No. 2940.
Wrought brass sanded dulibrass finish with bright high ines......74c No. 2941. steel, sand-

Steel, sand-ed duli brass with bright

French Door and Window Sets



For use on narrow style doors or windows where regular inside sets would be too large. With flat front lock 3½ luch x 1¾ luch or with rabbeted front lock 3½ luch x 2¾ luch sets as face, one tumbler, nickel plated steel key. Operates with levers both sides. Two 5½x1¼ in, escutcheons.

These sets are furnished with either flat front or rabbeted front lock. When ordering specify which front is wanted. If rabbeted front is wanted specify whether right or left

No. 2938, Set as described above, but with flat front steel face lock and steel trim. Sanded dull brass fluish with firight high lines. Si.62

No. 2939. Same as No. 2838, but with rabbeted front lock

Electric Push Button



4x1% in., complete with screws.

No. 2944. Wrought brouze. Sanded dull brass finish with bright

high lines......\$1.20 No. 2945, Steel, sand-

ed dull brass finish with bright high lines....75c This door check of simple construction can be used on either right or left hand door. Double action piston, double regulating valves, Easily assembled and adjusted by regulating screws on each end. Maroon bronze finish, cast iron cylinder and turret, solid steel shaft and pinion, heavy flat steel spring.

No. 2896. Maroon bronze fin-

No. 2896, h, for sere 396. Maroon bronze fin-screen and light inside doors.
Price, size "A"......\$6.25

Price, size A \$0.25
No. 2897, Maroon bronze finish, for heavy inside or light outside doors. Price, size "D" \$11.55
No. 2898, Maroon bronze finish, for heavy outside doors not over 3-6x8-10, 2½ Inches thick.
Price, size "E" \$15.35

Door Check



Sectional Front **Door Set**



Cast bronze, heavy cylinder lock 5x3%, cast fron japanned case, cast from japanneed case, with east brouze front, strike and bolts, easy spring jatch bolt, five-pin tumbler cylinder. Lock is operated outside by thumb lies and heavy cast brouze handle 0½x2½ base, dead bott by key, hiside by bronze knob 2½ in., dead bott by thumb knob m o u n t o d obrouze escutcheon 7x2½. In. Tiree sliver finished keys.

No. 3074. Lemon Brass finish on genuine bronze. Complete with screws.

Sectional Front Door Set



Lock 5x3%. east iron, fapanned case, with east bronze front, strike and holts, easy spring latch bolt, five-pln tumbler cylinder; lock operated outside by thumb piece and handle, inside by knob and thumb knob. Handle east bronze 6½x2½, bronze w it th cetagon roses and plates. Three sitver finished keys. Complete with serews.

Store Door Set Store Door Set Reversible



Flat key lock, 4½x 3%, cast iron, ja

Reversible



Store Door Set



dead bolt by thumb knob mounted on bronze escutcheon 7x2½ h. Three sliver finished keys. Complete with screws.

No. 3076A. Lemon Brass finish on genulue bronze.

No. 3076B. Antique Copper Finish Genuine Bronze.

Complete with screws.

No. 3076B. Antique Copper Finish Genuine Bronze.

Savidard Float Have Copper finish per set.

Savidard Float Have Copper finish price, per set.

Savidard Float Have Copper finish

Standard Floor Hinge





No. 3084

No. 3085

No. 3084

No. 3085

Price, Set

No. 3085

No. 3085 No. 3085. No. 3085B.

A

Flush Bolts With Plate

Heavy wrought steel flush bolts, 1½-inch plate, ½-inch bolt with ½-inch throw. Packed complete with screws to match, either Antique Copper or Lemon Brass finish. Furnished 6 or 9 inches long.

6-inch 9-inch 6-inch 9-inch

No. 3160. Antique Copper finish, each\$0.35 \$0.40

No. 3160B. Lemon brass finish, each .35
Price, per dozen,
either finish 3.95 .35 4.50

Extension Flush Bolt



For Heavy Doors
No. 3089.
Heavy wrought
steel, polished
round, push knob,
rods come 12 in.
long; size of plate
1½ in, wide, bolts
½ in, square, in
old copper or
lemon brass finish. Complete,
with screws.
No. 3089

No. 3 0 8 9. Lemon Brass Finish. Price. each\$1.70
No. 3 0 9 0. Old Copper Finish. Price, each\$1.70



No. 3097.

Bronze metal turn and plate, with 3 inch nickel plated bell gong. Com-plete with screws.

No. 3097. Antique Copper Finish. Price, ea.70c

Metal Base Knobs



Size 25% inches long. cast metal, rubber tip

dozen... o. 3165. Nickel-plated.70

Wood Base Knobs



No. 3123. Birch rubber tipped, screw in the bottom. Size 2½ in. Price, each, 3c; dozen.....30c

Floor Door Bumper

(HICAGO MILLWORK SUPPLY (C)

CHICAGO, LUNOIS, USIA

Glass Knob Inside



No. 3077A. Antique Copper. Price per set.......\$1.80

No. 3077B. Lemon Brass.

Price per set ..

Glass Door Knobs

Size 2¼ in.
Pressed Glass,
Octagon Pattern,
Sunburst Center
two Sunburst Center, two round roses with screws. No. 2899. An-tique Copper.

Door Pulls

Jap n ned iron, straight grip, sur-face patpattern,

long.
No.
3119. Comeach10c

Door Knobs

will fit any of our mortise or rim knob Rim Knobs and fr in. spindle. Prices quoted are for one pair of knobs and spindles with one escutcheon for rim locks, and two escutcheons for mortise locks. Usapanned trimmings. Bushed with leather and will not loosen on the spindle. For Rim Locks. No. 30118. Price Price per Color per pair doz. sets Brown \$0.25 \$2.95 Riack .25 2.95 Riack .25 2.95 Riack .25 2.95 White .25 2.95 White .25 2.95

Chain Bolt

Size, 6 in. wrought steel, square case, complete with chain and screws to match. No. 2926. Japanned. Price, each 55c No. 3208. Antique Copper. Each 65c No. 3209. Lemon Brass. Each 65c

Foot Bolt

Size, 6 in., wrought steel, square case, spring release. Complete with

screws.

Size, 6 in. wrought

Ornamental Inside Lock Set



Reversible inside lock set. 3% x3% Japanned 3%x3¼ Japanned iron case, plated steel bolts and front, and maleable key. 2½ Inch jet knobs, 1%x5¾ inch antique bronze finish ornamental services Com-

Size 3%x2% in. Japanned iron case. bronze bolt, thumb knob

thumb knob
and stop, fivepin tumbler.
Packed with
regular and
reverse bevel
strikes, 3 German silv or
keys, with
screws.
For doors % to 2%
Each....\$1.75

Inside Lock Set



Lock, 3½x 3¼ inches, Ja-3¼ inches, Ja-panned iron case, plated steel front and bolts, steel key. Knobs 2¼ in. steel escutch-eon 6 x 2 in. Complete with Complete with screws.

Antique Copper 3187. No.

Bit Key Front Door Set



nickel places steel k ey s.
One key operates both latch and dead bott. Escutcheons 8x2½ outside and 6x2 inches inside.
Complete with screws to

Loose Pin Butts

Wrought steel,

wrought steel, ball tlpped, packed with screws.
No. 3193. Antique copper finish or No. 3194.
Dull brass, per pair:



Copper. Each 65c No. 3201. Lemon Brass. Each 65c Wrought Barrel Bolt

Antique



Polished steel, brass knobs, Length of bolt.

-

No. 3210, 3 in, 4 in, 5 in. Price, each15c 17c 18c Old Copper Finish 25c 27c 32c

Steel Thumb Latch

These latches being made of wrought steel will not break and are far superior to the old style cast iron latches. Complete with screwa. With padlock attachment. No. 3259, Japanned. Price, each. 27c No. 3260, Galvanized. Price, each. 32c



Rim Knob Latch

Rim Night Latch



No. 3182.

Reversible
Size 3 % x2 ½
in. Japanned
case, with slide

Rim Lock Set

Complete with screws. Price, each, no knobs included......30c

Three Tumbler Mortise Lock



Size 3½x3¼ cast brass front bolts, cast t n r e e wrought steel t u m blers, nickel plated steel key. For use on out-side entrance doors v

bull brass, per pair; 3½x3½ 24c 4x4 ... 30c ... \$1.20 3½x3½ ... 24c 4x4 ... 30c desired. Cannot be picked. No. 2901. Antique Copper. No knobs. Each... ...\$1.20

No. 2902. Lemon Brass. No knobs. Each.....

Rim Lock Set



hole escutcheon. No. 3171. Price per set with 45c

Reversible Lock size 4x3 % inch iron

bolts, with stop malleable iron key. Packed with one pair Jet Knobs and one japanned key hole escutcheon, No. 3170. Price per set

with screws45c



Mortise Lock Set—Reversible

Size of lock, 334x314 inches. Japanned iron case, steel front, plated bolts, steel key. Packed with one pair Jet Knobs and fananned rose escutcheons.

No. 3178. Complete with screws. Price, set68c



Rim Night Latch Reversible

-0



Size, 31/4 x 2, wrought steel case, plated bolt, bronze

Nickel Plated Lock Set



Automatic Door Catch



No.

Bathroom Lock Set

This set is made especially for use on bathrom or lavatory doors and is made of a plain cornered design, heavily nickel plated. Lock is 3½x3¼ in., cast iron Japanned case, bronze front and bolts. No key is used, as the dead bolt is operated on the inside only by a small thumb knob mounted on escutcheon 6x2 inches. Latch operated from both sides by knobs knobs.

No. 3158. Bathroom Lock Set, genuine bronze, finish nickel plated one side, lemon brass on steel to match our Imperial design on other

screws

No. 2965. Bathroom lock set, nickel plated one side. Made to match our Sheridan design No. 2935. Complete with screws.







CHICAGO, LUNOIS, USIA)

Safe Delivery Of This Hardware Guarantee

(HICAGO MILLIWORKSUPPLING)



Wrought bronze plate, cast bronze knob, length 2½ in. Burgiar proof. Com-plete with screws.

No. 3173, Antique copper finish. Price, each 40c

No. 3174. Lemon Price, each....400

Mortise Latch Set



Reversible for Closet Doors

Latch 3¼x1½, japan-ned iron case, steel plat-ed front, knob 2½, es-cutcheons 3½x1½. Com-plete with screws. Com-

No. 3179. Antique copper finish, or No. 3180, Lemon brass fin-ish, per set.... 620

Safety Door Guard




A positive night lock or bolt which cannot be opened or picked. When in position door can be left ajar without foar of intruders, as door can only be opened to length of bolt. Can be instantly thrown out of position when wanted, and will not be in the way. Made of heavy malleable fron or genuine Bronze Metal.

No. 2907. Antique Copper on No. 2908. Lemon Brass on \$1.50

No. 2909. Antique Copper on Bronze \$2.05
No. 2910, Lemon Brass on Bronze \$2.05

Wrought steel, size 3x10 ches. Oval edge. Screws inches. Oval euge.included.
No. 3082. Old Copper.



Cellar Window Set

Complete with 1 pair of 21/4-in. Butts, 1 Screw Hook and Eye, 1 Fastener for sash and necessary

on cabinet doors such

as medi-cine cases and cup-

boards. Ball tip-

Ball Tipped Butts



steel, loose pin; size 21/2 x2 in. and 2½x2½ in. For use on small casesmall case-ment win-dows. Com-plete with screws. Spe-clfy size.

3195. Antique Cop-No. 3196



Casement Windows **Fast Joint**

Wrought steel butt, gai-vanized, with vanized, w brass pins

prevent rusting on sash open-ing out as butts are on the outside.

No. 3192. Price per pair, complete with screws.

3 x 3 3 1/2 x 3 1/2 4 x 4 50e 650

Wrought Steel Butts for Ball Bearing Spring Butts Single Acting



Single acting, wrough i steel spring butts, complete with screws. A heavier, stronger hinge than usually furnished at this low price. Tension can be adiusted

Door 34 Inch to I Inch. Price per pair | 328 | C. | Japanned | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Transom Butt



Size 3x3 in. steel. Tight p Wrought plete with screws.

Loose Pin Butts



ped, com-plete with

Double Acting Ball Bearing **Spring Butt**

Made of heavy planished steel with two completely encased adjustable tension springs.

A substantial, neat hinge. Finish, Antique copper, Japan or Lemon brass, Price includes screws.

3283 3283A 3283B Antique For Doors—
Thickness
Stze No. 9, % to 1 -in. \$2.30
Size No. 4, % to 1¼-in. 2.75
Size No. 5, 1% to 1½-in. 3.20
Size No. 6, 1¼ to 1½-in. 3.95 Lemon Brass Copper \$3.05 3.75 4.35 5.55 \$3.05 3.75 4.35 5.55

Surface Hinge



Size 1½
Inch joint,
open 2½
inch. Ornamental,
wrougit
steol, polished. Is applied to doors

much quicker than the butt hinge. For use on small cupboard doors.

Ornamental Surface Butts





finish. No. 3185B. Lemon Brass.

Loose Pin Butts Nickel Plated





Size 31/2 x31/2 ln., per pair..40c Size 3½ inches, per pair.......386 Size 4 x4 inches, per pair......50c Size 4 x4 inches, per pair......50c

Pullman Sash Balances



The SASH BALANCE with a uniform mortise, one size of mortise only is required for all sizes, of sash balances shown on this page.
Each set packed in a box complete with screws.

Sash

Balances are sultrated in many be used in many places where cord and weights would be impracticable. They are easily applied and run noiselessly. If the simple directions for placing them in position are followed we warrant that every balance will work perfectly.

The following price of four Sash Balances complete with screws. Balances requiring longer tape than listed, made to order.

Price Per Set of Four Balances

Catalog Number	Weight, Ea. Sash, Pounds	Price Per Set of Four
4900 4901 4902 4903 4904 4905 4907 4909 4910 4910 4912	4 to 5 6 to 7 8 to 9 10 to 11 12 to 13 14 to 15 16 to 17 18 to 19 20 to 21 22 to 23 24 to 26 27 to 29 30 to 32	\$222.4605005050505050505050505050505050505050

Picture Hooks



No. **3220.** Picture Moulding Hooks, ½-inch wide, brass plated. Per dozen 9c Price, each

Flush Trap Door



Made of wrought steel, japanned. Size. 3½x3½ inches, with screws.

Rings



Bath



Size

Wrought Steel Butts Jananned

Made from coid rolled steel, with heavy ball tips, For either right or left hand doors, Priced with screws.

No. 3277. \$0.27 \$0.28 2.92 2.95

3x3 3½x3½ 4x4 4½x4½ 5x5 Pair. . 28 . 29 . 34 . 50 . 86 plated.
Dz.Pr.3.05 3.08 3.85 5.58 9.98 Price, per pair. . 28c

Ball Tipped Nickel



on small doors. Complete with

No. 3167. Nickel



Made of cast ctal. Size 31/2 in. metal. A substantial hook, No. 3299A. Anque Copper or Lemon Brass, price each6c Price, per doz..55c

No. 3299B. Nickei plate, each. 6c Per dozen....70c

Room Hook Nickel

Made of cast metal, highly fin-ished and nickel plated. No. 3232. Price,

Ceiling Hook

No. 3139. For use under shelves in clos-ets. Length 2% in., width 3½ in., steel

Wire Hooks



No. 3138. 3 in., coppered wire, eachlc Per dozen.....110 Per gro.....\$1.25

Blind Set

Wardrobe Hooks

Blind hinge for wood. Throws blind 14 inches from casing. Set consists of four hinges complete with screws and fastener.



No. 2924. Price, per set......27c Price, per dozen\$3.05

Stop Screw and Washer

No. 3115. Wrought steel washer, Antique Copper finish with screw to match. No. 3116. Lemon Brass fin-ish.

Price, per dozen...... 150

Price, per gross......\$1,28

Flush Bolts

For use on casement sash or French windows, when in pairs to secure the standing sash. Width 1 in, Boit ¼ in. dlam. Plain knob. Complete with screws. Length, 6 in.

No. 2992. Lemon brass finish. Price, each.....280

No. 2993. Antique Copper finish. Price, each.....28c

HARDWARE PRICES THAT SAVE YOU MONEY

CHICAGO MILLINORK SUPPLIX (S)

Sash Pulleys

No. 4913. Noise-less steel pulley, Strong and sub-stantial. Diameter of wheel, 2 inches, Face plate 1½x4½ Inches, natural steel finish. Price, per dozen60c



Sash Cord



No. 3126. Peerless Sash Cord, made only of best quality of selected long fibro cotton, strong and durable. Fully guaranteed. Per hank of 100 feet......900

Sash Weights



No. 3121. Sash Weights are carried in stock in the following weights:
Pounds—3, 3½, 4, 4½, 5, 5½, 6, 6½, 7, 7½, 8, 8½, 9, 10 and in even pounds up to and including 30. Price, per 100 pounds \$2.60

Bar Sash Lift



Hook Sash Lift



Wrought steel. Complete with

Bevel Edge Hook Sash Lift



Window Spring Bolts



Sash Lock and Lift



No. 3198. Nickel Plated finish, per doz. 20 No. 3292. Lemon Brass on Bronze.

Window Stop Adjuster

To be used on the strips which hold sliding sash in the casing and allowing them to be forced against the sash to overcome rattling, shrinkage or expansion without marring, the woodwork. Complete with screws.

Sash Fastener

Wrought steel. Complete with, screws.

Transom Centers

No. 3127. Standard Design and Size. 2%x1 in., coppered iron, four pieces to a set. Pow set 160 Per set 160



Transom Lifters


For use on transoms, hinged at top or bottom or pivoted at the sides, thus allowing the transom to be opened or closed and at the same time locking it in position. Rods ¼ in, in diameter, 3 and 4 ft. long, finished coppered bronze. Antique Copper or Lemon Brass.

No. 3129, Price ea., Copered Bronze, 3 ft., 420; 4 42c.

No. 3130, Price ea., Anque Copper, 3 ft., 60c; 4 No. 3 | 30, Price ea., All-tique Copper, 3 ft., 60c; 4 ft., 60c, No. 3 | 3 | Price ea., Lem-on Brass, 3 ft., 60c; 4 ft., 60c.

Steel Transom Catches

1%x2½ inches. Antique Copper or Lemon Brass finish, Completo with screws.





Transom Catches with Plate

Made of wrought steel. Size 15x2 in. Antique Copper or Dull Brass finish. Complete with screws. State finish wanted.



No. 3101, Price, each.....\$0.11 Price, per dozen......1.25

Steel Transom Chains



CasementWindow Fastener

For use on Casement Sash, Size of plate 1% x 1% in. Made in genulae bronze or plated metal. Complete with screws.



No. 3289. Antique Copper on Iron. Price, each. 18c

Lock For use on narrow stile doors or windows where regu-lar inside set would R

In tace

lock 3½x

Manual Steel

Manual Stee

No. 2961. Antique Cup.
No. 2961. Antique Cup.
Finish on Bronze.
No. 2962. Lemon Brass Fluish on Bronze. . Antique Coppor

CasementWindowAdjusters




diamete



For use on windows opening in or out. Length closed, 8% in. Holds asab in any position. Price includes screws. No. 3306, Galvanized. \$1.00 No. 3307. Lemon Brass Finish. Each. 1.00

Hook and Eye for Casement



Steel Cabinet Pull



A neat, strong pull for smail cabinet or cupboard drawers in antique copper or lemon brass finlsh, with screws.
Length, 5 ln. State finish wanted.
No. 3265. Price, each....4½c
Per dozen42c

Drop Pull



Size 34x1% in. Wrought steel. For use on cupboard drawers.

No. 3274. Lemon Brass finish

Drawer Pull




Size 4 inches.
Fastened on inside by two machine screws. A
very neat pull for cupboard drawers. Made of cast metal.

Brass Wire Screw Eye

Length of shank % in., eye about % in. in diam-

Bright Wire Hook and Eye



No. 3099. Size ...1½ in. 2 in 2½ in. Each ... 1c 1½c 2c Per doz...10c 14c 18c

Wrought Hook and Staples No. 3098.

Each in.....3e in.....4e in.....46
Per dozen
in....30e

Screen Door Rim Set

For screen doors opening out. Knob and plate outside, catch 24x1% in. No. 3253.



Lemon Brass finish. Price, set. 65c

Screen Door Latch

Reversible



ish. No. Per set

Screen and Storm Sash Hanger

Door Buttons



No. 3140. Size 1% inches.
Japanned iron. Price, each...10
Price, per dozen......9c
Price includes screws.

Screen Numbers



Made of brass with depressed black numbers, Point about ½ in. long. These numbers are used for marking screen doors, screen windows and storm sash so that the proper openings may be quickly found. Numbers come in pairs, one for the screen and one for the window frame. No trouble to find where each screen belongs when properly marked. Each package contains 25 pairs.

Comd 001

Set Door creen



s e t,
c o n sists of
t w o
spring
hinges, puil, hook Japanned

and eye finish. and screws. No. 3250. Price, per set 22e

Window Screen **Fastener**



Wrought steel, com-plete with s c re ws and pins, Japanned finish. No. 3276. Price per pair . . | 1e

Screen Door Pull

Made of cast metal, size 4 in. long. Complete long. with screws. No. 3117A. Antique opper finish. opper

Price, each... No. 3118A. Lemon rass finish. Price, each....

Screen Door Pull

34-inch wrought steel screen door puil. Ebony black or antique copper fin-ish, with screws to match.

No. 3265A. Ebony black. ach....3e Per doz...26c No. 3265B. Antique copper. Each...3c Per doz...26c

No. 3265C. Lemon brass. Each....3c Per doz...26c

Surface Bolts



No. 2951. Iron, 9 inches long. 2952. Iron, 6 inches long. 2953. Iron, 9 inches long. .27c

Metal Knob for Drawers



Glass Knob for Drawers



Size 1¼ in. For use on smail draw-ers or doors, with machine screw in

Door Hinge Screen



No. 3199A. Wrought steel, black japanned, oil tempered spring. Size 234x24. Complete with screws.

Price, per set.....16c
No. 3199B. Antique
Copper finish with screws.

Screen Door Hinge



Made of heavy plan-ished steel, for large, heavy screen doors, Can furnish in either Antique Copper or Lemon Brass.

No. 3221. Antique Copper finish. Price

Brass finish. Price, per pair......46c

Door Hinge Screen



per pair.........\$0.78
Price per pair
Lemon Brass..\$0.78
Nickel Plated .85 No. 3412. No. 3413.

Door Hinge Screen



Size 3x3 inches. Adjustable spring tension, spiral spring entirely enclosed.

No. 3206. Antique Copper finish with screws or No. 3207 Lemon Brass finish with screws. with screws.

.....\$1.68 Per pair

Cupboard Catch



tique Co No. Each ...

Cupboard Turn



Size 2x1½ in.
Made in wrought
steel and genuine
bronze metal,
highly polished.
Complete with screws.

3143. Ant. Copper on steel. 14c 3144. Lemon Brass on steel. 14c 3145. Ant. Copper on bronze. 50c 3146. Lemon Brass on bronze. 50c

Cupboard Catch Nickel Plated

For smail cup-

Cupboard Turn



Nickel Plated For latching small cupboard doors. Heavily nickeled, size 1% x1% inches. back.

No. 2923.
Price, each.\$0.10
Price, doz... 1.00
With screws.

No. 3169.
Price, doz... 1.00
With screws.

Price each....14c

No. 3188. With screws
Inches.... 3 6 8
Price, each 3 6 8
Price, each \$0.10 \$0'.15 \$0.21
Price, doz. 1.15 1.60 2.35

Elbow Catch



Size of base plate 1%x% in., japanned iron. For use on the inside of the standing door for cupboards when

made in pairs.
No. 3136. Price. each.....5c

Storm Sash Fastener

This storm Sash Fastener is the very best on the market. Consists of one pair of fasteners, 10 in. long, and one pair of lock plates. One end of fastener is screwed to inside of storm sash and plate fastened to parting stop. When ventilation is desired the storm sash can be pushed out and the long arm fitted into lock plate, holding the sash firmly in place.

No. 3258. Price per No. 3258. Price

Wrought Steel Corner Iron



pair

No. 3254. Price Price per Each Doz. 2½e 21e 3 c 32e 4 c 38c 3 x3 3½x3½

Drawer Pull



Length 31/4 inches. Wrought steel, complete with screws.

No. 3147. No. 3148. Price, per

T-Hinges



With Screws
Light wrought
steel T-Hinges. Made of



steel Hinges. No. 3176

Price per pair, 6-inch......\$0.25 Price per dozen pair..... 2.95



Extra heavy w rought steel T-Hinges.


No. 3177 10

6 8 Size Per pr.\$0.30 \$0.45 \$0.62 \$0.88 Doz. pr. 3.50 5.15 7.20 10.20


Reverse Pad Hinges

No. 5344. Wrought steel extra heavy T-hinge with reversed pad for garage doors. Price includes screws. Japan finish. Size. 8 in. 10 in. Per pair. \$0.50 \$0.70 Doz. pair. 5.65 8.15

Hinge Hasp



Steel Barn **Door Track**



Made in 4, 6, 8 and 10-foot lengths, A-inch thick, 1 inch wide. Brackets about 12 inches apart. No. 3233. Price, per foot....90

Extra Heavy Barn Door Track

Made of steel, %-inch thick, 14.inch wide, with malleable brackets.
For extra heavy doors, and any
style of barn door hanger.

No. 3234. 4, 6, 8 or 10-foot lengths. Price, per foot....!!e

Barn Door Track and Hangers



Tandem type hangers, insuring free and easy carriage with anti-friction steel roller bearings; very flexible, permitting door to swing out to any desired angle, adjustable to doors from 1½ to 2 inches thick. The small section Illustrates how hangers are protected from rain, ice and snow. Track is 16 gauge steel; hangers include holts for attaching to door, lag screws and stops, and splice cover for rain. Track 3 pounds per foot.

No 2827. Track, per foot...32e

No. 2827. Track, per foot....32e No. 2828. Hangers, per pair\$1.85

Heavy Barn Door Pulls

Extra Heavy Steel

Pulls

Strap Hinges



Made of light wrought steel. All full zes and weight, Screws included. s and weight, Seron 3 105. 3183. Price, per pair \$0.12 \$0.15

Heavy Wrought Steel

Hasps and Staples

No. 3189. Made of wrought steel, screws not included. Price, each





Plan Book Is Free

(HICAGO MILLWORKSUPPLY (O CHICAGO, DUINOIS, USIA)

Hardware, Nails And Jarage crews

Garage Door Set



Set consists of 3 pairs of 10-inch reversed pad extra heavy T hinges, 1 6-inch chain bolt with staples, 1 6inch foot bolt, including floor plate, 1 No. 4 heavy thumb latch, 1 No. 4 heavy door handle. Weight about 20 pounds. Japanned finish.



Garage Door Holder

This is an arm of steel which holds back garage doors.

There are just three parts: The U-shaped 30-inch bar of heavy steel; the pivot plate with a \(\frac{1}{2} \)-inch rivet, coupling the bar to the door; and the bumper plate which locks the bar to the frame of the garage at two points.

The holder operates automatically, Swinging the door open starts the action of the holder. When the door is open to a little more than a right angle, the notches in the end of the bar drop over the bottom of the slotted plate, locking the door open. To release, just pull the chain.

The holder is reversible for right or left hand doors, and may be applied to doors of any shape.

applied to doors of any shape.
Japanned finish.
It is packed complete with d

It is packed complete with directions, staples and screws, one pair in a box; weight per pair, about 8½ pounds.

No. 5337. Price, complete\$2.00 packed

Foot And Chain Bolts



Both Foot and Chain Bolts Measure 10 Inches

Japanned Finish Foot bolt for bottom and chain bolt for top of inactive

door.

This hinge is designed for the average weight garage door. It has a 1½-inch offset and is countersunk for No. 14 wood screws or 1-inch lag screws or carriage bolts. It is made right and left-hand. Packed one pair in a box, complete with 1¾-inch screws. Length 10 inches. The joint is fitted with ball bearings. Japanned finish. With screws. No. 5341 No. 5342 Foot bolt apped rectangular floor plate of the control of the c cupped

No. 5336. Price per set..\$3.30 complete. Price, each......\$1.30

Garage Door Hinge

No. 5338A. Price per pair \$2.60 No. 5338B, Same as above ex-cept that length is 24 inches.



Garage Door Set

This set consists of 2 pairs of 16-inch reversed pad extra heavy T hinges, 1 pair of 12-inch reversed pad extra heavy T hinges, 1 6-inch chain bolt, with staples, 1 6inch foot bolt with floor plate, 1 No. 4 heavy thumb latch, 1 No. 4 heavy door handle, 1 garage door holder. Weight per set about 22 pounds. Japanned finish.

..\$3.70 No. 5335. Price per set..\$7.20

Garage Door Lock



- (chippin)

Size 5x3½ inches.
Rim Dead lock, fron
bolts and case, with
folding steel key,
can be operated from
either side of door.
This lock has a
heavy rim strike, and
is made especially
strong and substantial for heavy garage, barn or factory
doors.

Thumb Latch Set



Price, per pair

Duplex Latch

This latch is easily adjustable for doors from 1% to 2% inches thick. On special orders, it can be furnished for doors of other thishnesses.

folding steel key, can be operated from either side of door. This lock has a heavy rim strike, and is made especially strong and substantial for heavy garage, barn or factory doors.

3299. Lock complete with rim

.\$1.45

We out ght steel and have a large and have a large comfortable handle 10½ inches 1 on g. They have combination holes; square to permit the use of bolts and nuts, and counterstunk for wood screws. Packed one set complete in a box with directions; 1x13 screws for escutcheon pi a tes; 1½x13 screws for actic nor mortise strike 3x2 inches to permit the use of bolts and nuts, and counterstunk for wood screws. Packed one set complete in a box with directions; 1x13 screws for escutcheon pi a tes; 1½x13 screws for actic nor mortise strike 3x2 inches to permit the use of bolts and nuts, and counterstunk for wood screws. Packed one set complete in a box with directions; 1x13 screws for escutcheon pi a tes; 1½x13 screws for e



For Rolling Garage Door Hardware, See Page 21.

NAILS AT MONEY SAVING

A Box Containing 25 Lbs. Assorted Wire Nails

NO CULLS, SECONDS OR SWEEPINGS

These are bright, new nalls which we put up from our regular stock. Box contains the following assortment:

Lbs.	Klnd	Lbs.	Kind
2	3d	2	12d
	4d	2	16d
3	6d	4	
6	8d	2	40d
2	10d		

Just the sizes you want for every day use. This box is very handy about the home for making repairs.

No. 3565. Price per box containing 25 lbs. net weight of

Temporarily Discontinued LENGTH OF NAILS

Penny:

2 3 4 5 6 7 8 9 10 12 16 20 30 40 50 60 Inches

1 1½ 1½ 1½ 1½ 2 2½ 2½ 2½ 3 3 3½ 4 4½ 5 5 5½ 60 Our nails are bright, new stock, made of the best steel wire and have strong, flat heads and sharp points.

Prices on nails are usually made "subject to market changes," owing to constant fluctuations in the nail market. For this reason, we are compelled to reserve the right to change these prices if market conditions make it necessary.

We do not look for any advance in price during the life of this catalogue. Send us your orders on the basis of these prices. If there has been an advance, we shall advise you; if a decline, we shall give you the benefit of the lower basis.

We reserve the right to limit our customers to wast we consider a reasonable quantity in proportion to other goods ordered, Only full kegs of one hundred pounds of one size nail will be sold at keg prices.

3566 STANDARD WIRE NAILS—COMMON				ALTA TARTE	23128	inches	Per keg 100 lbs.	any qu'ntity					
Size	Length inches	Price per keg 100 lbs.	Per lb.	Size	Length inches	Price per keg 100 lbs.	Per lb. any quantity	3568 3569	Galv. Shing. Nails Galv. Shing. Nails Wire Fin'ng Nails Wire Fin'ng Nails	3½ d.	1%	\$6.85 6.67 4.66	81/20
2 d. 3 d. 4 d. 5 d.	1 1¼ 1½ 1%	\$5.18 4.83 4.43 4.37	70	10 d. 12 d. 16 d. 20 d.		\$3.74 3.68 3.62 3.51	50	3570 3571	Wire Fin'ng Nails Wire Casing Nails Wire Casing Nails Wire Casing Nails	10 d. 6 d. 8 d. 10 d.	3 2 21/4	4.20 4.03 4.37 4.10 4.92	61/20
6 d. 7 d. 8 d. 9 d.	214 214 214 214	4.20 4.14 3.85 3.85	60	30 d. 40 d. 50 d. 60 d.	5 1/2	3.51		3572 3573	Fine or Lath Nails Fine or Lath Nails Flooring Brads Flooring Brads	2 d. 3 d. 8 d.	1 11/4 21/2 3	5.75 5.06 3.92 3.80	61/20

CEMENT COATED WIRE NAILS

These nails are made of the same quality wire as the standard nails, of slightly lighter gauge, and are coated with a special cement preparation which sticks to the wood. It is the best nail to use for permanent work. A keg weighs about 75 ibs., but we guarantee the count, nail for nail, the same as the standard nails. No. 3567. Cement Coated Nails cost a small amount less than common standard wire nails. Write for prices.

FOR A 38c BOX Containing 144 Assorted Screws For Wood

FLAT HEAD IRON SCREWS FOR WOOD

Our screws are made of the very best material. The threads are sharp and true, finely pointed and the heads are strong and will not split.

We furnish these screws in full gross packages (144 screws) at prices way below those ordinarily charged.

3581. PRICES ON IRON SCREWS

				20000								
Length No. No.	No. No. No. 12	No. 14	No. 16	No. 18								
160 160 180 180 190 200 210	220 230 250 250 280	320 360	500									

Grade Plumbing Fixtures at Reduced

(HICAGO MILLWORK SUPPLY (6)

CHICAGO, LLINOIS, U.S.A.

Deep Apron High Back Lavatory



Massive, one-piece lavatory with high back and deep apron. Best gray iron heavily coated with white porcelain enamel, Size 18x24 inches, Furnished with heavy nickel plated brass compression basin cocks and "p" trap to wall as shown, or "S" trap to floor. Specify which when ordering.

No. 4668. Lavatory only......\$12.90 No. 4669. Lavatory complete as shown 17.80

Syphon Wash Down Closet

Vitreous China Tank



This is one of the most popular closet outfits because of its beautiful appearance and efficiency. It is equipped with one of our highest quality vitreous china tanks with copper fittings in side and nickel plated brass supply pipe to the floor. Water impurities cannot harm this tank.

The Bowl is our regular Syphon wash down bowl thoroughly first quality in every respect. It is glazed both in and outside as is the tank. Bowl and tank are connected by nickel plated elbow.

Seat. Highest quality Birch seat, finished in Mahogany. \$31.50

Pedestal Lavatory

Drop Apron Ideal Lifting Waste

This pedestal lavatory is of Colonial design; it is graceful, well proportioned and will harmonize well with the more recently designed fittings for the modern



bathroom. The best porcelain enamei is used in its construction; it is fitted with an improved lifting waste, heavy pattern low down china indexed compression basin faucets marked "hot" and "cold", nickel plated brass trap to wall or floor and adjustable iron pipe connections, making it exceptionally easy to set up. The improved and dependable lifting waste is a feature to be found only in the best and most expensive fittings. The basin measures 11x15 inches.

No. 4682. Size 20 Price, Complete... Size 20x24. \$34,00

Half Circle Lavatory Deep Apron

This is one of the most modern designs now manufactured, Deep apron gives it a massive appearance. Its neatness and low price makes it one of the most popular patterns, Furnished complete as shown with nickel plated compression.

as shown with nickel plated compression basin cocks and "P" trap to wall, or "S" trap to floor, Specify which you want when ordering. Held by concealed wall hangers.

No. 4674. 17x19 Lavatory only, no trimmings

No. 4675. 18x21 Lavatory only, no trimmings

No. 4676. 17x19 Lavatory complete as described.

No. 4677. 18x21 Lavatory complete as described.

Half Circle Side Wall Lavatory

This one-plece roll rim side wall lavatory is made of the highest quality gray from coated with three coats of white porcelain enamel, it is strong and durable and is held in place by conceated wall hangers. Furnished complete with two china indexed compression basin cocks and "P" trap to wall which are highly nickel plated. Can also be furnished with trap to floor, trimmings. No. 4670. 17x19, Lavatory only, no trimmings. No. 4671. 18x21, Lavatory only, no trimmings. No. 4672. 17x19, Lavatory complete as described. Lavatory complete as described.



Closet Outfit

Low Down Tank

Low Down Tank

A Very Popular

Outfit, such as we can weil recommend. The bowi is of syphon action, made of high grade English vitreous earthenware, is nicely glazed and polished, and strictly first class goods. The tank is made of golden oak, highip polished, and is furnished with a push button, a slight touch of which raises the valve, producing a positive flush. Tank capacity is about 6½ gallons and is lined with heavy copper from bottom of tank to height at which water stands. The portion above this is lined with galvanized iron which prevents moisture entering the wood and causing the case to swell and crack. Furnished complete with nickel plated supply pipe and brass nickel plated elbow for attaching tank to closet. Shipping weight, about 100 pounds.

Price, complete as illustrated and described, F. O. \$29.40

No. 4330.

White Enameled Steel Bath Tub



Bath Tubs Made of

3-Inch Roll Rim White Enameled Bath Strictly an A Grade

Tub and one which we can recommend to you as being the equal of tubs usually sold at very much more than our price. Has a 3-inch roll rim and is fitted with a No. 4½ Fuller double bath cock, ½-inch nicke! plated supply plpes and connected waste and overflow with the chain and rubber stopper. Strictly first class, brand new goods. Enameled inside and over roll rim, a pure, clean, clear, flawless, white. We guarantee the enamel not to flake, peel or blister. Our price includes tub with fittings, as illustrated. Extreme height, 23 inches; extreme width, 30 inches; depth, inside, 17 inches.

Length of tub. 4ft, 4½ ft, 5ft, 5½ ft, 6ft, Weight, ibs. 255 295 305 360 348.60

No. 4328. \$36.85 \$37.35 \$37.85 \$40.50 \$48.60

White Porcelain Enameled Bath Tub on Base

Bath tub is supported on base, which does away with legs generally used. This saves the housewife a great deal of work, as it is impossible for dust to collect under tub. A high grade fixture. Porcelain enameled inside and over rim, outside and base palnted. Equipped with No. 4½ nickel plated Fuller double bath cock, ½ inch nickel-plated offset supply pipes, and nickel-plated standing waste and overflow with china index top. No rubber stopper or chain needed. All connections for iron pipe. 30 inches wide over rim; 22½ inches high to top of rim; 17 inches deep inside; 3-inch roll rim. Shipped from Southern Wisconsin.

Length of tub. 4½ ft. 5 ft. 5½ ft. Weight, pounds 350 400 846.95 \$49.95

No. 4683. Price as filustrated...... \$13.95 \$14.25 \$14.50 No. 4649. Price...... \$46,20 \$46.95 \$49.95 Note—Prices on this page are subject to market changes. If the market declines we will give you the benefit; if it advances we will increase our prices to cover increased cost to us.

One-Piece Cast Iron Enameled Sink

A strictly "A" grade porcelain enameled roli rim sink with 12-inch high back, nade all in one piece. Supported on concealed wall hangers and supplied with nickel plated strainer, two ½-inch Fuller flange bibbs, 1½-inch P-trap, or with trap to floor. Do not fall to state which is wanted, otherwise trap to wall will be furnished. This is a pleasing design, and is strictly No. 1 goods. Enameled white on the inside and painted outside. Can furnish in sizes as listed below. The 20x30-inch size is the one most generally used.

Note—Our price is for sink complete as illustrated.

No. Size



4334. 4335. 4336. 4337.	18x30 with fittings, 20x24 with fittings, 20x30 with fittings,	each Price each \$16.20 each 18.75 cach 17.35 each 19.70 each 21.85
----------------------------------	--	---

Roll Rim Sink and Drain Boards All in One Piece



A porcelain enameled sink, 20x26 inches, with apron, drain boards 20x18 inches and 12 inch back. Entire length 62 inches. This sink is all in one piece and is supported on concealed wall hangar. piece and is supported on concealed wall hangers, Sink is furnished complete with two nickel plated flange bibbs, nickel plated strainer and 1½ inch trap, as illustrated.

No. 4273. Complete as shown. Price ...\$59.40 if legs are not wanted deduct \$3.35.

Roll Rim Sink, Back and Drain Board All in One Piece

A strictly modern "A" grade kitchen sink with 12-inch high back, east iron porcelain enameled drain board, made all in one piece. Furnished in three sizes, as listed below, but the 20x23-inch size is the one most generally used. Trim includes nickel plated strainer, Fuller flange bibbs, and trap as illustrated. Made with drain board on either right or left hand. Be sure to state which is wanted,



20x26	20x28
20x22	20×24
48 ln.	52 in.
30.70	32.50

Porcelain Enameled Sink Backs



Made of best quality iron and coated with clean, white porcelain enamel. Furnished with two or three cock holes, as desired. Two holes supplied unless three are mentioned. For flat rim sinks only,

No. 4362. 12 inches high and 21/2 inches deep.

Length	24 in.	30 in.	36 in.
Price	\$3.95	\$4.20	\$6.05

White Enameled Flat Rim Kitchen Sinks



Made of strictly "A" grade grey iron casting, porcelain enameled on inside and painted on outside. Extra heavy goods. Best grade white enamel baked on at an extreme heat, and is a flawless, pure, clean white enamel, guaranteed not to peel, chalk or blister. Better grade goods, more nicely finished and heavier weight than usually furnished. Fitted with nickel plated strainer, and is 6 inches deep. Shipped securely crated from factory near Chicago. The 18x30 and 20x30 are the sizes most generally used.

No: 4350.	Size	Price, Each
4351.		5.80
4352.	18x36x6	
4353.	20x30x6	
ADEA	00000	0.20

Porcelain Enameled Roll Rim Sink with Drain Boards

This porcelain enameled roll rim sink with drain boards has a 12-inch back and is all in one a 12-inch back and is all in one piece. It is supported on concealed wall hangers and includes nickel plated improved strainer, 4-inch compression flange bibbs with china index handles and 1½-inch P trap. Entire length is 62 inches. Size of sink 20x26 inches and size of drain boards, 20x18 inches.

No. 4274. Complete as described.



Price.....

Roll Rim Sink, Back, Drain Board and End Piece All in One Piece



A strictly modern high grade, roll rim sink, fitted with 12-inch high back, white enameled drain board and white enameled end piece, all made in one piece. Supported on concealed wall hangers and supplied with nicked plated strainer, two ½-inch Fuller flange bibbs and 1½-inch P-trap. Furnished in three sizes and state which is wanted. Illustration shows right-hand drain board.

No. 4346. Size of sink. ... 20x26 20x26 20x26 Size of drain board. ... 20x16 20x22 20x24 Entire length. ... 42 ln. 48 ln. 52 ln. Price ... \$33.10 \$37.10 \$39.70

Highest Grade Deep Apron Sinks

A very handsome fixture. Guaranteed to be ivory white porcelain, enameled over back, drain board, apron and inside of sink. Made in one piece. Absolutely sanitary. Supported on two adjustable painted legs and concealed wall bracket. Supplied with two of the latest pattern ½-inch nickel plated Fulier flange bibbs having china indexed handles. Trap is 1½-inch nickel plated P design, although we can furnish trap to floor if ordered. Improved nickel plated strainer. All connections for iron pipe.



May be ordered with drain board on left-hand side as illustrated,

Catalog		Size, inches-		
No.	Sink	Drain Board	Total Length	Pric
4643	20x26	'20x16	42	\$37.70
4644	20x26	20x22	48	45.3
4645	20x28	20×24	5.2	49.80

Porcelain Enameled Interchangeable Drain Boards



No.

Made of high grade grey iron easting and beautifully enameled with a clean, white enamel. Can be used either right or left-hand and for either flat or roll rim sinks. Furnished complete with bracket es il-

with bracket, lustrated, Size Price, Each 4357, 18x20 with bronzed fron brackets. \$5.70 4358, 20x20 with bronzed iron brackets. 6.40

4359. 18x24 with bronzed iron brackets. 6.10 4360. 20x24 with bronzed iron brackets. 6.50

Cast Sink Brackets

5

A substantial, bracket, very bracket, very strong, for either flat or roll rim steel or ins sinks. Furnished without screws. No. 1 is for sink 16 inches to 18 inches wide. No. 2 is for sink 18 inches to 20 inches wide. No. 4369. No. 1, pair 56c No. 4370. No. 2, pair 70c

Rochester, N. Y. Sept. 6, 1921.

Dear Sirs:

My father built himself a home with your material and it was satisfactory in every

vay. I am yours sincerely, EVERETT A. BROWN, Rochester, N. Y.

Safe Delivery Guaranteed

We gladly replace all broken or damaged material free of charge, although damaged shipments are exceedingly rare with us, owing to the unusual care we use in packing.

If any of our shipments arrive in bad order, accept it, pay the freight, and then send us the freight bill with an explanation of damage done, signed by your local freight agent.

He will be only too glad to do this for you, and you won't have to bother any further about it.

Upon receipt of your paid freight bill, we will promptly reimburse you in full for such damage or replace goods at once, just as you prefer.

Prices on this page are subject to market changes. If the market declines we will give you the benefit; if it advances we will increase less to cover increased cost to us.

PLUMBING FIXTURES AT MONEY SAVING PRICES

One Piece Stoneware Laundry Tray SANITARY, INDESTRUCTIBLE and EVERLASTING



No. 4296.	Two Compartment Tub as Illu			
	Length in Width in	Depth in		m. L.
	Inches Inches	Inches	Weight	Price
	48 24	16	350	\$10.70
	54 21	16	- 375	12,10
	60 24	16	400	12.10
No. 4297.		6-Inch High	Back.	
1101 42071	48 24	16	400	\$14.45
	54 24	16	425	16.75
	60 21	16	450	19.10
No. 4298.	Three Compartment Tub Wit	hout High Ba		
110. 4290.	72 24	16	550	\$17.00
30 4000	Three Compartment Tub Wit			011100
No. 4299.	72 24	IG III	600	\$22.55
	1 2 2 2 2			922.00
	Bibbs, \$1.25 Extra	Per Compartn	nent.	
	Traps, \$2.00 Each,	Extra		
	11aps, 32.00 Later,	Entra:		

Pneumatic Water Systems RUNNING WATER FOR EVERY HOME

and Up

This simple and durable water supply system will furnish running water at all times. It takes up little room, is easy to install and costs very little. It is complete in every detail as we furnish tank, pump and all fittings ready to connect to suction pipe leading to well and discharge pipe to fixtures. All parts are carefully tested and packed at factory ready to be shipped to you complete. No chance for trouble and delay from wrong fittings or overlooked parts. With each outfit we furnish the following—all parts cut and carefully interest and carefully segments.

Tank

A Hydro Pneumatic Tank In the size specified in table of capacities given inch. It is for vertical setting as illustrated.

Pump

A simple design of hand pump which is strong and efficient, It has a 2½-inch brass lined cylinder 4½ inches long, which has a pumping capacity of 7½ gallons per minute against pressure of 50 lbs. Ratchet gear drive as shown. Equipped with 1½-inch suction and discharge openings.

against pressure of 50 103. Ratche such as shown. Equipped with 14-inch suction and discharge openings.

This pump will force air and water into the tank at the same time by means of the special air intake valve provided. When it becomes uccessary to clean the pump you will find it very simple as only one bolt need be removed. Three plugs are arranged in order that it can be completely drained. Under tests at factory it has been found remarkable for the case with which water could be pumped against 80 to 90 pounds pressure, apparently no more effort being required than to pump against half that amount with the ordinary pump.

Fittings A complete set of fitting the standary pump.

Fittings A complete set of fitting water gauge, gate valve, hose bibb, pressure gauge and stop and waste cock with all pipe as shown, cut to fit.

Our Service is free. If you do not know the properties of the standard properties and the standard properties of the standard properties and the standard properties are gauge and stop and waste cock with all pipe as shown, cut to fit.



Easy to Install

VERTICAL TANK

Our Service is free. If you do not know what size water supply system water will be used. Specify the number of fixtures to be supplied, number of persons in family and amount of stock you expect to water. Also give depth of well. If you have electric or motor power we can furnish a power driven outfit. These systems are easily installed by any handy man as we furnish instructions.

Complete Installing and Operating Instructions Sent
With Each System

Shipped Complete from Factory in Illinois.

Capacity of Tank		Size of Tank				Price com-	
Catalog Number	Total Gallons	Working Gallons	Diameter Inches	Longth Feet	Weight Pounds	Finish of Tank	plete as described
52561/2	85	56	20	5	235	Black	\$67.35
5258	180	120	30	5	410	Black	81.40
5260	265	175	36	5	516	Black	96,00

Combined Laundry Stove With Tank Heater

A very successful and economical water heater and jaundry stove combination. May be piaced in kitchen or basement and connected to range bolier. Can only be installed in buildings having a constant flow of water.

Fire pot through which water circulates is made hollow. The water circulating around the entire fire pot is rapidly heated.

All fire pots are tapped for 1-inch connection and are tested to 125 pounds pressure.

Large ash pit with awinging ash pit door having nickel plated screw draft.

Shaking and draw center grates.

Made with top 21 x 23 inches and 2 lids 8 inches in diameter as shown in illustration. Weight 130 pounds. Our catalogue No. 1788A.

Heating capacity 100 gallons per hour.

Fire pot is 11½ inches inside diameter, 14½ inches outside diam

Cast Iron Tank \$3300 Heater

No. 4658.....\$33.00



FREE ESTIMATES

We invite our customers to take full advantage of our free estimating service.

You are often asked to figure on jobs where "odd" or special millwork items are wanted. Unless you know just what such material will cost, your bid may be too high

or too low. In either case you are the loser.
Our estimating department is here to help you. We want you to use it freely. There is no reason why you should guess or "take a chance" when you are always welcome to full and complete information.

When efficient service and guaranteed qualities are assured it is always Price that clinches a sale.

This estimating service costs you nothing. Not the slightest obligation is incurred. As a matter of fact we welcome the opportunity to assist you in this way whenever we can be of help.

LOW FREIGHT CHARGES

Contrary to the opinion of many who have not investigated the facts, freight charges covering lumber and millwork are not high.

If you will send us your lumber and millwork bills we shall gladly send you an estimate quoting prices on the entire list and telling you exactly what the freight charges will be.

Such an estimate will serve as a basis for making direct comparisons so that you can personally judge of the savings our prices represent.

It will add to your information and give us a chance to tell our story. Both are benefited.

NOTE-Prices on this page are subject to market changes. If the market declines, we will give you the benefit; if it advances, we will increase our prices to cover increased cost to us.

ELECTRA BATHROOM O An Attractive Modern Design

Porcelain Enameled Tub Square Design Venetian Body

Colonial Design **Drop Apron Lavatory**

Vitreous China Syphon Jet Closet

Bath Tub

This tub is one of the latest designs in bathroom fixtures. It is of a high grade porcelain, enameled on the inside and also on the outside. It has a 3%-inch flat rounded rim. This is a beautiful white enameled corner apron tub being built in on the back and one side wall. This tub can be turnished for right or left hand corner. Illustration shows left hand corner. Waste and supply fittings are solid brass concealed in the wall, so that only the controlling knobs with china lindexed handles protrude. This fixture eliminates the use of rubber stoppers. The trimmings are fitted with easy adjustable iron pipe connections. The tub as well as being attractive, is prevented from collecting under the tub due to the fact that it is tiled in.

Syphon Jet Closet

A massive vitreous china tank, It is fitted with the latest improved compound lever ball cock with thumb screw adjustments and has



An Exceptionally High Grade Outfit

a sound deadening filler.

It is equipped also, with new noiseless syphon plunger valve and china tripping lever. Has nickel plated brass supply pipe to floor with adjustable iron pipe connections and 2-inch nickel plated brass adjustable flush connections. The seat is of reinforced birch mahogany with heavy nickel plated brass hinges. Has noiseless designed vitreous clima syphon jet closet bowl. This closet outfit is one of the latest designs and it would add to the attractiveness of your bathroom.

Lavatory

A high grade porcelain enameled drop apron and pedestal lavatory. It is fitted with the latest combination waste and supply fixture with china escutcheons and indexed handles. This fixture eliminates the use of rubber stoppers. Has 1¼-inch heavy patterned nickel plated brass trap to floor or wall; also nickel plated adjustable brass supplies to floor or wall. All fitted with easy adjustable iron pipe connections. Size 20x26 inches, basin 11x15 inches.

10300 For This Complete Set of Attractive Colonial Design Fixtures—Our "Clio" Outfit

With White Porcelain Enameled Bathtub on Base

Noiseless Syphon Jet Closet Outfit with Vitreous China Tank and Birch Mahogany Seat

Large Massive Deep **Apron Lavatory**

All Fixtures Trimmed Complete with Heavy Brass | Nickel Plated Fittings to Wall or Floor

Bath Tub
Attractive Colonial
design on sanitary
base, which prevents dust from
getting under it. Made of the best
grade grey iron and coated with
three coats of white porcelain enamel thoroughly baked on. Will
not chip or peel. Highest quality
throughout. Furnished complete
with nickel plated, heavy brass fuller double bath cock; nickel plated
supply pipes to floor; new improved
nickel plated Ideal waste with china
indexed top. This ellminates the necessity of rubber stoppers. Width
over rim, 30 inches; height to top of
rinches.



Lavatory This modern well designed lavatory has a deep apron with high back. Best grade grey Iron carefully coated with the highest quality of white porcelain enamel. Held in place by concealed wall hanger, which is furnished. Fitted complete with nickel plated china indexed compression bibbs; nickel plated brass supply pipes to wall or floor; nickel plated brass trap to wall or floor. Speeify

which when ordering. Size of slab, 18x24 inches; back, 10 inches; apron, 6 inches.

Syphon Jet Closet Out-

Highest quality vitreous china tank, which is not affected by alkaline water. Fitted with latest improved flushing device made of heavy brass and a rubber ball valve. A light pressure on lever causes strong flushing and syphon action. White china noiseless syphon jet closet bowl connected to tank by offset connection. Tank and bowl glazed both inside and outside. Highly finished Birch Mahogany seat with nickel plated offset hinges. Furnished complete with heavy nickel plated supply pipe to floor.

Catalog No.
4290—Three-piece outfit with bath tub 4 feet 6 inches long.
4291—Three-piece outfit with bath tub 5 feet long.
4292—Three-piece ontfit with bath tub 5 feet 6 inches long.
107.00

All of our plumbing fixtures are furnished with iron pipe connections. Therefore any handy man can install these goods—dispensing with the services of a high priced mechanic.

Prices of Bathroom Outfits include Tnb, Lavatory, Tank and Closet with all fittings complete as described, but do not include Bathroom furnishings, such as towel racks, paper holders, mirrors, bath seat, etc.

Note—Prices on this page are subject to market changes. If the market declines we will give you the benefit; if it advances we will increase our prices to cover increased cost to us.



Moulded from Solid Cast Iron—Finished with Triple Baked on Enamel

Triton Outfit Complete With All Fittings Above the Floor

Sanitary Low Down Tank Closet Outfit

will pass the most rigid inspection. Bowl is syphon washdown made of the highest grade vitreous earthenware properly glazed and baked, assuring a smooth, glossy surface. Highly polished seat is fitted with brass nickel plated offset hinges. Tank is made of thoroughly seasoned lumber, piano polished, lined with copper, fitted with rubber ball valve, and the latest pattern flush valve. Push button conveniently located on tank. Heavy nickel plated brass screws and washers furnished for fastening closet bowl to floor.

Three-Inch Roll Rim Bathtub

One Piece Lavatory

Syphonic Action Closet Bowl-**Polished Wood Tank**

Bath Tub Sanitary white porcelain enameled bath tub with heavy 3-in. roll rim. Presents neat and attractive appearance. Furnished with heavy nickel plated brass fuller double bath cook for hot and cold water and connected waste and overflow. Width, 30 inches; depth inside, 17 inches; height from floor to top of rim, 22½ inches.

made in one piece, porcelain enamel inside, over roll of rim and back. It is of the half circle style with a "D" pattern bowl 10x14 inches. Back 6 inches high. Slab 17x19 inches with depressed soap dish cast in top. Supported on concealed hanger. Fitted with heavy brass nickel plated faucets with china index top marked "Hot" and "Cold," nickel plated 1¼-inch "P" trap to wall or floor as ordered, waste plug and couplings, rubber stopper, and nickel plated chain.



All fittings threaded for iron pipe connections. Shipped from factory near Chicago.

Catalog No.

76.00

lesta Bathroom Outfit—Easy to Install



50 Buys This Complete Outfit

Lavatory porcelain enameled, one piece, supported on con cealed wall hanger, nickel plated low down faucets index tops marked "Hot" and "Cold," nickel plated supply pipes, 1¼-inch "P" trap to wall or floor as ordered, rubber stopper, and nickel plated chain. Slab 16x19½ inches with sanitary soap dish cast in top. Back 6 inches high. Bowl 10x14 inches.

Closet Outfit All porcelain, syphon washdown closet bowl with golden oak tank and seat with cover.
Nickel plated 3%-inch supply pipe. Flush button on tank.
Nickel plated screws and washers for fastening closet bowl to
floor. Tank lined with heavy copper and fitted with ball valve. The best medium priced outfit that can be obtained.

Bathtub Made of heavy steel, with 2½-inch steel rolled rim. Finished in white enamel inside and out. Built for standard plumbing fittings. Fitted with waste and overflow; complete with brass nut and tail-pipe, threaded for 1½-inch iron pipe. Being built of steel, with cast-iron legs, it is exceptionally strong and durable. This tub would compare favorably with iron tubs selling for much more.

Tub not bored for bibb connections and bibbs not included.

All fittings threaded for iron pipe connections. Bath Tub shipped from Detroit, Mich. Balance from Chicago.

Catalog No. 4281-Three-piece outfit with bath tub 4 feet 6 inches\$54.50 4282-Three-piece outfit with bath tub 5 feet long _____ 55.50 4283-Three-piece outfit with bath tub 5 feet 6 inches long

All of our plumbing fixtures are furnished with iron pipe connections. Therefore any handy man can install these goods—dispensing with the services of a high-priced mechanic.

Prices of Bathroom Outfits include Tub, Lavatory, Tank and Closet, with all fittings complete as described, but do not include Bathroom furnishings, such as towel racks, paper holders, mirrors, bath seats, etc.

Note—Prices on this page are subject to market changes. If the market declines, we will give you the benefit; if it advances, we will increase our prices to cover increased cost to us.

UP

For Warm Air Furnace Complete

This furnace is an improved model of our well known all-cast heater. It embodies most modern features in furnace construction, heating capacities and efficiency. Note the extra large single fire door, the large oval shaped hinged clean out door and the humidifier or water pan conveniently located just below the fire door opening.

This furnace is the result of years of study and experience by expert heating engineers who are familiar with all the requirements of an efficient furnace. The castings are made of fine gray iron and each part is carefully fitted at the factory. Each furnace is set up and marked with a serial number so that all parts so assembled will be shipped to you ready to set up. It is then dismantled and crated for shipment in knock-down form to save freight. The work of installation is a simple matter with the instructions we furnish. No previous experience is necessary.

This furnace is conservatively rated and will deliver up to the capacity given below without forcing the fire. Order one of these efficient furnaces today and be convinced of its fuel and money saving possibilities.

GALVANIZED DOUBLE CASING

CAST IRON RADIATOR



Some Important Features of this Remarkable Furnace

Base Plate

Made all in one piece of solid cast iron and consists of the and outer base or casing ring.

Ash Pit Deep and roomy. Big enough to allow ashes to accumulate with little danger of burning out grate.

Grate
New improved triangular grate. Any of the three surfaces can be used, preferably one side each day and their life will be prolonged indefinitely. Any or all grates may be easily removed in about two minutes.

Fire Pot Extra heavy corrugated cast iron made in two sections to allow for expansion and contraction. Extra large surface due to corrugations.

Feed Section Also extra heavy corrugated cast iron.

Radiator Extra heavy all cast iron and reversible.

Casings

Heavy 26 gauge galvanized iron. Inside casing made of black iron. Carefully fitted extra large doors which add convenience to feeding and clean-Doors ing the furnace.

Joints All joints are cupped in which as-bestos cement is to be placed making a perfectly gas tight joint.

Accessories With each furnace we include, without extra charge, check draft, asbestos cement, water pan, poker, shaker handle, draft and regulating dial plate, chain and bulleys. Casing collars and smoke pipe not included at these prices.

FREE ESTIMATES

Send us a sketch of your building for our estimate on a complete Warm Air Heating Plant including all necessary equipment.

Catalog Number	Diam. Casing Inches	Diam. Fire Pot Inches	Grate Area Sq. Ins.	Height Casing Inches	Size of Feed Door	Size Smoke Pipe	Heating Capacity Cubic Feet	Shipping Weight Complete	Price Complete
5324 5325 5326 5327	34 38 42 46	18 20 22 24	154 201 254 314	43 45 47 49	9%x11% 10%x11% 10%x11% 12 x12%	7 8 8	8000 11000 16000 22000	691 835 1000 1217	\$59.50 69.25 85.00 100.75
5328	50	26	380	53	12 x12¾	9	32000	1419	118.95

PIPELESS FURNACES



rior in operation to all others. Warm air leaves the center of the register, ascending to the ceiling, forcing cold air to the floor. Cold air will be forced by this to run along the floor and into the outside of the register. It flows to the rear of the register box, where it passes through two galvanized ducts to the bottom of the furnace to be reheated. Circulation is forced and it cannot fail to operate. We have hundreds of plants bearing out the strongest claim we make.

	Diam. of		Diameter of			Dimension Register,	Price
Catalog Number		Pipe 8 in.	Casing, Inches	Heat Capacity		Inches 22x24	
5317 5318 5319	22 24	8 In. 8 In.	34 38 42	13,000 16,000 23,000	946 1,090 1.363	24x27 30x30	\$86.00 103.65 129.10
5320		9 in. 10 in.	46 50	35,000 47,000	1,563 1,950	30x36 36x36	151.50
5322	30	10 in.	54	65,000	2,200	40x40	220.00

Tropic Pipeless **Furnace**

Burns Hard Coal, Soft Coal, Wood or Coke

cost and upkeep. Firepot and grates the same as furnished on our Recirculating & Munger Furnaces. Radiator sides of heavy sheet steel with cast iron top and bottom. Galvanized casing lined with corrugated tin and asbestos. Large fuel door and combustion chamber especially adapts this furnace for burning wood. Cold air

height from 6 to 8 ft. height from 6 to 8 it.

Prices include furnace
complete as illustrated with
large register, check damper,
shaker, poker, waterpan,
draft, regulating dial with
chain and pulleys and cement for joints.

Adjustable to basement




Smokepipe Not included.

Catalog Number	No. 5300	No. 5301	No. 5302
Diameter of firepot, inches. Diameter of casing, inches. Size register face, inches. Size smoke pipe, inches. Shipping weight, approximately, ibs. Heating capacity, cu. ft. Price complete	34 18x24 8 790 13000	22 38 20x26 8 915 16000 \$74.25	24 42 22x28 8 1140 23000 \$84.85

SHIPPED FROM FACTORY IN SOUTHERN ILLINOIS



ESS FURN MPROVED **Heating System** Highly Efficient and Durable



check draft, asbestos shaker bandle, draft chain and pulleys.

We stand squarely behind this furnace and can recommend it as being remarkably efficient and durable.

It is a practical all cast Pipeless Furnace, made in an entirely new pattern embodying an attractive appearance with modern ideas of furnace construction and heating capacity. It has an extra large single feed door, large water pan conveniently located just below the fire door opening and a large oval clean-out door, making it easy to keep clean and thus at all times operating at its greatest efficiency.

The castings are extra heavy, thereby assuring an unusually long life. Each part is fitted and the furnace set up at the factory. It is then dismantled and crated for shipment in the knock-down to save freight.

Installation is easily accomplished with the aid of complete set of instructions furnished with each order. Previous experi-ence is not necessary.

The Furnace is conservatively rated and will deliver up to the capacity given without forcing the fire. With ordinary care this durable furnace will give many years of satisfactory service.

A Few Important Features:

Base Plate

Made all in one piece of solld cast Iron consisting of ash pit bottom and outer base or easing ring.

Ash Pit Deep and roomy. Big enough to permit accumulation of ashes with little danger of burning out grate.

Grate Improved triangular grate. Any of three surfaces may be used, preferably one side each day. This will prolong the life of grate indefinitely. Any or all grates easily removable.

Fire Pot Extra heavy corrugated cast from made in two sections to allow for expansion and contraction. Extra large heating surface.

Feed Section
Radiator Extra heavy all cast iron and reversible.
Casings Heavy 26 gauge galvanized iron. Inside casing made of black iron.
Doors Extra large and carefully fitted.

Joints All joints cut in which asbestos coment is to be placed to effect a gas tight joint.

Equipment Consists of check draft, asbestos cement, water pan, poker, shaker handle, draft and regulating dial, chain and pulleys.

Smoke pipe not included.

WEEF HEFFER

All Dimensions Given in Inches

Catalog Number	Inside Casing	Outside Casing	Dlam- eter Fire Pot	Size of Register:	Size of Hot Air Pipe	Size of Smoke Pipe	Heating Capacity Cubic Feet	Grate Area Sq. In.	Size Feed Door	Shipping Weight Complete	Price
5329	30	38	18	24x27	18	7	10,000	154	9% x11%	880	\$ 76.00
5330	34	42	20	30x30	22	8	13,000	201	10% x11%	990	91.25
5331	38	46	22	34x34	26	8	18,000	254	10% x11%	1229	109.00
5332	42	50	24	36x36	28	8	25,000	314	12 x12%	1407	130.50
5333	46	54	26	40x40	30	9	35,000	380	12 x12%	1697	158.00

LET THE OAKLAND CIRCULATOR Replace Your Old Unsightly Stove

The "Oakland" Circulator is a practical, all-cast attractive heater for cottages, bungalows, stores, offices, small churches, schools or garages. It is used to replace the old unsightly stove that merely radiated an intense heat to one room,

This Circulator applies the most modern method of heating by circulating warm air to the surrounding rooms. Its construction embodies the principles of a warm air pipeless furnace. The outer casing has a clearance of seven inches from the floor and ample circulation space from bottom to top, drawing cold air from the floor and bringing it into contact with the balloon shaped dome. The air thus warmed and with moisture added from the water pan conveniently located at the top of the heater, circulates upward and outward creating a uniform healthful temperature.

The all-cast heater has a large roomy ash pit, heavy duplex triangular bar grate de-No. 5347-Black with Nickel Trim

No. 5348-Grained Mahogany Porcelain Enameled Finish

signed for hard or soft coal or wood, deep rectangular fire barrel with practically the capacity of a furnace fire pot. There is an extra heavy fire dome of the balloon type.

The inner heater is encased in a beautiful all east iron cabinet, furnished either in imitation of brown grained mahogany or black with nickel trim.

Measurements

Height44	inches
Width26½	inches
Depth18½	inches
Fire Barrel (at Top)	inches
Floor Space Required26½x18½	inches
Grate Surface9½x17½	inches
Fire Door Opening81/2x151/2	inches
Ash Door Opening6x16	inches
Depth Fire Pot10	inches
Reversible Pipe-Collar7	inches
	inches
Shipping Weight (crated)425	lbs.
\$4	10.50

Zing! 62,75

Warm Upstairs Rooms at No Extra Fuel Cost **Domestic Water** Heater




All of our furnaces and bollers are cored so this type of coil can be installed. It is the most reliable and efficient heater of this type as it is a one piece iron casting with no parts to get out of order. This heater has an interior dividing wall which compels the water to travel twice the length of the heater in passing through it and as the the result is positive. Will heat sufficient water for a 40-gallon range boller without any extra fuel cost and no matter where your range is located, this heater will keep it with hot water.

filled with hot water. Water Heater No. 5038, Each

Combination Floor and Ceiling Registers are especially adapted for use in connection with "Pipeless Furnaces." With these registers you can heat your upstairs rooms to almost the same temperature as the first floor. They also can be used in connection with regular warm air, steam or hot water heating systems, as by their use the surplus heat from first floor is utilized, doing away with the expense of running pipes to second floor registers or radiators.

Each register is complete in itself, consisting of a floor register with valves, a ceiling plate and a sheet metal box, which adjusts from seven to twelve inches, connected by two spiral springs holding all in position.



Shipped from Factory direct.

Design No. 5235 5236 5237 Size of register, inches
8x10
10x12
12x14

Price \$3.50 5.00 7.85

opular Electric Fixtures—Special V

7E ILLUSTRATE only the finest quality of Electric Fixtures and at the very lowest prices. Every item is fully approved and combines efficiency, utility and artistic excellence. Prices are for fixtures wired complete, including crow feet and glassware (bulbs or lamps are not included.) Pull chain sockets furnished when specified at 45 cents each extensional forms and 6 cents to the price of each fixture for which For insulating joints, add 6 cents to the price of each fixture for which specified.

Shorter fixtures are furnished at same price as regular lengths. For longer fixtures add 25 cents for each foot or fraction of foot for each chain

length.



No. 4847 — One light Chippendale Candle bracket finished in Velvet Brown and Gold or Grey and Gold (specify finish desired). Extends 3½ inches, oval plate 4x6 inches, While it matches the Chippendale fixtures illustrated on page 87, it will harmonize with most any other modern fixture. Solid brass plate, candle cup arm and organize may be used in any room where a side light 52.25



in the modern home as well as those of Italian and Spanish de-Extends 41/2 inches. Height 11 inches. Amber teardrop

No. 4850 Each



For stores, shops, offices, public buildings and whenever a large space is to be illuminated. Chippendale design and finished Brushed Brass. Length 36 inches. Fitted with the famous Peerlite Snow White Glass unit.

No. 4849A—With 6x14 inch glass 7.50 plete and ready to hang.

No. 4849B—With 6x14 inch glass and in between switch arrangement. Each. \$8.90 No. 4849C—With 6x16 inch glass. Each. No. 4849D—With 6x16 inch glass and in between switch arrangement. 9.90

Chippendale Ball Lamp Bracket

No. 4848—Ball lamp brackets today are without question the most popular lighting units used and like all of our ball lamp fixfures may be converted into glass shade fixtures by simply removing the ball lamp adapters. Finished Velvet Brown and Gold or Grey and Gold. (Specify which is wanted.) Extends 3½ inches. Oval plate 4x6 inches. Like the entire Chippendale line, this bracket is of heavy brass and exceptionally well finished.

Alverez Wrought Bracket

A two light hand wrought bracket like the one opposite, matches the Alverez illustrated on page No. For rare beauty

this line has no equal. Finished in Polytone. Extends $4\frac{1}{2}$ inches.

Spread 6 inches. Fitted with one amber teardrop tassel \$6.00 No. 4851 Each

Bungalow Ceiling Light




tassel.



No. 4852—One light torch bracket of cast iron for entrance or porch. Finished dead black. Extends 7 Glass fitter 31/2 inches. Glass ball 31/2x6 inches. inches. Complete and ready to install. Each

Wall Brackets



Velvet Brown and Gold or Silver Grey and Gold. (Specify finish desired.)
Wifed complete and ready to install.


No. 4853—One light ball lamp type for living or dining room or bath. Extends 4½ inches, 4x6 inch brass oval plate. Solid brass parts.

No. 4853

No. 4854—One light candle bracket with white can Extends 41/2 inches. 4x6 inches oval back.



No. 4854



For bungalows, cottages and small rooms this is the ideal light. Ball lamp type in Chippendale design and choice of two finishes; Ivory and blue or Ivory and pink. (Specify finish desired.) Can be supplied in three or four lights.

No. 4855A — Four light with 10-inch plate. \$4.50

No. 4855B — Three light ith 8-inch plate. with 8-inch plate. Each



EZANTENDARI DENDERI DENDE PER DESENTA DE SUR DE DE DESENTA DE DESENTA















Chippendale Electric Fixture Set



Living Room Design No. 4840



Bathroom Design No. 4843



Hall Light Design No. 4845



Price for Complete Set of Seven Fixtures

THE Chippendale line has been especially designed for the American Home. Style, service and convenience are the outstanding features in this set which is furnished in a choice of two finishes; Velvet Brown and Gold or Grey and Gold, except the Kitchen and Bath fixtures which are in White and the outside Porch Light which comes in dead black.

White and the outside Forch Light which comes in dead black.

These fixtures are wired complete including crow feet and globe for outside porch light and snow white unit for the kitchen light. Ball lamps are not included in the price.

Fixtures soid individually or in sets. On page 85 we illustrate other fixtures that harmonize with this set and can be used for extra rooms or in connection with those shown on this page.

No. 4840—Five-light ball lamp fixture for living room in Chippendale design and in two finishes; Velvet Brown and Gold or Grey and Gold, (specify finish desired.) Length overall 36 Inches; spread 16 Inches. This fixture has an advantage over other types because the ball lamp adapters may be removed and allow you to substitute glass shades. Each. \$10.75

No. 4843—The ideal light for the bathroom and usually placed over the medicine cabinet mirror. Fitted with pull chain socket and pure white half shade. Finished in white enamel.

No. 4845—Hall or stair landing light in Chippendale design and finished in Velvet Brown, Ivory, Pink or Ivory Blue. (Specify finish wanted.) Fitted with steel cross strap and two-plece receptage.

No. 4846—Cast iron porch light finished in dead black and fitted with 6 inch white glass ball.

Prices are for fixtures wired complete, including crow feet and glassware, except where otherwise stated. Bulbs or lamps are not included.



Dining Room esign No. 4841



Bedroom Design No. 4844




Porch Light No. 4846



Spanish Type, Hand Wrought Lighting Fixtures in the Newest Finish "Polytone"

THE beautiful 5-Light Living and Dining Room Fixtures shown here are the newest creations and represent fixtures adapted to the modern type of home as well as those homes following the California type of architecture. We can heartly recommend this group with the assurance that you will be very happy with this selection. The Hall Fixture is made of wrought iron to match the larger fixtures.


"Polytone" is a beautiful antique polychrome. Very durable, hand finished.



Dining Room
Design No. 4856



Hall Design No. 4862



Living Room Design No. 4857



Bath Design No. 4858

SPECIAL—
This wonderful
7 piece group
complete ready
to install

\$5890

If you want Wall Brackets to match Alverez Fixtures see page—

85



Bedroom Design No. 4860

No. 4857—5-light living room, drop fixture. 36 inches long, spread 21 inches.......

No. 4862—1-light hall pendant. Length \$9.25

No. 4860—2-light ball lamp bedroom fixture. Length 36 inches, spread 12 inches.

No. 4858—One-piece porcelaine finished bath bracket pull chain socket. This bracket can be washed, 3.40 and matches all bath room fittings......

No. 4859—1-light kitchen unit, the latest and most practical because it is fitted with a convenience outlet for the iron, toaster or percolator. You can turn out the light and still use the outlet. Finished white enamel and includes a snow white glass unit 10 inches in diameter. Each......

No. 4861—Porch light with open bottom and pebbled frosted glass. Weatherproof socket. Extends 15 inches. 7x9½ inch lantern. Finished dead black.

Prices are for fixtures wired complete, including crow feet and glassware, except where otherwise stated. Bulbs or lamps are not included.



Kitchen Unit Design No. 4859



Porch Lantern Design No. 4861

Design No. 4001

Plan Book of Modern Homes



Write for a Free Copy!

N ADDITION TO OUR CATALOG OF BUILDING MATERIAL we issue a superbly illustrated plan book filled from cover to cover with beautiful, modern designs of convenient bungalows, handsome suburban residences, town houses, practical country homes, summer cottages, barns and garages. You are sure to find just the plan you are looking for among the many attractive designs contained in this book.

WITH EACH PLAN IS PLAINLY SHOWN the price for which we furnish all material complete necessary to construct the building, including all lumber, lath, shingles, doors, windows, millwork, spouting, tinwork, hardware, nails, paint—in fact, everything except labor and masonry (which we do not furnish).

THIS PLAN BOOK OF MODERN HOMES tells how to secure Blue Print Plans, Working Drawings, Specifications and list of material without one cent of cost to you. Write for a copy today, or if any of your neighbors expect to build tell them about this valuable book. It is sent absolutely free, postage prepaid, to anyone interested in building. Write for a copy today, and tell prospective builders among your friends.

